



2024 處方集

(承保藥物清單)

請詳閱：本文件
含有本計劃承保藥物的資訊

HPMS 核准處方集檔案提交 ID 24239，版本編號 10

此處方集更新於 2024 年 04 月 1 日。如需瞭解更多最新資訊或有其他問題，請與 Brand New Day 會員服務部聯絡，電話：(877) 621-8798 (TTY 用戶請撥打全天候服務熱線 (800) 899- 2114)，或造訪 www.bndhmo.com。

現有會員須知：本處方集已自去年變更。請查閱本文件，以確保上面仍含有您服用的藥物。

本藥物清單（處方集）中提及的「我們」或「我們的」均指 Brand New Day。「計劃」或「本計劃」均指 Brand New Day。

本文件包含本計劃截至 2024 年 04 月 1

日為止的最新藥物清單（處方集）。如需更新後的處方集，請與我們聯絡。我們的聯絡資訊以及處方集的最近更新日期在封面和封底均有寫明。

您通常必須使用網路藥房來享受您配處方藥的福利。福利、處方集、藥房網路及/或共付額/共同保險可能於 2024 年 1 月 1 日變更，也可能於年中不定期變更。

什麼是 Brand New Day 處方集？

處方集為 Brand New Day

諮詢醫療保健提供者團隊後所選承保藥物的清單，代表了公認為高品質治療計劃不可或缺的處方療法。只要是醫療必須藥物，且處方藥是在 Brand New Day 的網路藥房購買並且遵循其他計劃規則，Brand New Day 通常會將其列入我們的處方集。關於如何配處方藥的更多資訊，請查閱您的承保證書。

處方集（藥物清單）會有變更嗎？

藥物承保範圍大多會在 1 月 1 日變更，但 Brand New Day

也可在年中增刪藥物清單中的藥物、改變藥物的費用分攤等級，或增加承保限制。做出以上變更時，必須遵循醫療保險規則。

今年可能影響您的變更：在下列情況下，您會在年中因為承保範圍變更而受到影響：

- **新的非專利藥。**如果以相同或更低費用分攤等級的新非專利藥取而代之，且維持相同限制或減少限制，我們可立即將此品牌藥從藥物清單中刪除。此外，加入新非專利藥時，我們可決定保留藥物清單上的品牌藥，但可改變其費用分攤等級或增加新限制。如果您目前正在服用該品牌藥，我們可能不會事先告知即將進行該變更，但之後我們會為您提供做出變更的相關資訊。
 - 如果我們做出變更，您或您的處方開立醫師可要求我們例外處理，繼續將該品牌藥納入承保範圍。我們提供給您的通知也包含如何要求例外處理的資訊，同時，您也可以在下方的「我該如何申請 Brand New Day 處方集的未包含的藥物？」部分中找到相關資訊。
- **撤市藥物。**如果食品藥品管理局認為我們的處方集中的藥物不安全或藥物製造商意欲將該藥物撤出市場，我們將立即從處方集中刪除此藥物，並通知服用該藥的會員。
- **其他變更。**我們可能做出影響目前用藥會員的其他變更。例如，我們可能加入非專利藥，以此取代現有處方集中的品牌藥，或者針對品牌藥增加新限制，或改變該藥物的費用分攤等級。或者，我們可能根據新的臨床指南進行變更。如果我們從處方集刪除藥物，【或】增加預先授權、藥物數量限制和/或階梯治療限制或將藥物升至更高費用分攤層級，我們必須在變更生效前的至少 30 天，或在會員請求重新配藥時告知受影響的會員，屆時，該會員將可獲取 30 天的藥物量。
 - 如果我們進行其他變更，您或您的處方開立醫師可要求我們例外處理，繼續將該品牌藥納入承保範圍。我們提供給您的通知也包含如何要求例外處理的資訊，同時，您也可以在下方的「我該如何申請 Brand New Day 處方集的未包含的藥物？」部分中找到相關資訊。

2024 年 D 章《世衛組織標準處方集》（綜合）

如果您目前正在服用該藥物，這些變更不會對您造成影響。一般而言，如果您正在服用我們 2024 年處方集中的承保藥物，除非有上述情況，否則我們在 2024 承保年度中不會中止或縮減承保範圍。也就是說，該藥物仍以同樣的分攤費用，於本承保年度的餘下時間內向正在服用該藥的會員提供，且不會增加任何新限制。如變更不會對您造成影響，您不會直接收到通知。不過，等到下個年度的 1 月 1 日，該變更就會對您造成影響。因此，請務必查看藥物清單瞭解新福利年度的任何藥物變更事項。隨附的處方集為截至 2024 年 04 月 1 日的最新版本。如需獲得有關 Brand New Day 承保藥物的最新資訊，請聯絡我們。我們的聯絡資訊在封面和封底均有寫明。

我該如何使用處方集？

可透過兩種方式在處方集內找到您的藥物：

病症

本處方集從第 1

頁開始，藥物根據藥物所治療的病症分類。例如，用於治療心臟疾病的藥物會列在心血管藥物這一類別下。如果您知道您的藥物所治療的疾病，請從第 1 頁的清單中查找該類別名稱，然後在藥物的類別名稱下查找。

字母排序清單

如果您不確定應在哪個類別下查找，您應從第 107

頁開始的索引中查找藥物。該索引提供了本文件中所有涵蓋藥物的字母排序清單。所有品牌藥和非專利藥均列在索引中。在索引中查找您的藥物。在藥物旁邊，您將看到可找到承保資訊的頁碼數。翻到索引所標示的頁面，然後在清單的第一欄找到您的藥物名稱。

什麼是非專利藥？

Brand New Day 承保品牌藥和非專利藥。非專利藥為經食品藥品監督管理局 (FDA) 准予，且具有與品牌藥相同活性成分的藥物。一般情況下，非專利藥的價格要低於品牌藥。

承保範圍有任何限制嗎？

一些承保藥物的承保範圍可能由一些額外要求或限制。這些要求與限制可能包括：

2024 年 D 章《世衛組織標準處方集》（綜合）

- **預先授權：**Brand New Day
要求您【或您的醫師】事先獲得某些藥物的授權。這意味著您在配處方藥前將需要獲得 Brand New Day 的授權。如果您未獲得授權，Brand New Day 不會承保藥物。
- **數量限制：**對於特定藥物，Brand New Day 限制其將承保藥物的數量。例如，Brand New Day 每 28 天僅為每個處方提供 18 錠舒馬普坦口服片。可能還有標準一個月或三個月供應量的限制。
- **階梯治療：**在某些情況下，Brand New Day 在承保您所患疾病的另一藥物前，要求您首先嘗試使用特定藥物來治療。例如，如果 A 藥和 B 藥均可治療您的疾病，除非您已先嘗試 A 藥，否則 Brand New Day 可能不承保 B 藥。如果 A 藥對您不起作用，Brand New Day 將承保 B 藥。

您可查看從第 1

頁開始的處方集來瞭解您所服用藥物是否有任何額外的要求或限制。您還可造訪我們的網站，瞭解有關特定承保藥物限制的更多資訊。我們已線上張貼相關文件，用以說明我們的預先授權與階梯治療的用藥限制。您同樣可要求我們郵寄副本給您。我們的聯絡資訊以及處方集的最近更新日期在封面和封底均有寫明。

您可要求 Brand New Day

例外對待這些限制或要求獲得可治療您所患疾病的其他類似藥物的清單。參見第 1 頁「我該如何申請 Brand New Day 處方集的未包含的藥物？」這一部分內容，瞭解更多有關如何申請例外處理的更多資訊。

如果我們藥物不在處方集上，該怎麼辦？

如果您的藥物不在本處方集（承保藥物清單）中，您首先應聯絡會員服務部，詢問您的藥物是否承保。有關更多資訊，請聯絡我們。我們的聯絡資訊以及處方集的最近更新日期在封面和封底均有寫明。

如果您瞭解到，Brand New Day 不承保您的藥物，您有兩個選擇：

- 您可要求承保人服務部提供 Brand New Day 所承保的類似藥物清單。在收到清單後，請拿給您的醫師，並要求其開處 Brand New Day 承保的類似藥物。
- 您可以要求 Brand New Day 破例和承保您的藥物。查閱下文瞭解如何請求處理例外情況。

我該如何請求處理 Brand New Day 處方集的例外情況？

您可以要求 Brand New Day

處理承保規則的例外情況。您可以要求我們處理的例外情況有幾種類型。

- 您可以要求我們承保不在處方集中的藥物。如果獲准，該藥物將以預先確定的費用分攤層級受到承保，而且您不能要求我們以更低的費用分攤層級提供藥物。
- 如果藥物不屬於特殊藥物層級，您可以要求我們以更低的費用分攤層級承保處方集藥物。如果獲准，將降低您必須為該藥物支付的費用。
- 您可要求我們免除您藥物的承保範圍限制。例如，對於特定藥物，Brand New Day 限制將承保藥物的數量。如果您的藥物有數量限制，您可要求我們免除限制和承保更多數量。

一般情況下，Brand New Day

僅在計劃的處方集中的替代藥物、更低費用分攤層級藥物或其他使用限制不能有效治療您的疾病和/或導致您出現不良醫學反應時批准您的例外請求。

您應聯絡我們，請求處方集或使用限制的例外情況的初始承保決定。在您請求處方集或使用限制的例外情況時，您應提交處方醫師或醫生開具的證明以佐證您的請求。

一般情況下，我們必須在獲得您的開藥者的支持證明後的 72

小時內作出決定。如果您或您的醫師認為，需要等待多達 72

小時才作出決定可能會嚴重損害您的健康，您可以要求加快（快速）例外處理。如果您的加速請求獲得採納，在收到您的醫師或處方開立醫師的支持證明後，我們必須於 24 小時內為您作出決定。

在與我的醫師討論更換藥物或要求作出例外處理之前，我應該做什麼？

作為我們計劃的新舊會員，您可能正在服用我們處方集上沒有的藥物。或者，您服用的藥物在我們的處方集上有，但是您獲取該藥物的能力受到限制。例如，您可能需要得到我們的預先授權才能去配藥。您應該與您的醫師討論，確定應改用我們所承保的適當藥物，還是請求對處方集作出例外處理，讓我們承保您所服用的藥物。在您與醫師討論確定適合您的方案時，在某些情況下，我們可能在您加入我們計劃的前 90 天內承保您的藥物。

對於我們的處方集中不包含，或者您獲取藥物的能力受到限制的藥物，我們將承保 30

天的臨時用量。如果您的處方天數較少，我們將允許重新配藥，最多提供 30 天 的用量。在最初的 30 天用量後，即使您加入計劃的時間尚不足 90 天，我們也不會再承保此類藥物。

2024 年 D 章《世衛組織標準處方集》（綜合）

如果是長期照護機構的居民，且您需要的藥物我們的處方集上沒有，或您獲取該藥的能力受到限制，但是您加入我們的計劃已超過 90 天，在您尋求處理處方集的例外情況期間，我們會承保該藥物 31 天的緊急供應。

對於由於護理層級發生變更而改變治療場所的會員，也可視為處於過渡期。我們會為這些會員提供合適的過渡增配量。

更多資訊

有關您的 Brand New Day 處方藥承保的更多詳細資訊，請查閱您的承保說明書和其他計劃材料。

如果您對 Brand New Day

有疑問，請聯絡我們。我們的聯絡資訊以及處方集的最近更新日期在封面和封底均有寫明。

如果您有聯邦醫療處方藥承保的一般性問題，請致電聯邦醫療局全天候服務熱線 1-800-MEDICARE (1-800-633-4227)。TTY 用戶可撥打 1-877-486-2048。或造訪網站 <http://www.medicare.gov>。

Brand New Day 處方集

本處方集包含有關 Brand New Day

承保的部分藥物的承保資訊。如您未在清單找到您所服藥物，請翻到 107 頁查看索引。

圖表的第一欄列出了藥物名稱。品牌藥名稱全部大寫（如：HUMIRA），仿製藥名稱則以小寫字母斜體列出（如：*atorvastatin*）。

要求/限制欄的資訊告訴您，Brand New Day 對您的藥物的承保是否有任何特別要求。

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

List of Abbreviations

B/D PA: 根据具体情况 该处方药可能受 Medicare B 部分或 D 部分承保。可能需要提交描述药物使用和设置的信息方可做出决定。

EX: 排除药物。这种处方药通常不受 Medicare 处方药计划的承保。您在处方配领这种药物时支付的金额不计入您的总药物费用（即，您支付的金额并不能帮助您获得重病承保资格）。此外，如果您获得额外帮助来支付处方费用，您将不会获得任何额外帮助来支付这种药物的费用。

GC: 缺口承保。我们在承保缺口中为该处方药提供承保。有关**承保的更多信息**，请参阅我们的承保证明。

LA: 有限可用性。此处方药可能仅在某些药店提供。如需更多信息，请致电 Express Scripts 客户服务部。

MO:

邮购药物。可通过我们的邮购服务以及我们的零售网络药房获取该处方药。考虑为您的长期（维持）药物（如高血压药物）使用邮购。零售网络药房可能更适合短期处方药（如抗生素）。

NEDS: 非延长日供应药物。该药物仅可提供 30 天或更短的用量。

PA: 事先授权。该计划要求您或您的医生获得某些药物的事先授权。这意味着您需要在配领处方药前获得批准。

QL: 数量限制。对于某些药物，本计划限制我们将承保的药物数量。

ST:

阶梯疗法。在某些情况下，本计划要求您先尝试某些药物来治疗您的疾病，然后我们才会承保治疗该疾病的另一种药物。例如，**如果药物 A 和药物 B 都能治疗**您的疾病，除非您先试用药物 A，否则我们可能不承保药物 B。**如果药物 A 对您不起作用，我们将承保药物 B。**

V: 根据美国疾病控制与预防中心(CDC) 预防新疫苗委员会(ACIP) 的建议 此疫苗免费提供给成年人使用。

药物名称	药物层级	要求/限制
ANTI - INFECTIVES		
ANTIFUNGAL AGENTS		
ABELCET INTRAVENOUS SUSPENSION	4	B/D PA
<i>amphotericin b injection recon soln</i>	4	B/D PA; MO
<i>caspofungin intravenous recon soln</i>	4	
<i>clotrimazole mucous membrane troche</i>	2	MO
CRESEMBIA ORAL CAPSULE	5	PA; NEDS
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 400 mg/200 ml</i>	4	PA
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i>	4	PA; MO
<i>fluconazole oral suspension for reconstitution</i>	2	MO
<i>fluconazole oral tablet</i>	2	MO
<i>flucytosine oral capsule</i>	5	MO; NEDS
<i>griseofulvin microsize oral suspension</i>	4	MO
<i>griseofulvin microsize oral tablet</i>	4	MO

药物名称	药物层级	要求/限制
<i>griseofulvin ultramicrosize oral tablet</i>	4	MO
<i>itraconazole oral capsule</i>	4	MO; QL (120 per 30 days)
<i>itraconazole oral solution</i>	4	MO
<i>ketoconazole oral tablet</i>	2	MO
<i>micafungin intravenous recon soln</i>	5	MO; NEDS
<i>nystatin oral suspension</i>	2	MO
<i>nystatin oral tablet</i>	2	MO
<i>posaconazole oral tablet,delayed release (dr/ec)</i>	5	PA; MO; QL (96 per 30 days); NEDS
<i>terbinafine hcl oral tablet</i>	2	MO
<i>voriconazole intravenous recon soln</i>	5	PA; MO; NEDS
<i>voriconazole oral suspension for reconstitution</i>	5	PA; MO; NEDS
<i>voriconazole oral tablet</i>	4	PA; MO
ANTIVIRALS		
<i>abacavir oral solution</i>	3	MO
<i>abacavir oral tablet</i>	3	MO
<i>abacavir-lamivudine oral tablet</i>	3	MO
<i>acyclovir oral capsule</i>	2	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>acyclovir oral suspension 200 mg/5 ml</i>	4	MO
<i>acyclovir oral tablet</i>	2	MO
<i>acyclovir sodium intravenous solution</i>	4	B/D PA; MO
<i>adefovir oral tablet</i>	4	MO
<i>amantadine hcl oral capsule</i>	2	MO
<i>amantadine hcl oral solution</i>	2	MO
<i>amantadine hcl oral tablet</i>	2	MO
<i>APRETUDE INTRAMUSCULAR SUSPENSION,EXT ENDED RELEASE</i>	5	MO; NEDS
<i>APTIVUS ORAL CAPSULE</i>	5	MO; NEDS
<i>atazanavir oral capsule</i>	4	MO
<i>BARACLUDE ORAL SOLUTION</i>	5	MO; NEDS
<i>BIKTARVY ORAL TABLET</i>	5	MO; NEDS
<i>CABENUVA INTRAMUSCULAR SUSPENSION,EXT ENDED RELEASE</i>	5	MO; NEDS
<i>cidofovir intravenous solution</i>	5	B/D PA; MO; NEDS
<i>CIMDUO ORAL TABLET</i>	5	MO; NEDS
<i>COMPLERA ORAL TABLET</i>	5	MO; NEDS
<i>darunavir oral tablet</i>	5	MO; NEDS

药物名称	药物层级	要求/限制
<i>DELSTRIGO ORAL TABLET</i>	5	MO; NEDS
<i>DESCOVY ORAL TABLET</i>	5	MO; NEDS
<i>DOVATO ORAL TABLET</i>	5	MO; NEDS
<i>EDURANT ORAL TABLET</i>	5	MO; NEDS
<i>efavirenz oral capsule</i>	4	MO
<i>efavirenz-emtricitabin-tenofovir oral tablet</i>	4	MO
<i>efavirenz-lamivu-tenofovir disop oral tablet</i>	5	MO; NEDS
<i>emtricitabine oral capsule</i>	4	MO
<i>emtricitabine-tenofovir (tdf) oral tablet</i>	4	MO
<i>EMTRIVA ORAL SOLUTION</i>	3	MO
<i>entecavir oral tablet</i>	4	MO
<i>EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG</i>	5	PA; MO; QL (28 per 28 days); NEDS
<i>EPCLUSA ORAL PELLETS IN PACKET 200-50 MG</i>	5	PA; MO; QL (56 per 28 days); NEDS
<i>EPCLUSA ORAL TABLET 200-50 MG</i>	5	PA; MO; QL (56 per 28 days); NEDS
<i>EPCLUSA ORAL TABLET 400-100 MG</i>	5	PA; MO; QL (28 per 28 days); NEDS
<i>etravirine oral tablet</i>	5	MO; NEDS

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
EVOTAZ ORAL TABLET	5	MO; NEDS
<i>famciclovir oral tablet</i>	2	MO
<i>fosamprenavir oral tablet</i>	4	MO
FUZEON SUBCUTANEOUS RECON SOLN	5	MO; NEDS
<i>ganciclovir sodium intravenous recon soln</i>	2	B/D PA; MO
<i>ganciclovir sodium intravenous solution</i>	2	B/D PA
GENVOYA ORAL TABLET	5	MO; NEDS
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; MO; QL (28 per 28 days); NEDS
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; MO; QL (56 per 28 days); NEDS
HARVONI ORAL TABLET 45-200 MG	5	PA; MO; QL (56 per 28 days); NEDS
HARVONI ORAL TABLET 90-400 MG	5	PA; MO; QL (28 per 28 days); NEDS
INTELENCE ORAL TABLET 25 MG	4	MO
ISENTRESS HD ORAL TABLET	5	MO; NEDS
ISENTRESS ORAL POWDER IN PACKET	5	MO; NEDS
ISENTRESS ORAL TABLET	5	MO; NEDS

药物名称	药物层级	要求/限制
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	MO; NEDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	MO
JULUCA ORAL TABLET	5	MO; NEDS
LAGEVRIO (EUA) ORAL CAPSULE	6	GC; QL (40 per 180 days)
<i>lamivudine oral solution</i>	3	MO
<i>lamivudine oral tablet</i>	3	MO
<i>lamivudine-zidovudine oral tablet</i>	3	MO
LEXIVA ORAL SUSPENSION	4	MO
<i>lopinavir-ritonavir oral solution</i>	4	MO
<i>lopinavir-ritonavir oral tablet</i>	3	MO
<i>maraviroc oral tablet</i>	5	MO; NEDS
<i>nevirapine oral suspension</i>	4	
<i>nevirapine oral tablet</i>	3	MO
<i>nevirapine oral tablet extended release 24 hr</i>	4	MO
NORVIR ORAL POWDER IN PACKET	4	MO
ODEFSEY ORAL TABLET	5	MO; NEDS
<i>oseltamivir oral capsule</i>	3	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>oseltamivir oral suspension for reconstitution</i>	3	MO
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG	6	GC; QL (20 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	6	GC; QL (30 per 180 days)
PIFELTRO ORAL TABLET	5	MO; NEDS
PREVYMIS INTRAVENOUS SOLUTION	5	PA; NEDS
PREVYMIS ORAL TABLET	5	PA; MO; QL (30 per 30 days); NEDS
PREZCOBIX ORAL TABLET	5	MO; NEDS
PREZISTA ORAL SUSPENSION	5	MO; NEDS
PREZISTA ORAL TABLET 150 MG, 75 MG	4	MO
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE	4	MO
RETROVIR INTRAVENOUS SOLUTION	3	MO
REYATAZ ORAL POWDER IN PACKET	5	MO; NEDS
<i>ribavirin oral capsule</i>	3	MO
<i>ribavirin oral tablet 200 mg</i>	3	MO

药物名称	药物层级	要求/限制
<i>rimantadine oral tablet</i>	4	MO
<i>ritonavir oral tablet</i>	3	MO
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR	5	MO; NEDS
SELZENTRY ORAL SOLUTION	3	MO
SELZENTRY ORAL TABLET 25 MG, 75 MG	3	MO
STRIBILD ORAL TABLET	5	MO; NEDS
SUNLENCA ORAL TABLET	5	NEDS
SUNLENCA SUBCUTANEOUS SOLUTION	5	NEDS
SYMTUZA ORAL TABLET	5	MO; NEDS
SYNAGIS INTRAMUSCULAR SOLUTION	5	MO; LA; NEDS
<i>tenofovir disoproxil fumarate oral tablet</i>	4	MO
TIVICAY ORAL TABLET 10 MG	3	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	MO; NEDS
TIVICAY PD ORAL TABLET FOR SUSPENSION	5	MO; NEDS
TRIUMEQ ORAL TABLET	5	MO; NEDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION	5	MO; NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
TRIZIVIR ORAL TABLET	5	NEDS
TROGARZO INTRAVENOUS SOLUTION	5	MO; LA; NEDS
<i>valacyclovir oral tablet 1 gram</i>	2	MO; QL (120 per 30 days)
<i>valacyclovir oral tablet 500 mg</i>	2	MO; QL (60 per 30 days)
<i>valganciclovir oral recon soln</i>	5	MO; NEDS
<i>valganciclovir oral tablet</i>	3	MO
VEKLURY INTRAVENOUS RECON SOLN	5	NEDS
VEMLIDY ORAL TABLET	5	MO; NEDS
VIRACEPT ORAL TABLET	5	MO; NEDS
VIREAD ORAL POWDER	5	MO; NEDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	4	MO
VOSEVI ORAL TABLET	5	PA; MO; QL (28 per 28 days); NEDS
XOFLUZA ORAL TABLET 40 MG, 80 MG	3	MO
<i>zidovudine oral capsule</i>	3	MO
<i>zidovudine oral syrup</i>	3	MO
<i>zidovudine oral tablet</i>	2	MO
CEPHALOSPORINS		
<i>cefaclor oral capsule</i>	2	MO

药物名称	药物层级	要求/限制
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml</i>	2	MO
<i>cefaclor oral suspension for reconstitution 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefaclor oral tablet extended release 12 hr</i>	4	MO
<i>cefadroxil oral capsule</i>	2	MO
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	MO
<i>cefazolin in dextrose (iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	4	MO
<i>cefazolin injection recon soln 1 gram, 500 mg</i>	4	MO
<i>cefazolin injection recon soln 10 gram, 100 gram, 300 g</i>	4	
<i>cefazolin intravenous recon soln 1 gram</i>	4	
<i>cefdinir oral capsule</i>	2	MO
<i>cefdinir oral suspension for reconstitution</i>	3	MO
<i>cefepime in dextrose, iso-osm intravenous piggyback</i>	4	

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>cefepime injection recon soln</i>	4	MO
<i>cefixime oral capsule</i>	4	MO
<i>cefixime oral suspension for reconstitution</i>	4	MO
<i>cefoxitin in dextrose, iso-osm intravenous piggyback</i>	4	PA
<i>cefoxitin intravenous recon soln 1 gram, 2 gram</i>	4	PA; MO
<i>cefoxitin intravenous recon soln 10 gram</i>	4	PA
<i>cefpodoxime oral suspension for reconstitution</i>	4	MO
<i>cefpodoxime oral tablet</i>	4	MO
<i>cefprozil oral suspension for reconstitution</i>	2	MO
<i>cefprozil oral tablet</i>	2	MO
<i>ceftazidime injection recon soln 1 gram, 2 gram</i>	4	PA; MO
<i>ceftazidime injection recon soln 6 gram</i>	4	PA
<i>ceftriaxone in dextrose,iso-osm intravenous piggyback</i>	4	MO
<i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i>	4	MO
<i>ceftriaxone injection recon soln 10 gram</i>	4	

药物名称	药物层级	要求/限制
<i>ceftriaxone intravenous recon soln</i>	4	MO
<i>cefuroxime axetil oral tablet</i>	2	MO
<i>cefuroxime sodium injection recon soln 750 mg</i>	4	PA; MO
<i>cefuroxime sodium intravenous recon soln 1.5 gram</i>	4	PA; MO
<i>cefuroxime sodium intravenous recon soln 7.5 gram</i>	4	PA
<i>cephalexin oral capsule 250 mg, 500 mg</i>	2	MO
<i>cephalexin oral suspension for reconstitution</i>	2	MO
<i>tazicef injection recon soln</i>	4	PA; MO
<i>tazicef intravenous recon soln</i>	4	PA
TEFLARO INTRAVENOUS RECON SOLN	5	PA; MO; NEDS
ERYTHROMYCINS / OTHER MACROLIDES		
<i>azithromycin intravenous recon soln</i>	4	PA; MO
<i>azithromycin oral packet</i>	3	MO
<i>azithromycin oral suspension for reconstitution</i>	2	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	2	
<i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i>	2	MO
<i>clarithromycin oral suspension for reconstitution</i>	2	MO
<i>clarithromycin oral tablet</i>	2	MO
<i>clarithromycin oral tablet extended release 24 hr</i>	2	MO
DIFICID ORAL TABLET	5	MO; QL (20 per 10 days); NEDS
<i>e.e.s. 400 oral tablet</i>	4	MO
<i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i>	4	MO
<i>erythrocin (as stearate) oral tablet 250 mg</i>	4	
<i>erythromycin ethylsuccinate oral tablet</i>	4	MO
<i>erythromycin oral capsule, delayed release (dr/ec)</i>	4	MO
<i>erythromycin oral tablet</i>	4	MO
<i>erythromycin oral tablet, delayed release (dr/ec)</i>	4	MO
MISCELLANEOUS ANTIINFECTIVES		

药物名称	药物层级	要求/限制
<i>albendazole oral tablet</i>	5	MO; NEDS
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	4	PA; MO
<i>ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION</i>	5	PA; LA; NEDS
<i>atovaquone oral suspension</i>	4	MO
<i>atovaquone-proguanil oral tablet</i>	4	MO
<i>aztreonam injection recon soln</i>	4	PA; MO
<i>bacitracin intramuscular recon soln</i>	4	
<i>CAYSTON INHALATION SOLUTION FOR NEBULIZATION</i>	5	PA; MO; LA; QL (84 per 56 days); NEDS
<i>chloramphenicol sod succinate intravenous recon soln</i>	4	
<i>chloroquine phosphate oral tablet</i>	2	MO
<i>clindamycin hcl oral capsule</i>	2	MO
<i>clindamycin in 5 % dextrose intravenous piggyback</i>	4	PA; MO
<i>clindamycin phosphate injection solution</i>	4	PA; MO
<i>clindamycin phosphate intravenous solution</i>	4	PA; MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
COARTEM ORAL TABLET	4	MO
<i>colistin (colistimethate na) injection recon soln</i>	4	PA; MO; QL (30 per 10 days)
<i>dapsone oral tablet</i>	3	MO
DAPTOMYCIN INTRAVENOUS RECON SOLN 350 MG	5	MO; NEDS
<i>daptomycin intravenous recon soln 500 mg</i>	5	MO; NEDS
EMVERM ORAL TABLET,CHEWABLE	5	MO; NEDS
<i>ertapenem injection recon soln</i>	4	PA; MO; QL (14 per 14 days)
<i>ethambutol oral tablet</i>	3	MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/50 ml</i>	4	PA; MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 80 mg/100 ml</i>	4	PA
<i>gentamicin injection solution 40 mg/ml</i>	4	PA; MO
<i>gentamicin sulfate (ped) (pf) injection solution</i>	4	PA; MO
<i>hydroxychloroquine oral tablet 200 mg</i>	2	MO

药物名称	药物层级	要求/限制
<i>imipenem-cilastatin intravenous recon soln</i>	4	PA; MO
<i>isoniazid injection solution</i>	4	
<i>isoniazid oral solution</i>	2	MO
<i>isoniazid oral tablet</i>	2	MO
<i>ivermectin oral tablet</i>	3	PA; MO; QL (20 per 30 days)
<i>lincomycin injection solution</i>	4	PA
<i>linezolid in dextrose 5% intravenous piggyback</i>	4	PA; MO
<i>linezolid oral suspension for reconstitution</i>	5	MO; NEDS
<i>linezolid oral tablet</i>	4	MO
<i>linezolid-0.9% sodium chloride intravenous parenteral solution</i>	4	PA
<i>mefloquine oral tablet</i>	2	MO
<i>meropenem intravenous recon soln 1 gram</i>	4	PA; QL (30 per 10 days)
<i>meropenem intravenous recon soln 500 mg</i>	4	PA; QL (10 per 10 days)
<i>metro i.v. intravenous piggyback</i>	4	PA; MO
<i>metronidazole in nacl (iso-osm) intravenous piggyback</i>	4	PA; MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
<i>metronidazole oral tablet</i>	2	MO	<i>TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE</i>	5	MO; QL (224 per 56 days); NEDS
<i>neomycin oral tablet</i>	2	MO	<i>tobramycin in 0.225 % nacl inhalation solution for nebulization</i>	5	PA; MO; QL (280 per 28 days); NEDS
<i>nitazoxanide oral tablet</i>	5	MO; NEDS	<i>tobramycin inhalation solution for nebulization</i>	5	PA; MO; QL (224 per 28 days); NEDS
<i>paromomycin oral capsule</i>	4		<i>tobramycin sulfate injection recon soln</i>	4	PA; QL (9 per 14 days)
<i>pentamidine inhalation recon soln</i>	4	B/D PA; MO; QL (1 per 28 days)	<i>tobramycin sulfate injection solution</i>	4	PA; MO
<i>pentamidine injection recon soln</i>	4	MO	<i>TRECATOR ORAL TABLET</i>	4	MO
<i>praziquantel oral tablet</i>	4	MO	<i>VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML</i>	3	PA; QL (4000 per 10 days)
<i>PRIFTIN ORAL TABLET</i>	3	MO	<i>VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 500 MG/100 ML</i>	3	PA; QL (1000 per 10 days)
<i>PRIMAQUINE ORAL TABLET</i>	4	MO	<i>VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 750 MG/150 ML</i>	3	PA; QL (4050 per 10 days)
<i>pyrazinamide oral tablet</i>	4	MO	<i>VANCOMYCIN INJECTION RECON SOLN</i>	4	PA; QL (1 per 10 days)
<i>pyrimethamine oral tablet</i>	5	PA; MO; NEDS	<i>vancomycin intravenous recon soln 1,000 mg</i>	4	PA; MO; QL (20 per 10 days)
<i>quinine sulfate oral capsule</i>	4	MO			
<i>rifabutin oral capsule</i>	4	MO			
<i>rifampin intravenous recon soln</i>	4	MO			
<i>rifampin oral capsule</i>	3	MO			
<i>SIRTURO ORAL TABLET</i>	5	PA; LA; NEDS			
<i>STREPTOMYCIN INTRAMUSCULAR RECON SOLN</i>	5	PA; MO; QL (60 per 30 days); NEDS			
<i>tigecycline intravenous recon soln</i>	5	PA; MO; NEDS			
<i>tinidazole oral tablet</i>	3	MO			

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>vancomycin intravenous recon soln 10 gram</i>	4	PA; QL (2 per 10 days)
<i>vancomycin intravenous recon soln 5 gram</i>	4	PA; QL (4 per 10 days)
<i>vancomycin intravenous recon soln 500 mg</i>	4	PA; MO; QL (10 per 10 days)
<i>vancomycin intravenous recon soln 750 mg</i>	4	PA; MO; QL (27 per 10 days)
<i>vancomycin oral capsule 125 mg</i>	4	PA; MO; QL (40 per 10 days)
<i>vancomycin oral capsule 250 mg</i>	4	PA; MO; QL (80 per 10 days)
VIBATIV INTRAVENOUS RECON SOLN 750 MG	5	PA; NEDS
XIFAXAN ORAL TABLET 200 MG	3	QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	MO; QL (90 per 30 days); NEDS
PENICILLINS		
<i>amoxicillin oral capsule</i>	1	MO; GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 400 mg/5 ml</i>	1	MO; GC
<i>amoxicillin oral suspension for reconstitution 200 mg/5 ml, 250 mg/5 ml</i>	2	MO

药物名称	药物层级	要求/限制
<i>amoxicillin oral tablet</i>	1	MO; GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	MO
<i>amoxicillin-pot clavulanate oral suspension for reconstitution</i>	2	MO
<i>amoxicillin-pot clavulanate oral tablet</i>	2	MO
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr</i>	4	MO
<i>amoxicillin-pot clavulanate oral tablet, chewable</i>	2	MO
<i>ampicillin oral capsule 500 mg</i>	2	MO
<i>ampicillin sodium injection recon soln</i>	4	PA; MO
<i>ampicillin sodium intravenous recon soln</i>	4	PA
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i>	4	PA; MO
<i>ampicillin-sulbactam injection recon soln 15 gram</i>	4	PA
<i>ampicillin-sulbactam intravenous recon soln</i>	4	PA
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML	4	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
BICILLIN C-R INTRAMUSCULAR SYRINGE	3	PA; MO
BICILLIN L-A INTRAMUSCULAR SYRINGE	4	PA; MO
<i>dicloxacillin oral capsule</i>	2	MO
<i>nafcillin in dextrose iso-osm intravenous piggyback</i>	4	PA
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	4	PA; MO
<i>nafcillin injection recon soln 10 gram</i>	5	PA; NEDS
<i>nafcillin intravenous recon soln 2 gram</i>	4	PA
<i>oxacillin in dextrose(iso-osm) intravenous piggyback</i>	4	PA
<i>oxacillin injection recon soln 1 gram, 10 gram</i>	4	PA
<i>oxacillin injection recon soln 2 gram</i>	4	PA; MO
PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 1 MILLION UNIT/50 ML	3	PA
PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 2 MILLION UNIT/50 ML, 3 MILLION UNIT/50 ML	4	PA

药物名称	药物层级	要求/限制
<i>penicillin g potassium injection recon soln</i>	4	PA; MO
<i>penicillin g sodium injection recon soln</i>	4	PA; MO
<i>penicillin v potassium oral recon soln</i>	2	MO
<i>penicillin v potassium oral tablet</i>	2	MO
<i>pfizerpen-g injection recon soln</i>	4	PA
<i>piperacillin-tazobactam intravenous recon soln 13.5 gram, 40.5 gram</i>	4	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i>	4	MO
QUINOLONES		
<i>ciprofloxacin hcl oral tablet 100 mg</i>	2	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i>	1	MO; GC
<i>ciprofloxacin hcl oral tablet 750 mg</i>	2	MO
<i>ciprofloxacin in 5 % dextrose intravenous piggyback</i>	4	PA; MO
<i>ciprofloxacin oral suspension,microcapsule recon 500 mg/5 ml</i>	4	

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i>	4	PA
<i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i>	4	PA; MO
<i>levofloxacin intravenous solution</i>	4	PA
<i>levofloxacin oral solution</i>	4	MO
<i>levofloxacin oral tablet</i>	2	MO
<i>moxifloxacin oral tablet</i>	3	MO
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback</i>	4	PA; MO
SULFA'S / RELATED AGENTS		
<i>sulfadiazine oral tablet</i>	4	MO
<i>sulfamethoxazole-trimethoprim intravenous solution</i>	4	PA; MO
<i>sulfamethoxazole-trimethoprim oral suspension</i>	2	MO
<i>sulfamethoxazole-trimethoprim oral tablet</i>	1	MO; GC
TETRACYCLINES		
<i>demeclacycline oral tablet</i>	4	MO
<i>doxy-100 intravenous recon soln</i>	4	PA; MO

药物名称	药物层级	要求/限制
<i>doxycycline hyclate intravenous recon soln</i>	4	PA
<i>doxycycline hyclate oral capsule</i>	2	MO
<i>doxycycline hyclate oral tablet 100 mg, 20 mg, 50 mg</i>	2	MO
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>	2	MO
<i>doxycycline monohydrate oral suspension for reconstitution</i>	4	MO
<i>doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg</i>	2	MO
<i>minocycline oral capsule</i>	2	MO
<i>minocycline oral tablet</i>	4	MO
<i>monodoxine nl oral capsule 100 mg</i>	2	
<i>tetracycline oral capsule</i>	4	MO
URINARY TRACT AGENTS		
<i>methenamine hippurate oral tablet</i>	3	MO
<i>methenamine mandelate oral tablet 0.5 g</i>	2	MO
<i>methenamine mandelate oral tablet 1 gram</i>	2	

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	3	MO
<i>nitrofurantoin monohyd/m-cryst oral capsule</i>	3	MO
<i>trimethoprim oral tablet</i>	2	MO
ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS		
ADJUNCTIVE AGENTS		
<i>dexrazoxane hcl intravenous recon soln</i>	5	B/D PA; MO; NEDS
<i>ELITEK INTRAVENOUS RECON SOLN</i>	5	MO; NEDS
<i>KEPIVANCE INTRAVENOUS RECON SOLN 5.16 MG</i>	5	NEDS
<i>KHAPZORY INTRAVENOUS RECON SOLN 175 MG</i>	5	B/D PA; NEDS
<i>leucovorin calcium oral tablet</i>	3	MO
<i>levoleucovorin calcium intravenous recon soln</i>	5	B/D PA; MO; NEDS
<i>levoleucovorin calcium intravenous solution</i>	5	B/D PA; NEDS
<i>mesna intravenous solution</i>	2	B/D PA; MO
<i>MESNEX ORAL TABLET</i>	5	MO; NEDS

药物名称	药物层级	要求/限制
<i>VISTOGARD ORAL GRANULES IN PACKET</i>	5	PA; NEDS
<i>XGEVA SUBCUTANEOUS SOLUTION</i>	5	B/D PA; MO; NEDS
ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS		
<i>abiraterone oral tablet 250 mg</i>	5	PA; MO; QL (120 per 30 days); NEDS
<i>abiraterone oral tablet 500 mg</i>	5	PA; MO; QL (60 per 30 days); NEDS
<i>ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION</i>	5	B/D PA; MO; NEDS
<i>ADCETRIS INTRAVENOUS RECON SOLN</i>	5	B/D PA; MO; NEDS
<i>ADSTILADRIN INTRAVESICAL SUSPENSION</i>	5	PA; NEDS
<i>AKEEGA ORAL TABLET</i>	5	PA; LA; QL (60 per 30 days); NEDS
<i>ALECensa ORAL CAPSULE</i>	5	PA; MO; QL (240 per 30 days); NEDS
<i>ALIQOPA INTRAVENOUS RECON SOLN</i>	5	B/D PA; LA; NEDS
<i>ALUNBRIG ORAL TABLET 180 MG, 90 MG</i>	5	PA; QL (30 per 30 days); NEDS
<i>ALUNBRIG ORAL TABLET 30 MG</i>	5	PA; QL (60 per 30 days); NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
ALUNBRIG ORAL TABLETS,DOSE PACK	5	PA; QL (30 per 180 days); NEDS
<i>anastrozole oral tablet</i>	2	MO
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	B/D PA; NEDS
<i>arsenic trioxide intravenous solution 2 mg/ml</i>	5	B/D PA; MO; NEDS
ASPARLAS INTRAVENOUS SOLUTION	5	PA; NEDS
AUGTYRO ORAL CAPSULE	5	PA; MO; QL (240 per 30 days); NEDS
AYVAKIT ORAL TABLET	5	PA; LA; QL (30 per 30 days); NEDS
<i>azacitidine injection recon soln</i>	5	B/D PA; MO; NEDS
<i>azathioprine oral tablet 50 mg</i>	2	B/D PA; MO
<i>azathioprine sodium injection recon soln</i>	2	B/D PA; MO
BALVERSA ORAL TABLET	5	PA; LA; NEDS
BAVENCIO INTRAVENOUS SOLUTION	5	B/D PA; LA; NEDS
BELEODAQ INTRAVENOUS RECON SOLN	5	B/D PA; NEDS
<i>bendamustine intravenous recon soln</i>	5	B/D PA; MO; NEDS
BENDEKA INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS

药物名称	药物层级	要求/限制
BESPONSA INTRAVENOUS RECON SOLN	5	B/D PA; MO; LA; NEDS
<i>bexarotene oral capsule</i>	5	PA; MO; NEDS
<i>bexarotene topical gel</i>	5	PA; MO; NEDS
<i>bicalutamide oral tablet</i>	2	MO
<i>bleomycin injection recon soln</i>	2	B/D PA
BLINCYTO INTRAVENOUS KIT	5	B/D PA; NEDS
BORTEZOMIB INJECTION RECON SOLN 1 MG, 2.5 MG	5	B/D PA; NEDS
<i>bortezomib injection recon soln 3.5 mg</i>	5	B/D PA; MO; NEDS
BOSULIF ORAL CAPSULE 100 MG	5	PA; QL (90 per 30 days); NEDS
BOSULIF ORAL CAPSULE 50 MG	5	PA; QL (30 per 30 days); NEDS
BOSULIF ORAL TABLET 100 MG	5	PA; MO; QL (90 per 30 days); NEDS
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA; MO; QL (30 per 30 days); NEDS
BRAFTOVI ORAL CAPSULE	5	PA; MO; LA; QL (180 per 30 days); NEDS
BRUKINSA ORAL CAPSULE	5	PA; LA; QL (120 per 30 days); NEDS
<i>busulfan intravenous solution</i>	5	B/D PA; NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
CABOMETYX ORAL TABLET	5	PA; MO; LA; QL (30 per 30 days); NEDS
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET	5	PA; LA; QL (60 per 30 days); NEDS
CALQUENCE ORAL CAPSULE	5	PA; LA; QL (60 per 30 days); NEDS
CAPRELSA ORAL TABLET 100 MG	5	PA; LA; QL (60 per 30 days); NEDS
CAPRELSA ORAL TABLET 300 MG	5	PA; LA; QL (30 per 30 days); NEDS
<i>carboplatin intravenous solution</i>	2	B/D PA; MO
<i>carmustine intravenous recon soln 100 mg</i>	5	B/D PA; MO; NEDS
<i>cisplatin intravenous solution</i>	2	B/D PA; MO
<i>cladribine intravenous solution</i>	5	B/D PA; MO; NEDS
<i>clofarabine intravenous solution</i>	5	B/D PA; NEDS
COLUMVI INTRAVENOUS SOLUTION	5	PA; MO; NEDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)	5	PA; MO; QL (56 per 28 days); NEDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA; MO; QL (112 per 28 days); NEDS

药物名称	药物层级	要求/限制
COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)	5	PA; MO; QL (84 per 28 days); NEDS
COPIKTRA ORAL CAPSULE	5	PA; LA; QL (60 per 30 days); NEDS
COSMEGEN INTRAVENOUS RECON SOLN	5	B/D PA; MO; NEDS
COTELLIC ORAL TABLET	5	PA; MO; LA; QL (63 per 28 days); NEDS
<i>cyclophosphamide intravenous recon soln</i>	2	B/D PA; MO
<i>cyclophosphamide oral capsule</i>	3	B/D PA; MO
CYCLOPHOSPHA MIDE ORAL TABLET 25 MG	3	B/D PA
CYCLOPHOSPHA MIDE ORAL TABLET 50 MG	3	B/D PA; MO
<i>cyclosporine intravenous solution</i>	2	B/D PA
<i>cyclosporine modified oral capsule</i>	3	B/D PA; MO
<i>cyclosporine modified oral solution</i>	3	B/D PA
<i>cyclosporine oral capsule</i>	3	B/D PA; MO
CYRAMZA INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	2	B/D PA; MO
<i>cytarabine (pf) injection solution 20 mg/ml</i>	2	B/D PA
<i>cytarabine injection solution</i>	2	B/D PA; MO
<i>dacarbazine intravenous recon soln</i>	2	B/D PA; MO
<i>dactinomycin intravenous recon soln</i>	2	B/D PA; MO
DANYELZA INTRAVENOUS SOLUTION	5	PA; NEDS
DARZALEX INTRAVENOUS SOLUTION	5	B/D PA; MO; LA; NEDS
<i>daunorubicin intravenous solution</i>	2	B/D PA
DAURISMO ORAL TABLET 100 MG	5	PA; MO; QL (30 per 30 days); NEDS
DAURISMO ORAL TABLET 25 MG	5	PA; MO; QL (60 per 30 days); NEDS
<i>decitabine intravenous recon soln</i>	5	B/D PA; MO; NEDS
<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	5	B/D PA; NEDS

药物名称	药物层级	要求/限制
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i>	5	B/D PA; MO; NEDS
<i>doxorubicin intravenous recon soln 10 mg</i>	2	B/D PA
<i>doxorubicin intravenous recon soln 50 mg</i>	2	B/D PA; MO
<i>doxorubicin intravenous solution 10 mg/5 ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	B/D PA; MO
<i>doxorubicin intravenous solution 2 mg/ml</i>	2	B/D PA
<i>doxorubicin, peg-liposomal intravenous suspension</i>	5	B/D PA; MO; NEDS
DROXIA ORAL CAPSULE	3	MO
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE	3	PA; MO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE	3	PA; MO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE	3	PA; MO
ELIGARD SUBCUTANEOUS SYRINGE	3	PA; MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
ELREXFIO SUBCUTANEOUS SOLUTION	5	PA; NEDS	ERWINASE INJECTION RECON SOLN	5	B/D PA; NEDS
ELZONRIS INTRAVENOUS SOLUTION	5	PA; LA; NEDS	ETOPOPHOS INTRAVENOUS RECON SOLN	4	B/D PA; MO
EMCYT ORAL CAPSULE	5	MO; NEDS	<i>etoposide</i> <i>intravenous solution</i>	2	B/D PA; MO
EMPLICITI INTRAVENOUS RECON SOLN	5	B/D PA; MO; NEDS	<i>everolimus</i> <i>(antineoplastic) oral tablet</i>	5	PA; MO; QL (30 per 30 days); NEDS
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR	4	B/D PA; MO	<i>everolimus</i> <i>(antineoplastic) oral tablet for suspension 2 mg</i>	5	PA; MO; QL (330 per 30 days); NEDS
<i>epirubicin</i> <i>intravenous solution</i> 200 mg/100 ml	2	B/D PA	<i>everolimus</i> <i>(antineoplastic) oral tablet for suspension 3 mg</i>	5	PA; MO; QL (240 per 30 days); NEDS
EPKINLY SUBCUTANEOUS SOLUTION	5	PA; NEDS	<i>everolimus</i> <i>(antineoplastic) oral tablet for suspension 5 mg</i>	5	PA; MO; QL (180 per 30 days); NEDS
ERBITUX INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS	<i>everolimus</i> <i>(immunosuppressive) oral tablet 0.25 mg</i>	4	B/D PA; MO
ERIVEDGE ORAL CAPSULE	5	PA; MO; QL (30 per 30 days); NEDS	<i>everolimus</i> <i>(immunosuppressive) oral tablet 0.5 mg, 0.75 mg, 1 mg</i>	5	B/D PA; MO; NEDS
ERLEADA ORAL TABLET 240 MG	5	PA; MO; QL (30 per 30 days); NEDS	<i>exemestane oral tablet</i>	4	MO
ERLEADA ORAL TABLET 60 MG	5	PA; MO; QL (120 per 30 days); NEDS	EXKIVITY ORAL CAPSULE	5	PA; LA; QL (120 per 30 days); NEDS
<i>erlotinib oral tablet</i> 100 mg, 150 mg	5	PA; MO; QL (30 per 30 days); NEDS	FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA; MO; NEDS
<i>erlotinib oral tablet</i> 25 mg	5	PA; MO; QL (60 per 30 days); NEDS			

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	4	PA; MO
<i>flouxuridine injection</i> <i>recon soln</i>	2	B/D PA
<i>fludarabine</i> <i>intravenous recon</i> <i>soln</i>	2	B/D PA; MO
<i>fludarabine</i> <i>intravenous solution</i>	2	B/D PA
<i>fluorouracil</i> <i>intravenous solution</i> 1 gram/20 ml, 500 mg/10 ml	2	B/D PA; MO
<i>fluorouracil</i> <i>intravenous solution</i> 2.5 gram/50 ml, 5 gram/100 ml	2	B/D PA
FOLOTYN INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
FOTIVDA ORAL CAPSULE	5	PA; LA; QL (21 per 28 days); NEDS
FRUZAQLA ORAL CAPSULE 1 MG	5	PA; QL (84 per 28 days); NEDS
FRUZAQLA ORAL CAPSULE 5 MG	5	PA; QL (21 per 28 days); NEDS
<i>fulvestrant</i> <i>intramuscular</i> <i>syringe</i>	5	B/D PA; MO; NEDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION	5	PA; NEDS

药物名称	药物层级	要求/限制
GAVRETO ORAL CAPSULE	5	PA; MO; LA; QL (120 per 30 days); NEDS
GAZYVA INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
<i>gefitinib oral tablet</i>	5	PA; MO; QL (30 per 30 days); NEDS
<i>gemcitabine</i> <i>intravenous recon</i> <i>soln 1 gram, 200 mg</i>	2	B/D PA; MO
<i>gemcitabine</i> <i>intravenous recon</i> <i>soln 2 gram</i>	2	B/D PA
<i>gemcitabine</i> <i>intravenous solution</i> 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)	2	B/D PA; MO
GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML	3	B/D PA
<i>genograf oral capsule</i>	3	B/D PA; MO
<i>genograf oral solution</i>	3	B/D PA; MO
GILOTRIF ORAL TABLET	5	PA; MO; QL (30 per 30 days); NEDS
GLEOSTINE ORAL CAPSULE	5	MO; NEDS
HALAVEN INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
<i>hydroxyurea oral</i> <i>capsule</i>	2	MO

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
IBRANCE ORAL CAPSULE	5	PA; MO; QL (21 per 28 days); NEDS
IBRANCE ORAL TABLET	5	PA; MO; QL (21 per 28 days); NEDS
ICLUSIG ORAL TABLET	5	PA; QL (30 per 30 days); NEDS
<i>idarubicin intravenous solution</i>	2	B/D PA; MO
IDHIFA ORAL TABLET	5	PA; MO; LA; QL (30 per 30 days); NEDS
<i>ifosfamide intravenous recon soln</i>	2	B/D PA; MO
<i>ifosfamide intravenous solution 1 gram/20 ml</i>	2	B/D PA; MO
<i>ifosfamide intravenous solution 3 gram/60 ml</i>	2	B/D PA
<i>imatinib oral tablet 100 mg</i>	5	PA; MO; QL (180 per 30 days); NEDS
<i>imatinib oral tablet 400 mg</i>	5	PA; MO; QL (60 per 30 days); NEDS
IMBRUVICA ORAL CAPSULE 140 MG	5	PA; QL (120 per 30 days); NEDS
IMBRUVICA ORAL CAPSULE 70 MG	5	PA; QL (30 per 30 days); NEDS
IMBRUVICA ORAL SUSPENSION	5	PA; QL (324 per 30 days); NEDS

药物名称	药物层级	要求/限制
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	5	PA; QL (30 per 30 days); NEDS
IMFINZI INTRAVENOUS SOLUTION	5	B/D PA; MO; LA; NEDS
IMJUDO INTRAVENOUS SOLUTION	5	PA; MO; NEDS
INLYTA ORAL TABLET 1 MG	5	PA; MO; QL (180 per 30 days); NEDS
INLYTA ORAL TABLET 5 MG	5	PA; MO; QL (120 per 30 days); NEDS
INQOVI ORAL TABLET	5	PA; MO; QL (5 per 28 days); NEDS
INREBIC ORAL CAPSULE	5	PA; MO; LA; QL (120 per 30 days); NEDS
<i>irinotecan intravenous solution 100 mg/5 ml</i>	2	B/D PA; MO
<i>irinotecan intravenous solution 300 mg/15 ml, 500 mg/25 ml</i>	5	B/D PA; NEDS
<i>irinotecan intravenous solution 40 mg/2 ml</i>	5	B/D PA; MO; NEDS
ISTODAX INTRAVENOUS RECON SOLN	5	B/D PA; MO; NEDS
IWLIFIN ORAL TABLET	5	PA; LA; QL (240 per 30 days); NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
IXEMPRA INTRAVENOUS RECON SOLN	5	B/D PA; MO; NEDS
JAKAFI ORAL TABLET	5	PA; MO; QL (60 per 30 days); NEDS
JAYPIRCA ORAL TABLET 100 MG	5	PA; MO; QL (60 per 30 days); NEDS
JAYPIRCA ORAL TABLET 50 MG	5	PA; MO; QL (30 per 30 days); NEDS
JEMPERLI INTRAVENOUS SOLUTION	5	PA; MO; NEDS
JEVTANA INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
KADCYLA INTRAVENOUS RECON SOLN	5	PA; MO; NEDS
<i>kemoplat intravenous solution</i>	2	B/D PA
KEYTRUDA INTRAVENOUS SOLUTION	5	PA; NEDS
KIMMTRAK INTRAVENOUS SOLUTION	5	PA; NEDS
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA; MO; QL (49 per 28 days); NEDS
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA; MO; QL (70 per 28 days); NEDS

药物名称	药物层级	要求/限制
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA; MO; QL (91 per 28 days); NEDS
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA; MO; QL (21 per 28 days); NEDS
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA; MO; QL (42 per 28 days); NEDS
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA; MO; QL (63 per 28 days); NEDS
KOSELUGO ORAL CAPSULE	5	PA; NEDS
KRAZATI ORAL TABLET	5	PA; QL (180 per 30 days); NEDS
KYPROLIS INTRAVENOUS RECON SOLN	5	B/D PA; NEDS
<i>lapatinib oral tablet</i>	5	PA; MO; QL (180 per 30 days); NEDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i>	5	PA; MO; QL (28 per 28 days); NEDS
<i>lenalidomide oral capsule 2.5 mg, 20 mg</i>	5	PA; QL (28 per 28 days); NEDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG	5	PA; MO; QL (30 per 30 days); NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1)	5	PA; MO; QL (90 per 30 days); NEDS
LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2)	5	PA; MO; QL (60 per 30 days); NEDS
<i>letrozole oral tablet</i>	2	MO
LEUKERAN ORAL TABLET	5	MO; NEDS
<i>leuprolide subcutaneous kit</i>	5	PA; MO; NEDS
LIBTAYO INTRAVENOUS SOLUTION	5	PA; LA; NEDS
LONSURF ORAL TABLET	5	PA; MO; NEDS
LOQTORZI INTRAVENOUS SOLUTION	5	PA; NEDS
LORBRENA ORAL TABLET 100 MG	5	PA; MO; QL (30 per 30 days); NEDS
LORBRENA ORAL TABLET 25 MG	5	PA; MO; QL (90 per 30 days); NEDS
LUMAKRAS ORAL TABLET	5	PA; MO; NEDS
LUNSUMIO INTRAVENOUS SOLUTION	5	PA; MO; NEDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT	5	PA; MO; NEDS

药物名称	药物层级	要求/限制
LYNPARZA ORAL TABLET	5	PA; MO; QL (120 per 30 days); NEDS
LYSODREN ORAL TABLET	5	NEDS
LYTGOBI ORAL TABLET	5	PA; LA; NEDS
MARGENZA INTRAVENOUS SOLUTION	5	PA; NEDS
MATULANE ORAL CAPSULE	5	NEDS
<i>megestrol oral suspension 400 mg/10 ml (10 ml)</i>	3	PA
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	3	PA; MO
<i>megestrol oral suspension 625 mg/5 ml (125 mg/ml)</i>	4	PA; MO
<i>megestrol oral tablet</i>	3	PA; MO
MEKINIST ORAL RECON SOLN	5	PA; MO; QL (1200 per 30 days); NEDS
MEKINIST ORAL TABLET 0.5 MG	5	PA; MO; QL (90 per 30 days); NEDS
MEKINIST ORAL TABLET 2 MG	5	PA; MO; QL (30 per 30 days); NEDS
MEKTOVI ORAL TABLET	5	PA; MO; LA; QL (180 per 30 days); NEDS
<i>melphalan hcl intravenous recon soln</i>	5	B/D PA; NEDS
<i>melphalan oral tablet</i>	2	B/D PA; MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>mercaptopurine oral tablet</i>	3	MO
<i>methotrexate sodium (pf) injection recon soln</i>	2	B/D PA
<i>methotrexate sodium (pf) injection solution</i>	2	B/D PA; MO
<i>methotrexate sodium injection solution</i>	2	B/D PA; MO
<i>methotrexate sodium oral tablet</i>	2	B/D PA; MO
<i>mitomycin intravenous recon soln 20 mg, 5 mg</i>	2	B/D PA; MO
<i>mitomycin intravenous recon soln 40 mg</i>	5	B/D PA; MO; NEDS
<i>mitoxantrone intravenous concentrate</i>	2	B/D PA; MO
<i>MONJUVI INTRAVENOUS RECON SOLN</i>	5	PA; LA; NEDS
<i>mycophenolate mofetil (hcl) intravenous recon soln</i>	4	B/D PA; MO
<i>mycophenolate mofetil oral capsule</i>	3	B/D PA; MO
<i>mycophenolate mofetil oral suspension for reconstitution</i>	5	B/D PA; MO; NEDS
<i>mycophenolate mofetil oral tablet</i>	3	B/D PA; MO
<i>mycophenolate sodium oral tablet, delayed release (dr/ec)</i>	4	B/D PA; MO

药物名称	药物层级	要求/限制
<i>MYLOTARG INTRAVENOUS RECON SOLN</i>	5	B/D PA; MO; LA; NEDS
<i>nelarabine intravenous solution</i>	5	B/D PA; MO; NEDS
<i>NERLYNX ORAL TABLET</i>	5	PA; MO; LA; NEDS
<i>nilutamide oral tablet</i>	5	PA; MO; NEDS
<i>NINLARO ORAL CAPSULE</i>	5	PA; MO; QL (3 per 28 days); NEDS
<i>NUBEQA ORAL TABLET</i>	5	PA; MO; LA; QL (120 per 30 days); NEDS
<i>NULOJIX INTRAVENOUS RECON SOLN</i>	5	B/D PA; MO; NEDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i>	5	PA; MO; NEDS
<i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>	4	PA; MO
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml)</i>	4	PA; MO
<i>octreotide acetate injection syringe 50 mcg/ml (1 ml)</i>	4	PA
<i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>	5	PA; MO; NEDS
<i>ODOMZO ORAL CAPSULE</i>	5	PA; MO; LA; QL (30 per 30 days); NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
OJJAARA ORAL TABLET	5	PA; QL (30 per 30 days); NEDS
ONCASPAR INJECTION SOLUTION	5	B/D PA; NEDS
ONIVYDE INTRAVENOUS DISPERSION	5	B/D PA; NEDS
ONUREG ORAL TABLET	5	PA; MO; QL (14 per 28 days); NEDS
OPDIVO INTRAVENOUS SOLUTION	5	PA; MO; NEDS
OPDUALAG INTRAVENOUS SOLUTION	5	PA; MO; NEDS
ORGOVYX ORAL TABLET	5	PA; LA; QL (30 per 28 days); NEDS
ORSERDU ORAL TABLET 345 MG	5	PA; QL (30 per 30 days); NEDS
ORSERDU ORAL TABLET 86 MG	5	PA; QL (90 per 30 days); NEDS
<i>oxaliplatin intravenous recon soln</i>	2	B/D PA; MO
<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	2	B/D PA; MO
<i>oxaliplatin intravenous solution 200 mg/40 ml</i>	2	B/D PA
<i>paclitaxel intravenous concentrate</i>	2	B/D PA; MO

药物名称	药物层级	要求/限制
PADCEV INTRAVENOUS RECON SOLN	5	PA; MO; NEDS
<i>paraplatin intravenous solution</i>	2	B/D PA
<i>pazopanib oral tablet</i>	5	PA; MO; QL (120 per 30 days); NEDS
PEMAZYRE ORAL TABLET	5	PA; LA; QL (28 per 28 days); NEDS
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 500 mg</i>	5	B/D PA; MO; NEDS
<i>pemetrexed disodium intravenous recon soln 100 mg</i>	4	B/D PA; MO
<i>pemetrexed disodium intravenous recon soln 750 mg</i>	5	B/D PA; NEDS
PERJETA INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
PIQRAY ORAL TABLET	5	PA; MO; NEDS
POLIVY INTRAVENOUS RECON SOLN	5	PA; MO; NEDS
POMALYST ORAL CAPSULE	5	PA; MO; LA; NEDS
PORTRAZZA INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
POTELIGEO INTRAVENOUS SOLUTION	5	PA; NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
PROGRAF INTRAVENOUS SOLUTION	3	B/D PA; MO
PROGRAF ORAL GRANULES IN PACKET	4	B/D PA; MO
PURIXAN ORAL SUSPENSION	5	NEDS
QINLOCK ORAL TABLET	5	PA; LA; QL (90 per 30 days); NEDS
RETEVMO ORAL CAPSULE 40 MG	5	PA; MO; LA; QL (180 per 30 days); NEDS
RETEVMO ORAL CAPSULE 80 MG	5	PA; MO; LA; QL (120 per 30 days); NEDS
REZLIDHIA ORAL CAPSULE	5	PA; QL (60 per 30 days); NEDS
REZUROCK ORAL TABLET	5	PA; LA; QL (30 per 30 days); NEDS
<i>romidepsin</i> <i>intravenous recon</i> <i>soln</i>	5	B/D PA; NEDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA; MO; QL (150 per 30 days); NEDS
ROZLYTREK ORAL CAPSULE 200 MG	5	PA; MO; QL (90 per 30 days); NEDS
ROZLYTREK ORAL PELLETS IN PACKET	5	PA; QL (336 per 28 days); NEDS
RUBRACA ORAL TABLET	5	PA; MO; LA; QL (120 per 30 days); NEDS

药物名称	药物层级	要求/限制
RUXIENCE INTRAVENOUS SOLUTION	5	PA; MO; NEDS
RYBREVANT INTRAVENOUS SOLUTION	5	PA; MO; NEDS
RYDAPT ORAL CAPSULE	5	PA; MO; QL (224 per 28 days); NEDS
RYLAZE INTRAMUSCULA R SOLUTION	5	PA; NEDS
SANDIMMUNE ORAL SOLUTION	4	B/D PA
SANDOSTATIN LAR DEPOT INTRAMUSCULA R SUSPENSION,EXT ENDED REL RECON	5	PA; MO; NEDS
SARCLISA INTRAVENOUS SOLUTION	5	PA; LA; NEDS
SCEMBLIX ORAL TABLET 20 MG	5	PA; MO; QL (600 per 30 days); NEDS
SCEMBLIX ORAL TABLET 40 MG	5	PA; MO; QL (300 per 30 days); NEDS
SIGNIFOR SUBCUTANEOUS SOLUTION	5	PA; NEDS
SIMULECT INTRAVENOUS RECON SOLN	3	B/D PA; MO
<i>sirolimus oral</i> <i>solution</i>	5	B/D PA; MO; NEDS
<i>sirolimus oral tablet</i>	4	B/D PA; MO
SOLTAMOX ORAL SOLUTION	5	MO; NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE	5	PA; MO; NEDS
<i>sorafenib oral tablet</i>	5	PA; MO; QL (120 per 30 days); NEDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 80 MG	5	PA; MO; QL (30 per 30 days); NEDS
SPRYCEL ORAL TABLET 20 MG, 70 MG	5	PA; MO; QL (60 per 30 days); NEDS
STIVARGA ORAL TABLET	5	PA; MO; QL (84 per 28 days); NEDS
<i>sunitinib malate oral capsule</i>	5	PA; MO; QL (30 per 30 days); NEDS
TABLOID ORAL TABLET	4	MO
TABRECTA ORAL TABLET	5	PA; MO; NEDS
<i>tacrolimus oral capsule</i>	3	B/D PA; MO
TAFINLAR ORAL CAPSULE	5	PA; MO; QL (120 per 30 days); NEDS
TAFINLAR ORAL TABLET FOR SUSPENSION	5	PA; MO; QL (840 per 28 days); NEDS
TAGRISSO ORAL TABLET	5	PA; MO; LA; QL (30 per 30 days); NEDS
TALVEY SUBCUTANEOUS SOLUTION	5	PA; NEDS
TALZENNA ORAL CAPSULE	5	PA; MO; QL (30 per 30 days); NEDS

药物名称	药物层级	要求/限制
<i>tamoxifen oral tablet</i>	2	MO
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA; MO; QL (112 per 28 days); NEDS
TASIGNA ORAL CAPSULE 50 MG	5	PA; MO; QL (120 per 30 days); NEDS
TAZVERIK ORAL TABLET	5	PA; LA; NEDS
TECENTRIQ INTRAVENOUS SOLUTION	5	B/D PA; MO; LA; NEDS
TECVAYLI SUBCUTANEOUS SOLUTION	5	PA; NEDS
TEMODAR INTRAVENOUS RECON SOLN	5	B/D PA; MO; NEDS
<i>temsirolimus intravenous recon soln</i>	5	B/D PA; MO; NEDS
TEPMETKO ORAL TABLET	5	PA; LA; NEDS
THALOMID ORAL CAPSULE 100 MG, 50 MG	5	PA; MO; QL (28 per 28 days); NEDS
THALOMID ORAL CAPSULE 150 MG, 200 MG	5	PA; MO; QL (56 per 28 days); NEDS
<i>thiotepa injection recon soln 100 mg</i>	5	B/D PA; NEDS
<i>thiotepa injection recon soln 15 mg</i>	5	B/D PA; MO; NEDS
TIBSOVO ORAL TABLET	5	PA; NEDS
TIVDAK INTRAVENOUS RECON SOLN	5	PA; MO; NEDS

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>topotecan intravenous recon soln</i>	5	B/D PA; MO; NEDS
<i>topotecan intravenous solution</i>	5	B/D PA; MO; NEDS
<i>toremifene oral tablet</i>	5	MO; NEDS
TRAZIMERA INTRAVENOUS RECON SOLN	5	B/D PA; MO; NEDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	4	PA; MO
<i>tretinoin (antineoplastic) oral capsule</i>	5	MO; NEDS
TRODELVY INTRAVENOUS RECON SOLN	5	PA; LA; NEDS
TRUQAP ORAL TABLET	5	PA; QL (64 per 28 days); NEDS
TUKYSA ORAL TABLET 150 MG	5	PA; LA; QL (120 per 30 days); NEDS
TUKYSA ORAL TABLET 50 MG	5	PA; LA; QL (300 per 30 days); NEDS
TURALIO ORAL CAPSULE 125 MG	5	PA; LA; QL (120 per 30 days); NEDS
UNITUXIN INTRAVENOUS SOLUTION	5	B/D PA; NEDS
<i>valrubicin intravesical solution</i>	5	B/D PA; MO; NEDS

药物名称	药物层级	要求/限制
VANFLYTA ORAL TABLET	5	PA; QL (56 per 28 days); NEDS
VECTIBIX INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
VENCLEXTA ORAL TABLET 10 MG	4	PA; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA; LA; QL (120 per 30 days); NEDS
VENCLEXTA ORAL TABLET 50 MG	5	PA; LA; QL (30 per 30 days); NEDS
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK	5	PA; LA; QL (42 per 180 days); NEDS
VERZENIO ORAL TABLET	5	PA; MO; LA; QL (60 per 30 days); NEDS
<i>vinblastine intravenous solution</i>	2	B/D PA; MO
<i>vincristine intravenous solution</i>	2	B/D PA; MO
<i>vinorelbine intravenous solution</i>	2	B/D PA; MO
VITRAKVI ORAL CAPSULE 100 MG	5	PA; MO; LA; QL (60 per 30 days); NEDS
VITRAKVI ORAL CAPSULE 25 MG	5	PA; MO; LA; QL (180 per 30 days); NEDS
VITRAKVI ORAL SOLUTION	5	PA; MO; LA; QL (300 per 30 days); NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
VIZIMPRO ORAL TABLET	5	PA; MO; QL (30 per 30 days); NEDS	XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (40 MG X 1), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80MG TWICE WEEK (160 MG/WEEK)	5	PA; LA; NEDS
VONJO ORAL CAPSULE	5	PA; QL (120 per 30 days); NEDS	XTANDI ORAL CAPSULE	5	PA; MO; QL (120 per 30 days); NEDS
VOTRIENT ORAL TABLET	5	PA; MO; QL (120 per 30 days); NEDS	XTANDI ORAL TABLET 40 MG	5	PA; MO; QL (120 per 30 days); NEDS
VYXEOS INTRAVENOUS RECON SOLN	5	B/D PA; NEDS	XTANDI ORAL TABLET 80 MG	5	PA; MO; QL (60 per 30 days); NEDS
WELIREG ORAL TABLET	5	PA; LA; NEDS	YERVOY INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
XALKORI ORAL CAPSULE	5	PA; MO; QL (60 per 30 days); NEDS	YONDELIS INTRAVENOUS RECON SOLN	5	B/D PA; NEDS
XALKORI ORAL PELLET 150 MG	5	PA; MO; QL (180 per 30 days); NEDS	ZALTRAP INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
XALKORI ORAL PELLET 20 MG, 50 MG	5	PA; MO; QL (120 per 30 days); NEDS	ZANOSAR INTRAVENOUS RECON SOLN	4	B/D PA; MO
XATMEP ORAL SOLUTION	4	B/D PA; MO	ZEJULA ORAL CAPSULE	5	PA; MO; LA; QL (90 per 30 days); NEDS
XERMELO ORAL TABLET	5	PA; LA; QL (84 per 28 days); NEDS	ZEJULA ORAL TABLET 100 MG	5	PA; MO; LA; QL (90 per 30 days); NEDS
XOSPATA ORAL TABLET	5	PA; LA; QL (90 per 30 days); NEDS			

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
ZEJULA ORAL TABLET 200 MG, 300 MG	5	PA; MO; LA; QL (30 per 30 days); NEDS
ZELBORAF ORAL TABLET	5	PA; MO; QL (240 per 30 days); NEDS
ZEPZELCA INTRAVENOUS RECON SOLN	5	PA; NEDS
ZIRABEV INTRAVENOUS SOLUTION	5	B/D PA; MO; NEDS
ZOLADEX SUBCUTANEOUS IMPLANT	4	PA; MO
ZOLINZA ORAL CAPSULE	5	PA; MO; QL (120 per 30 days); NEDS
ZYDELIG ORAL TABLET	5	PA; MO; QL (60 per 30 days); NEDS
ZYKADIA ORAL TABLET	5	PA; MO; QL (90 per 30 days); NEDS
ZYNLONTA INTRAVENOUS RECON SOLN	5	PA; LA; NEDS
ZYNYZ INTRAVENOUS SOLUTION	5	PA; NEDS
AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH		
ANTICONVULSANTS		
APTIOM ORAL TABLET 200 MG	5	MO; QL (180 per 30 days); NEDS
APTIOM ORAL TABLET 400 MG	5	MO; QL (90 per 30 days); NEDS

药物名称	药物层级	要求/限制
APTIOM ORAL TABLET 600 MG, 800 MG	5	MO; QL (60 per 30 days); NEDS
BRIVIACT INTRAVENOUS SOLUTION	4	MO; QL (600 per 30 days)
BRIVIACT ORAL SOLUTION	5	MO; QL (600 per 30 days); NEDS
BRIVIACT ORAL TABLET	5	MO; QL (60 per 30 days); NEDS
<i>carbamazepine oral capsule, er multiphase 12 hr</i>	3	MO
<i>carbamazepine oral suspension 100 mg/5 ml</i>	2	MO
<i>carbamazepine oral tablet</i>	2	MO
<i>carbamazepine oral tablet extended release 12 hr</i>	3	MO
<i>carbamazepine oral tablet, chewable</i>	2	MO
<i>clobazam oral suspension</i>	4	PA; MO; QL (480 per 30 days)
<i>clobazam oral tablet</i>	4	PA; MO; QL (60 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	2	MO; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	2	MO; QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	MO; QL (90 per 30 days)

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>clonazepam oral tablet,disintegrating 2 mg</i>	2	MO; QL (300 per 30 days)
DIACOMIT ORAL CAPSULE	5	PA; LA; NEDS
DIACOMIT ORAL POWDER IN PACKET	5	PA; LA; NEDS
<i>diazepam rectal kit</i>	4	MO
DILANTIN 30 MG ORAL CAPSULE	4	MO
<i>divalproex oral capsule, delayed rel sprinkle</i>	2	MO
<i>divalproex oral tablet extended release 24 hr</i>	2	MO
<i>divalproex oral tablet,delayed release (dr/ec)</i>	2	MO
EPIDIOLEX ORAL SOLUTION	5	PA; MO; LA; NEDS
<i>epitol oral tablet</i>	2	MO
EPRONTIA ORAL SOLUTION	4	PA; MO
<i>ethosuximide oral capsule</i>	3	MO
<i>ethosuximide oral solution</i>	3	MO
<i>felbamate oral suspension</i>	5	MO; NEDS
<i>felbamate oral tablet</i>	4	MO
FINTEPLA ORAL SOLUTION	5	PA; LA; QL (360 per 30 days); NEDS
<i>fosphénytoïn injection solution</i>	2	MO

药物名称	药物层级	要求/限制
FYCOMPA ORAL SUSPENSION	5	MO; QL (720 per 30 days); NEDS
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	MO; QL (30 per 30 days); NEDS
FYCOMPA ORAL TABLET 2 MG	4	MO; QL (60 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	MO; QL (60 per 30 days); NEDS
<i>gabapentin oral capsule 100 mg, 400 mg</i>	2	MO; QL (270 per 30 days)
<i>gabapentin oral capsule 300 mg</i>	2	MO; QL (360 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i>	3	MO; QL (2160 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i>	3	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i>	2	MO; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i>	2	MO; QL (120 per 30 days)
<i>gabapentin oral tablet extended release 24 hr 300 mg</i>	3	PA; MO; QL (30 per 30 days)
<i>gabapentin oral tablet extended release 24 hr 600 mg</i>	3	PA; MO; QL (90 per 30 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG	3	PA; MO; QL (30 per 30 days)

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 450 MG, 750 MG, 900 MG	3	PA; MO; QL (60 per 30 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	3	PA; MO; QL (90 per 30 days)
<i>lacosamide intravenous solution</i>	3	MO; QL (1200 per 30 days)
<i>lacosamide oral solution</i>	4	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg</i>	4	MO; QL (60 per 30 days)
<i>lacosamide oral tablet 50 mg</i>	3	MO; QL (120 per 30 days)
<i>lamotrigine oral tablet</i>	1	MO; GC
<i>lamotrigine oral tablet disintegrating, dose pk</i>	4	MO
<i>lamotrigine oral tablet, chewable dispersible</i>	2	MO
<i>lamotrigine oral tablet,disintegrating</i>	4	MO
<i>lamotrigine oral tablets,dose pack</i>	4	MO
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 500 mg/100 ml</i>	2	MO
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,500 mg/100 ml</i>	2	

药物名称	药物层级	要求/限制
<i>levetiracetam intravenous solution</i>	2	MO
<i>levetiracetam oral solution 100 mg/ml</i>	2	MO
<i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i>	2	
<i>levetiracetam oral tablet</i>	2	MO
<i>levetiracetam oral tablet extended release 24 hr</i>	2	
<i>methsuximide oral capsule</i>	4	MO
NAYZILAM NASAL SPRAY, NON-AEROSOL	5	PA; MO; QL (10 per 30 days); NEDS
<i>oxcarbazepine oral suspension</i>	4	MO
<i>oxcarbazepine oral tablet</i>	3	MO
<i>phenobarbital oral elixir</i>	4	PA; MO
<i>phenobarbital oral tablet 100 mg, 15 mg, 30 mg, 60 mg</i>	3	PA
<i>phenobarbital oral tablet 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg</i>	3	PA; MO
<i>phenobarbital sodium injection solution 130 mg/ml</i>	2	MO
<i>phenobarbital sodium injection solution 65 mg/ml</i>	2	
<i>phenytoin oral suspension 100 mg/4 ml</i>	2	

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	MO
<i>phenytoin oral tablet, chewable</i>	2	MO
<i>phenytoin sodium extended oral capsule 100 mg</i>	2	MO
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>	2	
<i>phenytoin sodium intravenous solution</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i>	3	MO; QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i>	3	MO; QL (60 per 30 days)
<i>pregabalin oral solution</i>	3	MO; QL (900 per 30 days)
PRIMIDONE ORAL TABLET 125 MG	4	MO
<i>primidone oral tablet 250 mg, 50 mg</i>	2	MO
<i>roweepra oral tablet 500 mg</i>	2	MO
<i>rufinamide oral suspension</i>	5	PA; MO; NEDS
<i>rufinamide oral tablet 200 mg</i>	4	PA; MO
<i>rufinamide oral tablet 400 mg</i>	5	PA; MO; NEDS
SPRITAM ORAL TABLET FOR SUSPENSION	4	MO
<i>subvenite oral tablet</i>	1	MO; GC

药物名称	药物层级	要求/限制
<i>subvenite starter (blue) kit oral tablets, dose pack</i>	4	MO
<i>subvenite starter (green) kit oral tablets, dose pack</i>	4	MO
<i>subvenite starter (orange) kit oral tablets, dose pack</i>	4	MO
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA; MO; QL (60 per 30 days); NEDS
SYMPAZAN ORAL FILM 5 MG	4	PA; MO; QL (60 per 30 days)
<i>tiagabine oral tablet</i>	4	MO
<i>topiramate oral capsule, sprinkle</i>	2	PA; MO
<i>topiramate oral tablet</i>	2	PA; MO
<i>valproate sodium intravenous solution</i>	2	MO
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	MO
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i>	2	
<i>valproic acid oral capsule</i>	2	MO
VALTOCO NASAL SPRAY, NON-AEROSOL	5	PA; MO; QL (10 per 30 days); NEDS
<i>vigabatrin oral powder in packet</i>	5	PA; MO; LA; NEDS
<i>vigabatrin oral tablet</i>	5	PA; MO; LA; NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
vigadrone oral powder in packet	5	PA; LA; NEDS
vigadrone oral tablet	5	PA; LA; NEDS
vigpoder oral powder in packet	5	PA; LA; NEDS
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	5	MO; QL (56 per 28 days); NEDS
XCOPRI ORAL TABLET 100 MG	5	MO; QL (120 per 30 days); NEDS
XCOPRI ORAL TABLET 150 MG, 200 MG	5	MO; QL (60 per 30 days); NEDS
XCOPRI ORAL TABLET 50 MG	5	MO; QL (240 per 30 days); NEDS
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14)	4	MO; QL (28 per 180 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	5	MO; QL (28 per 180 days); NEDS
ZONISADE ORAL SUSPENSION	5	PA; MO; NEDS
zonisamide oral capsule	2	PA; MO

药物名称	药物层级	要求/限制
ZTALMY ORAL SUSPENSION	5	PA; LA; QL (1080 per 30 days); NEDS
ANTIPARKINSONISM AGENTS		
APOKYN SUBCUTANEOUS CARTRIDGE	5	PA; MO; LA; QL (90 per 30 days); NEDS
apomorphine subcutaneous cartridge	5	PA; QL (90 per 30 days); NEDS
benztropine injection solution	2	MO
benztropine oral tablet	2	PA; MO
bromocriptine oral capsule	4	MO
bromocriptine oral tablet	4	MO
carbidopa oral tablet	2	MO
carbidopa-levodopa oral tablet	2	MO
carbidopa-levodopa oral tablet extended release	2	MO
carbidopa-levodopa oral tablet,disintegrating	2	
carbidopa-levodopa-entacapone oral tablet	4	MO
entacapone oral tablet	4	MO
NEUPRO TRANSDERMAL PATCH 24 HOUR	4	MO
pramipexole oral tablet	2	MO
rasagiline oral tablet	4	MO

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>ropinirole oral tablet</i>	2	MO
<i>ropinirole oral tablet extended release 24 hr</i>	4	MO
<i>selegiline hcl oral capsule</i>	2	MO
<i>selegiline hcl oral tablet</i>	2	MO
MIGRAINE / CLUSTER HEADACHE THERAPY		
<i>AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR</i>	3	PA; MO; QL (1 per 30 days)
<i>dihydroergotamine injection solution</i>	5	NEDS
<i>dihydroergotamine nasal spray,non-aerosol</i>	5	QL (8 per 28 days); NEDS
<i>eletriptan oral tablet</i>	4	MO; QL (18 per 28 days)
<i>EMGALITY PEN SUBCUTANEOUS PEN INJECTOR</i>	3	PA; MO; QL (2 per 30 days)
<i>EMGALITY SUBCUTANEOUS SYRINGE 120 MG/ML</i>	3	PA; MO; QL (2 per 30 days)
<i>ergotamine-caffeine oral tablet</i>	3	MO
<i>naratriptan oral tablet</i>	3	MO; QL (18 per 28 days)
<i>NURTEC ODT ORAL TABLET,DISINTEGRATING</i>	3	PA; QL (16 per 30 days)
<i>QULIPTA ORAL TABLET</i>	3	PA; MO; QL (30 per 30 days)

药物名称	药物层级	要求/限制
<i>rizatriptan oral tablet</i>	2	MO; QL (36 per 28 days)
<i>rizatriptan oral tablet,disintegrating</i>	3	MO; QL (36 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i>	4	MO; QL (18 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i>	4	MO; QL (36 per 28 days)
<i>sumatriptan succinate oral tablet</i>	2	MO; QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge</i>	4	MO; QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector</i>	4	MO; QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous solution</i>	4	MO; QL (8 per 28 days)
<i>UBRELVY ORAL TABLET</i>	3	PA; QL (20 per 30 days)
<i>zolmitriptan oral tablet</i>	4	MO; QL (18 per 28 days)
<i>zolmitriptan oral tablet,disintegrating</i>	4	MO; QL (18 per 28 days)
MISCELLANEOUS NEUROLOGICAL THERAPY		
<i>BRIUMVI INTRAVENOUS SOLUTION</i>	5	PA; MO; QL (24 per 180 days); NEDS
<i>dalfampridine oral tablet extended release 12 hr</i>	3	PA; MO; QL (60 per 30 days)

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i>	5	PA; MO; QL (14 per 30 days); NEDS
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>	5	PA; MO; QL (120 per 180 days); NEDS
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i>	5	PA; MO; QL (60 per 30 days); NEDS
<i>donepezil oral tablet 10 mg, 5 mg</i>	1	MO; GC
<i>donepezil oral tablet 23 mg</i>	4	MO
<i>donepezil oral tablet,disintegrating</i>	1	MO; GC
<i>fingolimod oral capsule</i>	5	PA; MO; QL (30 per 30 days); NEDS
<i>FIRDAPSE ORAL TABLET</i>	5	PA; LA; NEDS
<i>galantamine oral capsule,ext rel. pellets 24 hr</i>	3	MO
<i>galantamine oral solution</i>	4	
<i>galantamine oral tablet</i>	3	MO
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	5	PA; QL (30 per 30 days); NEDS
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	5	PA; QL (12 per 28 days); NEDS
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; MO; QL (30 per 30 days); NEDS

药物名称	药物层级	要求/限制
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; MO; QL (12 per 28 days); NEDS
<i>INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK</i>	5	PA; LA; QL (28 per 180 days); NEDS
<i>INGREZZA ORAL CAPSULE</i>	5	PA; LA; QL (30 per 30 days); NEDS
<i>KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR</i>	5	PA; MO; QL (1.6 per 28 days); NEDS
<i>memantine oral capsule,sprinkle,er 24hr</i>	4	PA; MO
<i>memantine oral solution</i>	3	PA; MO
<i>memantine oral tablet</i>	2	PA; MO
<i>NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK</i>	3	PA
<i>NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR</i>	3	PA; MO
<i>NUEDEXTA ORAL CAPSULE</i>	5	PA; MO; NEDS
<i>RADICAVA ORS ORAL SUSPENSION</i>	5	PA; MO; NEDS
<i>RADICAVA ORS STARTER KIT SUSP ORAL SUSPENSION</i>	5	PA; MO; NEDS
<i>rivastigmine tartrate oral capsule</i>	3	MO
<i>rivastigmine transdermal patch 24 hour</i>	4	MO

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>teriflunomide oral tablet</i>	5	PA; MO; QL (30 per 30 days); NEDS
<i>tetrabenazine oral tablet 12.5 mg</i>	5	PA; MO; QL (240 per 30 days); NEDS
<i>tetrabenazine oral tablet 25 mg</i>	5	PA; MO; QL (120 per 30 days); NEDS
VUMERTY ORAL CAPSULE,DELAY ED RELEASE(DR/EC)	5	PA; MO; QL (120 per 30 days); NEDS
ZEPOSIA ORAL CAPSULE	5	PA; MO; QL (30 per 30 days); NEDS
ZEPOSIA STARTER KIT (28-DAY) ORAL CAPSULE,DOSE PACK	5	PA; MO; QL (28 per 180 days); NEDS
ZEPOSIA STARTER PACK (7-DAY) ORAL CAPSULE,DOSE PACK	5	PA; MO; QL (7 per 180 days); NEDS
MUSCLE RELAXANTS / ANTISPASMODIC THERAPY		
<i>baclofen oral tablet</i>	2	MO
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	4	PA; MO
<i>dantrolene intravenous recon soln</i>	2	
<i>dantrolene oral capsule</i>	4	MO
LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML, 500 MCG/ML	3	B/D PA; MO

药物名称	药物层级	要求/限制
<i>LIORESAL INTRATHECAL SOLUTION 50 MCG/ML</i>	3	B/D PA
<i>pyridostigmine bromide oral tablet 60 mg</i>	3	MO
<i>pyridostigmine bromide oral tablet extended release</i>	3	MO
<i>revonto intravenous recon soln</i>	2	
<i>tizanidine oral tablet</i>	2	MO
NARCOTIC ANALGESICS		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	MO; QL (4500 per 30 days); NEDS
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	MO; QL (360 per 30 days); NEDS
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	MO; QL (180 per 30 days); NEDS
BELBUCA Buccal Film	3	PA; MO; QL (60 per 30 days); NEDS
<i>buprenorphine hcl injection syringe</i>	2	NEDS
<i>buprenorphine hcl sublingual tablet</i>	2	MO
<i>buprenorphine transdermal patch weekly</i>	4	PA; MO; QL (4 per 28 days); NEDS
<i>endocet oral tablet</i>	3	MO; QL (360 per 30 days); NEDS
<i>fentanyl citrate (pf) injection solution</i>	2	NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
fentanyl citrate (pf) intravenous syringe 100 mcg/2 ml (50 mcg/ml)	2	NEDS
fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg	5	PA; MO; QL (120 per 30 days); NEDS
fentanyl citrate buccal lozenge on a handle 200 mcg	4	PA; MO; QL (120 per 30 days); NEDS
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	4	PA; MO; QL (10 per 30 days); NEDS
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	3	MO; QL (5550 per 30 days); NEDS
hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg	3	MO; QL (390 per 30 days); NEDS
hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg	3	MO; QL (360 per 30 days); NEDS
hydrocodone-ibuprofen oral tablet	3	MO; QL (50 per 30 days); NEDS
hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml, 2 mg/ml	4	NEDS
hydromorphone injection solution 1 mg/ml	4	NEDS
hydromorphone injection solution 2 mg/ml	4	MO; NEDS

药物名称	药物层级	要求/限制
hydromorphone injection syringe 1 mg/ml, 4 mg/ml	4	MO; NEDS
hydromorphone injection syringe 2 mg/ml	4	NEDS
hydromorphone oral liquid	4	MO; QL (2400 per 30 days); NEDS
hydromorphone oral tablet	3	MO; QL (180 per 30 days); NEDS
hydromorphone oral tablet extended release 24 hr	4	PA; MO; QL (60 per 30 days); NEDS
methadone injection solution	3	NEDS
methadone intensol oral concentrate	3	PA; MO; QL (90 per 30 days); NEDS
methadone oral concentrate	3	PA; QL (90 per 30 days); NEDS
methadone oral solution 10 mg/5 ml	3	PA; MO; QL (600 per 30 days); NEDS
methadone oral solution 5 mg/5 ml	3	PA; MO; QL (1200 per 30 days); NEDS
methadone oral tablet 10 mg	3	PA; MO; QL (120 per 30 days); NEDS
methadone oral tablet 5 mg	3	PA; MO; QL (240 per 30 days); NEDS
methadose oral concentrate	3	PA; MO; QL (90 per 30 days); NEDS
morphine (pf) injection solution 0.5 mg/ml	4	NEDS

您可以通过链接到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>morphine (pf) injection solution 1 mg/ml</i>	4	MO; NEDS
<i>morphine concentrate oral solution</i>	3	MO; QL (900 per 30 days); NEDS
<i>morphine injection syringe 4 mg/ml</i>	4	MO; NEDS
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml</i>	4	MO; NEDS
<i>morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml</i>	4	NEDS
<i>morphine oral solution</i>	3	MO; QL (900 per 30 days); NEDS
<i>morphine oral tablet</i>	3	MO; QL (180 per 30 days); NEDS
<i>morphine oral tablet extended release</i>	3	PA; MO; QL (120 per 30 days); NEDS
<i>oxycodone oral capsule</i>	3	MO; QL (360 per 30 days); NEDS
<i>oxycodone oral concentrate</i>	4	MO; QL (180 per 30 days); NEDS
<i>oxycodone oral solution</i>	3	MO; QL (1200 per 30 days); NEDS
<i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i>	3	MO; QL (180 per 30 days); NEDS
<i>oxycodone oral tablet 5 mg</i>	3	MO; QL (360 per 30 days); NEDS

药物名称	药物层级	要求/限制
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	3	MO; QL (360 per 30 days); NEDS
<i>OXYCONTIN, ORAL ONLY, EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG</i>	3	PA; MO; QL (90 per 30 days); NEDS
<i>OXYCONTIN, ORAL ONLY, EXT.REL.12 HR 80 MG</i>	5	PA; MO; QL (60 per 30 days); NEDS
NON-NARCOTIC ANALGESICS		
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	3	MO; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg</i>	3	MO; QL (360 per 30 days)
<i>buprenorphine-naloxone sublingual film 4-1 mg, 8-2 mg</i>	3	MO; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i>	2	MO; QL (360 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 8-2 mg</i>	2	MO; QL (90 per 30 days)
<i>butorphanol injection solution</i>	2	MO; NEDS
<i>butorphanol nasal spray, non-aerosol</i>	4	MO; QL (10 per 28 days); NEDS
<i>celecoxib oral capsule</i>	2	MO
<i>clonidine (pf) epidural solution 5,000 mcg/10 ml</i>	2	

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>diclofenac potassium oral tablet 50 mg</i>	2	MO
<i>diclofenac sodium oral tablet extended release 24 hr</i>	2	MO
<i>diclofenac sodium oral tablet,delayed release (dr/ec)</i>	2	MO
<i>diclofenac sodium topical gel 1 %</i>	3	MO; QL (1000 per 28 days)
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic</i>	4	MO
<i>diflunisal oral tablet</i>	3	MO
<i>ec-naproxen oral tablet,delayed release (dr/ec)</i>	2	
<i>etodolac oral capsule</i>	3	MO
<i>etodolac oral tablet</i>	3	MO
<i>etodolac oral tablet extended release 24 hr</i>	4	MO
<i>flurbiprofen oral tablet 100 mg</i>	2	MO
<i>ibu oral tablet</i>	1	MO; GC
<i>ibuprofen oral suspension</i>	2	MO
<i>ibuprofen oral tablet 400 mg, 800 mg</i>	1	MO; GC
<i>ibuprofen oral tablet 600 mg</i>	1	GC
<i>meloxicam oral tablet</i>	1	MO; GC; QL (30 per 30 days)
<i>nabumetone oral tablet</i>	2	MO

药物名称	药物层级	要求/限制
<i>nalbuphine injection solution</i>	2	NEDS
<i>naloxone injection solution</i>	2	MO
<i>naloxone injection syringe</i>	2	MO
<i>naloxone nasal spray,non-aerosol</i>	2	MO
<i>naltrexone oral tablet</i>	2	MO
<i>naproxen oral tablet</i>	1	MO; GC
<i>naproxen oral tablet,delayed release (dr/ec)</i>	2	MO
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	2	MO
<i>oxaprozin oral tablet</i>	4	MO
<i>piroxicam oral capsule</i>	3	MO
<i>salsalate oral tablet</i>	1	MO; GC
<i>sulindac oral tablet</i>	2	MO
<i>tramadol oral tablet</i>	2	MO; QL (240 per 30 days); NEDS
<i>tramadol-acetaminophen oral tablet</i>	2	MO; QL (240 per 30 days); NEDS
VIVITROL INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE RECON	5	MO; NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9- 0.71 MG, 5.7-1.4 MG	3	MO; QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	MO; QL (60 per 30 days)
PSYCHOTHERAPEUTIC DRUGS		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 720 MG/2.4 ML	5	MO; QL (2.4 per 56 days); NEDS
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 960 MG/3.2 ML	5	MO; QL (3.2 per 56 days); NEDS
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXT ENDED REL RECON	5	MO; QL (1 per 28 days); NEDS
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING	5	MO; QL (1 per 28 days); NEDS

药物名称	药物层级	要求/限制
<i>amitriptyline oral tablet</i>	2	MO
<i>amoxapine oral tablet</i>	3	MO
<i>ariPIPRAZOLE oral solution</i>	4	MO
<i>ariPIPRAZOLE oral tablet</i>	2	MO; QL (30 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating</i>	4	MO; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING	5	MO; QL (4.8 per 365 days); NEDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 1,064 MG/3.9 ML	5	MO; QL (3.9 per 56 days); NEDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 441 MG/1.6 ML	5	MO; QL (1.6 per 28 days); NEDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 662 MG/2.4 ML	5	MO; QL (2.4 per 28 days); NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 882 MG/3.2 ML	5	MO; QL (3.2 per 28 days); NEDS
armodafinil oral tablet	4	PA; MO; QL (30 per 30 days)
asenapine maleate sublingual tablet	4	MO; QL (60 per 30 days)
atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg	4	MO; QL (60 per 30 days)
atomoxetine oral capsule 100 mg, 60 mg, 80 mg	4	MO; QL (30 per 30 days)
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC	5	ST; MO; QL (60 per 30 days); NEDS
bupropion hcl oral tablet	2	MO
bupropion hcl oral tablet extended release 24 hr 150 mg	2	MO; QL (90 per 30 days)
bupropion hcl oral tablet extended release 24 hr 300 mg	2	MO; QL (30 per 30 days)
bupropion hcl oral tablet sustained-release 12 hr	2	MO; QL (60 per 30 days)
buspirone oral tablet	2	MO
CAPLYTA ORAL CAPSULE	4	MO; QL (30 per 30 days)
chlorpromazine injection solution	2	MO
chlorpromazine oral concentrate	4	MO
chlorpromazine oral tablet	4	MO

药物名称	药物层级	要求/限制
citalopram oral solution	3	MO
citalopram oral tablet	1	MO; GC; QL (30 per 30 days)
clomipramine oral capsule	4	MO
clonidine hcl oral tablet extended release 12 hr	4	MO
clorazepate dipotassium oral tablet 15 mg	3	PA; MO; QL (180 per 30 days)
clorazepate dipotassium oral tablet 3.75 mg	3	PA; MO; QL (90 per 30 days)
clorazepate dipotassium oral tablet 7.5 mg	3	PA; MO; QL (360 per 30 days)
clozapine oral tablet	3	
clozapine oral tablet,disintegrating	4	
desipramine oral tablet	2	MO
desvenlafaxine succinate oral tablet extended release 24 hr	3	MO; QL (30 per 30 days)
dextroamphetamine-amphetamine oral capsule,extended release 24hr	4	MO
dextroamphetamine-amphetamine oral tablet	3	MO
diazepam injection solution	2	PA
diazepam injection syringe	2	PA

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。

此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>diazepam intensol oral concentrate</i>	2	PA; MO; QL (240 per 30 days)
<i>diazepam oral concentrate</i>	2	PA; QL (240 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	PA; MO; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml, 5 ml)</i>	2	PA; QL (1200 per 30 days)
<i>diazepam oral tablet</i>	2	PA; MO; QL (120 per 30 days)
<i>doxepin oral capsule</i>	4	MO
<i>doxepin oral concentrate</i>	4	MO
<i>doxepin oral tablet</i>	3	MO; QL (30 per 30 days)
<i>DRIZALMA ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG</i>	4	QL (60 per 30 days)
<i>DRIZALMA ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG</i>	4	QL (90 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>	2	MO; QL (60 per 30 days)
<i>EMSAM TRANSDERMAL PATCH 24 HOUR</i>	5	MO; NEDS
<i>escitalopram oxalate oral solution</i>	2	MO
<i>escitalopram oxalate oral tablet</i>	1	MO; GC; QL (30 per 30 days)

药物名称	药物层级	要求/限制
<i>eszopiclone oral tablet</i>	4	MO; QL (30 per 30 days)
<i>FANAPT ORAL TABLET</i>	4	MO; QL (60 per 30 days)
<i>FANAPT ORAL TABLETS,DOSE PACK</i>	4	MO; QL (8 per 180 days)
<i>FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK</i>	3	QL (28 per 180 days)
<i>FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR</i>	3	MO; QL (30 per 30 days)
<i>flumazenil intravenous solution</i>	2	
<i>fluoxetine (pmdd) oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>fluoxetine (pmdd) oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>fluoxetine oral capsule 10 mg</i>	1	MO; GC; QL (30 per 30 days)
<i>fluoxetine oral capsule 20 mg</i>	1	MO; GC; QL (90 per 30 days)
<i>fluoxetine oral capsule 40 mg</i>	1	MO; GC; QL (60 per 30 days)
<i>fluoxetine oral capsule, delayed release(dr/ec)</i>	2	MO; QL (4 per 28 days)
<i>fluoxetine oral solution</i>	2	MO
<i>fluoxetine oral tablet 10 mg</i>	2	MO; QL (240 per 30 days)
<i>fluoxetine oral tablet 20 mg</i>	2	MO; QL (120 per 30 days)

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>fluphenazine decanoate injection solution</i>	4	MO
<i>fluphenazine hcl injection solution</i>	4	MO
<i>fluphenazine hcl oral concentrate</i>	4	MO
<i>fluphenazine hcl oral elixir</i>	4	MO
<i>fluphenazine hcl oral tablet</i>	4	MO
<i>fluvoxamine oral capsule, extended release 24hr</i>	4	MO; QL (60 per 30 days)
<i>fluvoxamine oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
<i>fluvoxamine oral tablet 25 mg</i>	2	MO; QL (30 per 30 days)
<i>fluvoxamine oral tablet 50 mg</i>	2	MO; QL (60 per 30 days)
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	4	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i>	4	MO
<i>haloperidol lactate injection solution</i>	4	MO
<i>haloperidol lactate intramuscular syringe</i>	2	
<i>haloperidol lactate oral concentrate</i>	2	MO
<i>haloperidol oral tablet</i>	2	MO

药物名称	药物层级	要求/限制
<i>imipramine hcl oral tablet</i>	4	MO
<i>imipramine pamoate oral capsule</i>	4	MO
<i>INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML</i>	5	MO; QL (3.5 per 180 days); NEDS
<i>INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML</i>	5	MO; QL (5 per 180 days); NEDS
<i>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML</i>	5	MO; QL (0.75 per 28 days); NEDS
<i>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML</i>	5	MO; QL (1 per 28 days); NEDS
<i>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML</i>	5	MO; QL (1.5 per 28 days); NEDS
<i>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML</i>	3	MO; QL (0.25 per 28 days)
<i>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML</i>	5	MO; QL (0.5 per 28 days); NEDS
<i>INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML</i>	5	MO; QL (0.88 per 90 days); NEDS

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	MO; QL (1.32 per 90 days); NEDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	MO; QL (1.75 per 90 days); NEDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	MO; QL (2.63 per 90 days); NEDS
<i>lithium carbonate oral capsule</i>	1	MO; GC
<i>lithium carbonate oral tablet</i>	1	MO; GC
<i>lithium carbonate oral tablet extended release</i>	1	MO; GC
<i>lithium citrate oral solution</i>	2	
<i>lorazepam injection solution</i>	2	PA; MO
<i>lorazepam injection syringe 2 mg/ml</i>	2	PA; MO
<i>lorazepam intensol oral concentrate</i>	2	PA; QL (150 per 30 days)
<i>lorazepam oral concentrate</i>	2	PA; MO; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	2	PA; MO; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i>	2	PA; MO; QL (150 per 30 days)
<i>loxapine succinate oral capsule</i>	2	MO
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i>	5	MO; QL (30 per 30 days); NEDS

药物名称	药物层级	要求/限制
<i>lurasidone oral tablet 80 mg</i>	5	MO; QL (60 per 30 days); NEDS
MARPLAN ORAL TABLET	4	MO
<i>methylphenidate hcl oral capsule,er biphasic 50-50</i>	4	MO
<i>methylphenidate hcl oral solution</i>	4	MO
<i>methylphenidate hcl oral tablet</i>	3	MO
<i>methylphenidate hcl oral tablet extended release</i>	4	MO
<i>methylphenidate hcl oral tablet, chewable</i>	4	MO
<i>mirtazapine oral tablet</i>	2	MO
<i>mirtazapine oral tablet,disintegrating</i>	3	MO
<i>modafinil oral tablet 100 mg</i>	3	PA; MO; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i>	3	PA; MO; QL (60 per 30 days)
<i>molindone oral tablet 10 mg, 25 mg</i>	4	
<i>molindone oral tablet 5 mg</i>	4	MO
<i>nefazodone oral tablet</i>	4	MO
<i>nortriptyline oral capsule</i>	2	MO
<i>nortriptyline oral solution</i>	4	MO
NUPLAZID ORAL CAPSULE	4	PA; MO; QL (30 per 30 days)

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。

此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
NUPLAZID ORAL TABLET	4	PA; MO; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln</i>	4	MO
<i>olanzapine oral tablet</i>	2	MO; QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating</i>	4	MO; QL (30 per 30 days)
<i>olanzapine-fluoxetine oral capsule</i>	4	MO
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i>	4	MO; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	4	MO; QL (60 per 30 days)
<i>paroxetine hcl oral suspension</i>	4	MO
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i>	2	MO; QL (30 per 30 days)
<i>paroxetine hcl oral tablet 30 mg</i>	2	MO; QL (60 per 30 days)
<i>paroxetine hcl oral tablet extended release 24 hr</i>	3	MO; QL (60 per 30 days)
<i>perphenazine oral tablet</i>	4	MO
<i>PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING</i>	5	MO; QL (1 per 30 days); NEDS
<i>phenelzine oral tablet</i>	3	MO
<i>pimozide oral tablet</i>	4	MO

药物名称	药物层级	要求/限制
<i>protriptyline oral tablet</i>	4	MO
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	MO; QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i>	2	MO; QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i>	3	MO; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i>	3	MO; QL (60 per 30 days)
<i>ramelteon oral tablet</i>	3	MO; QL (30 per 30 days)
REXULTI ORAL TABLET	4	MO; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXT ENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	3	MO; QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXT ENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	MO; QL (2 per 28 days); NEDS
<i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i>	3	MO; QL (2 per 28 days)

您可以通过链接到此文件的开头找到有关此表中符号和缩写含义的信息。

此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i>	5	MO; QL (2 per 28 days); NEDS
<i>risperidone oral solution</i>	2	MO
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	1	MO; GC; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i>	1	MO; GC; QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	4	MO; QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 4 mg</i>	4	MO; QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR	5	MO; QL (30 per 30 days); NEDS
<i>sertraline oral concentrate</i>	4	MO
<i>sertraline oral tablet 100 mg, 50 mg</i>	1	MO; GC; QL (60 per 30 days)
<i>sertraline oral tablet 25 mg</i>	1	MO; GC; QL (30 per 30 days)
SODIUM OXYBATE ORAL SOLUTION	5	PA; LA; QL (540 per 30 days); NEDS
SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA; MO; NEDS

药物名称	药物层级	要求/限制
<i>thioridazine oral tablet</i>	3	MO
<i>thiothixene oral capsule</i>	2	MO
<i>tranylcypromine oral tablet</i>	4	MO
<i>trazodone oral tablet</i>	1	MO; GC
<i>trifluoperazine oral tablet</i>	3	MO
<i>trimipramine oral capsule</i>	4	MO
TRINTELLIX ORAL TABLET	3	MO; QL (30 per 30 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 100 MG/0.28 ML	5	MO; QL (0.28 per 28 days); NEDS
UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 125 MG/0.35 ML	5	MO; QL (0.35 per 28 days); NEDS
UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 150 MG/0.42 ML	5	MO; QL (0.42 per 56 days); NEDS
UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 200 MG/0.56 ML	5	MO; QL (0.56 per 56 days); NEDS

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 250 MG/0.7 ML	5	MO; QL (0.7 per 56 days); NEDS
UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 50 MG/0.14 ML	5	MO; QL (0.14 per 28 days); NEDS
UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 75 MG/0.21 ML	5	MO; QL (0.21 per 28 days); NEDS
<i>venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg</i>	2	MO; QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 75 mg</i>	2	MO; QL (90 per 30 days)
<i>venlafaxine oral tablet</i>	2	MO; QL (90 per 30 days)
VERSACLOZ ORAL SUSPENSION	5	NEDS
<i>vilazodone oral tablet</i>	3	MO; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE	4	MO; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK	4	QL (7 per 180 days)
<i>zaleplon oral capsule 10 mg</i>	4	MO; QL (60 per 30 days)
<i>zaleplon oral capsule 5 mg</i>	4	MO; QL (30 per 30 days)

药物名称	药物层级	要求/限制
<i>ziprasidone hcl oral capsule</i>	3	MO; QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln</i>	4	MO
<i>zolpidem oral tablet</i>	2	MO; QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE	5	PA; MO; NEDS
ZYPREXA RELPREV INTRAMUSCULA R SUSPENSION FOR RECONSTITUTIO N 210 MG	3	MO; QL (2 per 28 days)
ZYPREXA RELPREV INTRAMUSCULA R SUSPENSION FOR RECONSTITUTIO N 300 MG	5	QL (2 per 28 days); NEDS
ZYPREXA RELPREV INTRAMUSCULA R SUSPENSION FOR RECONSTITUTIO N 405 MG	5	MO; QL (1 per 28 days); NEDS

CARDIOVASCULAR, HYPERTENSION / LIPIDS

ANTIARRHYTHMIC AGENTS

<i>adenosine intravenous solution</i>	2	
<i>adenosine intravenous syringe</i>	2	
<i>amiodarone intravenous solution</i>	2	B/D PA; MO
<i>amiodarone intravenous syringe</i>	2	B/D PA

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>amiodarone oral tablet 100 mg, 200 mg</i>	2	MO
<i>amiodarone oral tablet 400 mg</i>	2	
<i>dofetilide oral capsule</i>	4	MO
<i>flecainide oral tablet</i>	2	MO
<i>ibutilide fumarate intravenous solution</i>	2	
<i>lidocaine (pf) intravenous solution</i>	2	
<i>lidocaine (pf) intravenous syringe</i>	2	
<i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 4 mg/ml (0.4 %), 8 mg/ml (0.8 %)</i>	4	
<i>mexiletine oral capsule</i>	3	MO
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i>	2	MO
<i>procainamide injection solution</i>	2	
<i>propafenone oral capsule, extended release 12 hr</i>	4	MO
<i>propafenone oral tablet</i>	2	MO
<i>quinidine sulfate oral tablet</i>	2	MO
<i>sorine oral tablet 120 mg, 160 mg</i>	2	MO
<i>sorine oral tablet 80 mg</i>	2	
<i>sotalol af oral tablet</i>	2	

药物名称	药物层级	要求/限制
<i>sotalol oral tablet</i>	2	MO
ANTIHYPERTENSIVE THERAPY		
<i>acebutolol oral capsule</i>	2	MO
<i>aliskiren oral tablet</i>	4	MO
<i>amiloride oral tablet</i>	2	MO
<i>amiloride-hydrochlorothiazide oral tablet</i>	2	MO
<i>amlodipine oral tablet</i>	1	MO; GC
<i>amlodipine-benazepril oral capsule</i>	1	MO; GC
<i>amlodipine-olmesartan oral tablet</i>	1	MO; GC
<i>amlodipine-valsartan oral tablet</i>	6	MO; GC
<i>amlodipine-valsartan-hcthiazid oral tablet</i>	2	MO
<i>atenolol oral tablet</i>	1	MO; GC
<i>atenolol-chlorthalidone oral tablet</i>	1	MO; GC
<i>benazepril oral tablet</i>	6	MO; GC
<i>benazepril-hydrochlorothiazide oral tablet</i>	6	MO; GC
<i>betaxolol oral tablet</i>	3	MO
<i>bisoprolol fumarate oral tablet</i>	2	MO
<i>bisoprolol-hydrochlorothiazide oral tablet</i>	1	MO; GC
<i>bumetanide injection solution</i>	4	MO

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>bumetanide oral tablet</i>	2	MO
<i>candesartan oral tablet</i>	1	MO; GC
<i>candesartan-hydrochlorothiazide oral tablet</i>	2	MO
<i>captopril oral tablet 100 mg, 50 mg</i>	2	MO
<i>captopril oral tablet 12.5 mg, 25 mg</i>	1	MO; GC
<i>captopril-hydrochlorothiazide oral tablet</i>	2	
<i>cartia xt oral capsule,extended release 24hr</i>	2	MO
<i>carvedilol oral tablet</i>	1	MO; GC
<i>chlorothiazide sodium intravenous recon soln</i>	2	MO
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	MO
<i>clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml)</i>	2	
<i>clonidine hcl oral tablet</i>	1	MO; GC
<i>clonidine transdermal patch weekly</i>	4	MO; QL (4 per 28 days)
<i>diltiazem hcl intravenous recon soln</i>	2	
<i>diltiazem hcl intravenous solution</i>	2	
<i>diltiazem hcl oral capsule,ext.rel 24h degradable</i>	2	MO

药物名称	药物层级	要求/限制
<i>diltiazem hcl oral capsule,extended release 12 hr</i>	2	MO
<i>diltiazem hcl oral capsule,extended release 24 hr</i>	2	MO
<i>diltiazem hcl oral capsule,extended release 24hr</i>	2	MO
<i>diltiazem hcl oral tablet</i>	2	MO
<i>diltiazem hcl oral tablet extended release 24 hr</i>	2	MO
<i>dilt-xr oral capsule,ext.rel 24h degradable</i>	2	MO
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg</i>	2	MO; QL (30 per 30 days)
<i>doxazosin oral tablet 8 mg</i>	2	MO; QL (60 per 30 days)
<i>EDARBI ORAL TABLET</i>	3	MO
<i>EDARBYCLOL ORAL TABLET</i>	3	MO
<i>enalapril maleate oral tablet</i>	6	MO; GC
<i>enalaprilat intravenous solution</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>	6	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	MO; GC
<i>eplerenone oral tablet</i>	3	MO
<i>esmolol intravenous solution</i>	2	

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>ethacrynat sodium intravenous recon soln</i>	5	NEDS
<i>felodipine oral tablet extended release 24 hr</i>	2	MO
<i>fosinopril oral tablet</i>	6	MO; GC
<i>fosinopril-hydrochlorothiazide oral tablet</i>	1	MO; GC
<i>furosemide injection solution</i>	4	MO
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	MO
<i>furosemide oral tablet</i>	1	MO; GC
<i>hydralazine injection solution</i>	2	MO
<i>hydralazine oral tablet</i>	2	MO
<i>hydrochlorothiazide oral capsule</i>	1	MO; GC
<i>hydrochlorothiazide oral tablet</i>	1	MO; GC
<i>indapamide oral tablet</i>	1	MO; GC
<i>irbesartan oral tablet</i>	6	MO; GC
<i>irbesartan-hydrochlorothiazide oral tablet</i>	6	MO; GC
<i>isosorbide-hydralazine oral tablet</i>	3	MO; QL (180 per 30 days)
<i>isradipine oral capsule</i>	2	MO
KERENDIA ORAL TABLET	3	PA; QL (30 per 30 days)

药物名称	药物层级	要求/限制
<i>labetalol intravenous solution</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet</i>	2	MO
<i>lisinopril oral tablet</i>	6	MO; GC
<i>lisinopril-hydrochlorothiazide oral tablet</i>	6	MO; GC
<i>losartan oral tablet</i>	6	MO; GC
<i>losartan-hydrochlorothiazide oral tablet</i>	6	MO; GC
<i>mannitol 20 % intravenous parenteral solution</i>	4	
<i>mannitol 25 % intravenous solution</i>	2	MO
<i>matzim la oral tablet extended release 24 hr</i>	2	MO
<i>metolazone oral tablet</i>	2	MO
<i>metoprolol succinate oral tablet extended release 24 hr</i>	1	MO; GC
<i>metoprolol ta-hydrochlorothiaz oral tablet</i>	2	MO
<i>metoprolol tartrate intravenous solution</i>	2	
<i>metoprolol tartrate oral tablet</i>	1	MO; GC
<i>metyrosine oral capsule</i>	5	PA; MO; NEDS
<i>minoxidil oral tablet</i>	2	MO
<i>moexipril oral tablet</i>	1	MO; GC

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)

此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>nadolol oral tablet</i>	4	MO
<i>nebivolol oral tablet</i>	2	MO
<i>nicardipine intravenous solution</i>	2	
<i>nicardipine oral capsule</i>	4	MO
<i>nifedipine oral tablet extended release</i>	2	MO
<i>nifedipine oral tablet extended release 24hr</i>	2	MO
<i>nimodipine oral capsule</i>	4	MO
<i>nisoldipine oral tablet extended release 24 hr</i>	4	MO
<i>olmesartan oral tablet</i>	1	MO; GC
<i>olmesartan-amlodipin-hcthiazid oral tablet</i>	2	MO
<i>olmesartan-hydrochlorothiazide oral tablet</i>	1	MO; GC
<i>osmitrol 20 % intravenous parenteral solution</i>	4	
<i>perindopril erbumine oral tablet</i>	1	MO; GC
<i>phentolamine injection recon soln</i>	2	
<i>pindolol oral tablet</i>	3	MO
<i>prazosin oral capsule</i>	2	MO
<i>propranolol intravenous solution</i>	2	
<i>propranolol oral capsule,extended release 24 hr</i>	2	MO

药物名称	药物层级	要求/限制
<i>propranolol oral solution</i>	2	MO
<i>propranolol oral tablet</i>	1	MO; GC
<i>quinapril oral tablet</i>	6	GC
<i>quinapril-hydrochlorothiazide oral tablet</i>	1	GC
<i>ramipril oral capsule</i>	6	MO; GC
<i>spironolactone oral tablet</i>	1	MO; GC
<i>spironolacton-hydrochlorothiaz oral tablet</i>	2	MO
<i>taztia xt oral capsule,extended release 24 hr</i>	2	MO
<i>telmisartan oral tablet</i>	1	MO; GC
<i>telmisartan-amlodipine oral tablet</i>	2	MO
<i>telmisartan-hydrochlorothiazid oral tablet</i>	2	MO
<i>terazosin oral capsule 1 mg, 2 mg, 5 mg</i>	1	MO; GC; QL (30 per 30 days)
<i>terazosin oral capsule 10 mg</i>	1	MO; GC; QL (60 per 30 days)
<i>tiadylt er oral capsule,extended release 24 hr</i>	2	MO
<i>timolol maleate oral tablet</i>	4	MO
<i>torsemide oral tablet</i>	2	MO
<i>trandolapril oral tablet</i>	6	MO; GC

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
trandolapril-verapamil oral tablet, ir - er, biphasic 24hr	2	MO
treprostinil sodium injection solution	5	PA; MO; LA; NEDS
triamterene-hydrochlorothiazid oral capsule	1	MO; GC
triamterene-hydrochlorothiazid oral tablet	1	MO; GC
UPTRAVI ORAL TABLET	5	PA; MO; LA; NEDS
UPTRAVI ORAL TABLETS,DOSE PACK	5	PA; MO; LA; NEDS
valsartan oral tablet	6	MO; GC
valsartan-hydrochlorothiazide oral tablet	6	MO; GC
veletri intravenous recon soln	2	B/D PA; MO
verapamil intravenous solution	2	
verapamil intravenous syringe	2	
verapamil oral capsule, 24 hr er pellet ct	2	MO
verapamil oral capsule,ext rel. pellets 24 hr	2	MO
verapamil oral tablet	1	MO; GC
verapamil oral tablet extended release	2	MO
COAGULATION THERAPY		
aminocaproic acid intravenous solution	2	MO

药物名称	药物层级	要求/限制
aminocaproic acid oral solution	5	MO; NEDS
aminocaproic acid oral tablet	5	MO; NEDS
aspirin-dipyridamole oral capsule, er multiphase 12 hr	4	MO
BRILINTA ORAL TABLET	3	MO
CABLIVI INJECTION KIT	5	PA; LA; NEDS
CEPROTIN (BLUE BAR) INTRAVENOUS RECON SOLN	3	PA; MO
CEPROTIN (GREEN BAR) INTRAVENOUS RECON SOLN	3	PA; MO
cilostazol oral tablet	2	MO
clopidogrel oral tablet 300 mg	2	MO
clopidogrel oral tablet 75 mg	1	MO; GC; QL (30 per 30 days)
dabigatran etexilate oral capsule 110 mg	4	
dabigatran etexilate oral capsule 150 mg, 75 mg	4	MO
dipyridamole intravenous solution	2	
dipyridamole oral tablet	4	MO
DOPTELET (10 TAB PACK) ORAL TABLET	5	PA; MO; LA; NEDS
DOPTELET (15 TAB PACK) ORAL TABLET	5	PA; MO; LA; NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
DOPTELET (30 TAB PACK) ORAL TABLET	5	PA; MO; LA; NEDS	<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml)</i>	3	
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK	3	MO	<i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/500 ml (50 unit/ml)</i>	3	MO
ELIQUIS ORAL TABLET	3	MO	<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml</i>	3	MO
<i>enoxaparin subcutaneous solution</i>	2	MO; QL (30 per 30 days)	<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 2,000 unit/1,000 ml</i>	3	
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i>	4	MO; QL (28 per 28 days)	<i>heparin (porcine) injection cartridge</i>	3	MO
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i>	4	MO; QL (22.4 per 28 days)	<i>heparin (porcine) injection solution</i>	3	MO
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml, 60 mg/0.6 ml</i>	4	MO; QL (16.8 per 28 days)	<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	3	MO
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>	4	MO; QL (11.2 per 28 days)	HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML	3	
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	5	MO; NEDS	<i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i>	3	MO
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	4	MO	<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	3	

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
heparin, porcine (pf) injection solution 5,000 unit/0.5 ml	3	MO
heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml	3	MO
HEPARIN, PORCINE (PF) INJECTION SYRINGE 5,000 UNIT/ML	3	
HEPARIN, PORCINE (PF) SUBCUTANEOUS SYRINGE	3	MO
jantoven oral tablet	1	MO; GC
pentoxifylline oral tablet extended release	2	MO
prasugrel oral tablet	3	MO
PROMACTA ORAL POWDER IN PACKET	5	PA; MO; LA; NEDS
PROMACTA ORAL TABLET	5	PA; MO; LA; NEDS
protamine intravenous solution	2	
warfarin oral tablet	1	MO; GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK	3	MO
XARELTO ORAL SUSPENSION FOR RECONSTITUTION	3	MO
XARELTO ORAL TABLET	3	MO

药物名称	药物层级	要求/限制
LIPID/CHOLESTEROL LOWERING AGENTS		
amlodipine- atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg	2	MO; QL (30 per 30 days)
amlodipine- atorvastatin oral tablet 2.5-10 mg	2	QL (30 per 30 days)
atorvastatin oral tablet	6	MO; GC; QL (30 per 30 days)
cholestyramine (with sugar) oral powder	3	MO
cholestyramine (with sugar) oral powder in packet	3	MO
cholestyramine light oral powder	3	
cholestyramine light oral powder in packet	3	
colesevelam oral powder in packet	4	MO
colesevelam oral tablet	4	MO
colestipol oral granules	4	MO
colestipol oral packet	4	
colestipol oral tablet	4	MO
ezetimibe oral tablet	2	MO
ezetimibe-simvastatin oral tablet	2	MO; QL (30 per 30 days)

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 43 mg, 67 mg</i>	2	MO
<i>fenofibrate nanocrystallized oral tablet</i>	2	MO
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	MO
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec)</i>	4	MO
<i>fenofibric acid oral tablet</i>	2	
<i>fluvastatin oral capsule 20 mg</i>	2	MO; QL (30 per 30 days)
<i>fluvastatin oral capsule 40 mg</i>	2	MO; QL (60 per 30 days)
<i>gemfibrozil oral tablet</i>	1	MO; GC
<i>icosapent ethyl oral capsule</i>	3	MO
<i>JUXTAPIID ORAL CAPSULE</i>	5	PA; MO; LA; NEDS
<i>lovastatin oral tablet 10 mg</i>	6	MO; GC; QL (30 per 30 days)
<i>lovastatin oral tablet 20 mg, 40 mg</i>	6	MO; GC; QL (60 per 30 days)
<i>NEXLETOL ORAL TABLET</i>	3	PA; MO
<i>NEXLIZET ORAL TABLET</i>	3	PA; MO
<i>niacin oral tablet 500 mg</i>	2	MO
<i>niacin oral tablet extended release 24 hr</i>	4	MO

药物名称	药物层级	要求/限制
<i>omega-3 acid ethyl esters oral capsule</i>	2	MO
<i>pitavastatin calcium oral tablet</i>	6	MO; GC; QL (30 per 30 days)
<i>pravastatin oral tablet</i>	6	MO; GC; QL (30 per 30 days)
<i>prevalite oral powder</i>	3	MO
<i>prevalite oral powder in packet</i>	3	MO
<i>REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR</i>	3	PA; QL (7 per 28 days)
<i>REPATHA SUBCUTANEOUS SYRINGE</i>	3	PA; QL (6 per 28 days)
<i>REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR</i>	3	PA; QL (6 per 28 days)
<i>rosuvastatin oral tablet</i>	6	MO; GC; QL (30 per 30 days)
<i>simvastatin oral tablet</i>	6	MO; GC; QL (30 per 30 days)
MISCELLANEOUS CARDIOVASCULAR AGENTS		
<i>CORLANOR ORAL SOLUTION</i>	3	QL (450 per 30 days)
<i>CORLANOR ORAL TABLET</i>	3	MO; QL (60 per 30 days)
<i>digoxin oral solution</i>	3	MO
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	MO

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i>	3	MO
<i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i>	2	B/D PA
<i>dobutamine intravenous solution</i>	2	B/D PA
<i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i>	2	B/D PA
<i>dopamine in 5 % dextrose intravenous solution 800 mg/250 ml (3,200 mcg/ml)</i>	2	B/D PA; MO
<i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml)</i>	2	B/D PA
<i>dopamine intravenous solution 400 mg/10 ml (40 mg/ml)</i>	2	B/D PA; MO
<i>ENTRESTO ORAL TABLET</i>	3	MO; QL (60 per 30 days)
<i>milrinone in 5 % dextrose intravenous piggyback</i>	2	B/D PA
<i>milrinone intravenous solution</i>	2	B/D PA

药物名称	药物层级	要求/限制
<i>norepinephrine bitartrate intravenous solution</i>	2	
<i>ranolazine oral tablet extended release 12 hr</i>	3	MO
<i>sodium nitroprusside intravenous solution</i>	2	B/D PA
<i>VECAMYL ORAL TABLET</i>	5	NEDS
<i>VERQUVO ORAL TABLET</i>	3	MO; QL (30 per 30 days)
<i>VYNDAMAX ORAL CAPSULE</i>	5	PA; MO; NEDS
NITRATES		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>	2	MO
<i>isosorbide mononitrate oral tablet</i>	1	MO; GC
<i>isosorbide mononitrate oral tablet extended release 24 hr</i>	1	MO; GC
<i>nitro-bid transdermal ointment</i>	3	MO
<i>nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml)</i>	2	B/D PA
<i>nitroglycerin intravenous solution</i>	2	B/D PA
<i>nitroglycerin sublingual tablet</i>	2	MO

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>nitroglycerin transdermal patch 24 hour</i>	2	MO
<i>nitroglycerin translingual spray,non-aerosol</i>	4	MO
DERMATOLOGICALS/TOPICAL THERAPY		
ANTIPSORIATIC / ANTISEBORRHEIC		
<i>acitretin oral capsule</i>	4	MO
<i>calcipotriene scalp solution</i>	3	MO; QL (120 per 30 days)
<i>calcipotriene topical cream</i>	4	MO; QL (120 per 30 days)
<i>calcipotriene topical ointment</i>	4	MO; QL (120 per 30 days)
<i>calcitriol topical ointment</i>	4	
<i>selenium sulfide topical lotion</i>	2	MO
<i>SKYRIZI SUBCUTANEOUS PEN INJECTOR</i>	5	PA; MO; QL (2 per 28 days); NEDS
<i>SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML</i>	5	PA; MO; QL (2 per 28 days); NEDS
<i>STELARA INTRAVENOUS SOLUTION</i>	5	PA; MO; QL (104 per 180 days); NEDS
<i>STELARA SUBCUTANEOUS SOLUTION</i>	5	PA; MO; QL (0.5 per 28 days); NEDS
<i>STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML</i>	5	PA; MO; QL (0.5 per 28 days); NEDS

药物名称	药物层级	要求/限制
<i>STELARA SUBCUTANEOUS SYRINGE 90 MG/ML</i>	5	PA; MO; QL (1 per 28 days); NEDS
<i>TALTZ AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR</i>	5	PA; MO; QL (4 per 28 days); NEDS
<i>TALTZ AUTOINJECTOR (3 PACK) SUBCUTANEOUS AUTO-INJECTOR</i>	5	PA; MO; QL (3 per 180 days); NEDS
<i>TALTZ SYRINGE SUBCUTANEOUS SYRINGE</i>	5	PA; MO; QL (1 per 28 days); NEDS
MISCELLANEOUS DERMATOLOGICALS		
<i>ADBRY SUBCUTANEOUS SYRINGE</i>	5	PA; MO; QL (6 per 28 days); NEDS
<i>ammonium lactate topical cream</i>	2	MO
<i>ammonium lactate topical lotion</i>	2	MO
<i>chloroprocaine (pf) injection solution</i>	2	
<i>CIBINQO ORAL TABLET</i>	5	PA; MO; QL (30 per 30 days); NEDS
<i>dermacinrx lidocan topical adhesive patch,medicated</i>	4	PA; QL (90 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	4	PA; MO; QL (100 per 28 days)

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
DUPIXENT SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML	5	PA; MO; QL (4.56 per 28 days); NEDS
DUPIXENT SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; MO; QL (8 per 28 days); NEDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; QL (1.34 per 28 days); NEDS
DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML	5	PA; MO; QL (4.56 per 28 days); NEDS
DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML	5	PA; MO; QL (8 per 28 days); NEDS
<i>fluorouracil topical cream 5 %</i>	3	MO
<i>fluorouracil topical solution</i>	3	MO
<i>glydo mucous membrane jelly in applicator</i>	2	MO; QL (60 per 30 days)
<i>imiquimod topical cream in packet 5 %</i>	3	MO
<i>lidocaine (pf) injection solution</i>	2	
<i>lidocaine hcl injection solution</i>	2	
<i>lidocaine hcl laryngotracheal solution</i>	3	MO
<i>lidocaine hcl mucous membrane jelly in applicator</i>	2	MO; QL (60 per 30 days)

药物名称	药物层级	要求/限制
<i>lidocaine hcl mucous membrane solution 2 %</i>	2	MO
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	3	MO
<i>lidocaine topical adhesive patch,medicated 5 %</i>	4	PA; MO; QL (90 per 30 days)
<i>lidocaine topical ointment</i>	4	MO; QL (36 per 30 days)
<i>lidocaine viscous mucous membrane solution</i>	2	
<i>lidocaine- epinephrine (pf) injection solution 1.5 %-1:200,000, 2 %- 1:200,000</i>	2	
<i>lidocaine- epinephrine injection solution</i>	2	
<i>lidocaine-prilocaine topical cream</i>	3	MO; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch,medicated</i>	4	PA; QL (90 per 30 days)
<i>methoxsalen oral capsule,liqd- filled,rapid rel</i>	5	MO; NEDS
PANRETIN TOPICAL GEL	5	PA; MO; NEDS
<i>pimecrolimus topical cream</i>	4	PA; MO; QL (100 per 30 days)
<i>podofilox topical solution</i>	3	MO
<i>polocaine injection solution 1 % (10 mg/ml)</i>	2	

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>polocaine-mpf injection solution</i>	2	
REGRANEX TOPICAL GEL	5	QL (15 per 30 days); NEDS
SANTYL TOPICAL OINTMENT	3	MO; QL (180 per 30 days)
<i>silver sulfadiazine topical cream</i>	2	MO
<i>ssd topical cream</i>	2	MO
<i>tacrolimus topical ointment</i>	4	PA; MO; QL (100 per 30 days)
VALCHLOR TOPICAL GEL	5	PA; MO; NEDS
THERAPY FOR ACNE		
<i>accutane oral capsule</i>	4	
<i>amnesteem oral capsule</i>	4	
<i>azelaic acid topical gel</i>	4	MO
<i>claravis oral capsule</i>	4	
<i>clindamycin phosphate topical gel</i>	3	MO; QL (120 per 30 days)
<i>clindamycin phosphate topical gel, once daily</i>	3	MO; QL (150 per 30 days)
<i>clindamycin phosphate topical lotion</i>	3	MO; QL (120 per 30 days)
<i>clindamycin phosphate topical solution</i>	3	MO; QL (120 per 30 days)
<i>ery pads topical swab</i>	3	MO
<i>erythromycin with ethanol topical solution</i>	2	MO

药物名称	药物层级	要求/限制
<i>isotretinoin oral capsule</i>	4	
<i>ivermectin topical cream</i>	2	MO; QL (90 per 30 days)
<i>metronidazole topical cream</i>	4	MO
<i>metronidazole topical gel</i>	4	MO
<i>metronidazole topical gel with pump</i>	4	MO
<i>metronidazole topical lotion</i>	4	MO
<i>tazarotene topical cream</i>	4	PA; MO
<i>tazarotene topical gel</i>	4	PA; MO
<i>tretinoiin topical cream 0.025 %, 0.05 %, 0.1 %</i>	4	PA; MO
<i>tretinoiin topical gel 0.01 %, 0.025 %, 0.05 %</i>	3	PA; MO
<i>zenatane oral capsule</i>	4	
TOPICAL ANTIBACTERIALS		
<i>gentamicin topical cream</i>	3	MO; QL (60 per 30 days)
<i>gentamicin topical ointment</i>	3	MO; QL (60 per 30 days)
<i>mupirocin topical ointment</i>	2	MO; QL (44 per 30 days)
<i>sulfacetamide sodium (acne) topical suspension</i>	4	MO
TOPICAL ANTIFUNGALS		
<i>cyclodan topical solution</i>	2	MO; QL (6.6 per 28 days)

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
ciclopirox topical cream	2	MO; QL (90 per 28 days)
ciclopirox topical gel	3	MO; QL (100 per 28 days)
ciclopirox topical shampoo	3	MO; QL (120 per 28 days)
ciclopirox topical solution	2	MO; QL (6.6 per 28 days)
ciclopirox topical suspension	3	MO; QL (60 per 28 days)
clotrimazole topical cream	2	MO; QL (45 per 28 days)
clotrimazole topical solution	2	MO; QL (30 per 28 days)
clotrimazole-betamethasone topical cream	3	MO; QL (45 per 28 days)
clotrimazole-betamethasone topical lotion	4	MO; QL (60 per 28 days)
econazole topical cream	4	MO; QL (85 per 28 days)
ketoconazole topical cream	2	MO; QL (60 per 28 days)
ketoconazole topical shampoo	2	MO; QL (120 per 28 days)
klayesta topical powder	3	QL (180 per 30 days)
naftifine topical cream	4	MO; QL (60 per 28 days)
naftifine topical gel 2 %	4	MO; QL (60 per 28 days)
nyamyc topical powder	3	QL (180 per 30 days)
nystatin topical cream	2	MO; QL (30 per 28 days)
nystatin topical ointment	2	MO; QL (30 per 28 days)

药物名称	药物层级	要求/限制
nystatin topical powder	3	MO; QL (180 per 30 days)
nystatin-triamcinolone topical cream	3	MO; QL (60 per 28 days)
nystatin-triamcinolone topical ointment	3	MO; QL (60 per 28 days)
nystop topical powder	3	MO; QL (180 per 30 days)
TOPICAL ANTIVIRALS		
acyclovir topical ointment	4	PA; MO; QL (30 per 30 days)
penciclovir topical cream	4	MO; QL (5 per 30 days)
TOPICAL CORTICOSTEROIDS		
ala-cort topical cream 1 %	2	MO
ala-cort topical cream 2.5 %	2	
alclometasone topical cream	3	MO
alclometasone topical ointment	3	MO
betamethasone dipropionate topical cream	2	MO
betamethasone dipropionate topical lotion	2	MO
betamethasone dipropionate topical ointment	2	MO
betamethasone valerate topical cream	2	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>betamethasone valerate topical lotion</i>	2	MO
<i>betamethasone valerate topical ointment</i>	2	MO
<i>betamethasone, augmented topical cream</i>	2	MO
<i>betamethasone, augmented topical gel</i>	2	MO
<i>betamethasone, augmented topical lotion</i>	2	MO
<i>betamethasone, augmented topical ointment</i>	2	MO
<i>clobetasol scalp solution</i>	4	MO; QL (100 per 28 days)
<i>clobetasol topical cream</i>	4	MO; QL (120 per 28 days)
<i>clobetasol topical foam</i>	4	MO; QL (100 per 28 days)
<i>clobetasol topical gel</i>	4	MO; QL (120 per 28 days)
<i>clobetasol topical lotion</i>	4	MO; QL (118 per 28 days)
<i>clobetasol topical ointment</i>	4	MO; QL (120 per 28 days)
<i>clobetasol topical shampoo</i>	4	MO; QL (236 per 28 days)
<i>clobetasol-emollient topical cream</i>	4	MO; QL (120 per 28 days)
<i>clodan topical shampoo</i>	4	MO; QL (236 per 28 days)
<i>desonide topical cream</i>	4	MO
<i>desonide topical gel</i>	4	MO

药物名称	药物层级	要求/限制
<i>desonide topical lotion</i>	4	MO
<i>desonide topical ointment</i>	4	MO
<i>fluocinolone and shower cap scalp oil</i>	4	MO
<i>fluocinolone topical cream 0.01 %</i>	4	MO
<i>fluocinolone topical cream 0.025 %</i>	4	
<i>fluocinolone topical oil</i>	4	MO
<i>fluocinolone topical ointment</i>	4	MO
<i>fluocinolone topical solution</i>	4	MO
<i>fluocinonide topical cream 0.05 %</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide topical gel</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide topical ointment</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide topical solution</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide-emollient topical cream</i>	4	MO; QL (120 per 30 days)
<i>halobetasol propionate topical cream</i>	4	MO
<i>halobetasol propionate topical ointment</i>	4	MO
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	2	MO
<i>hydrocortisone topical lotion 2.5 %</i>	2	MO

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
hydrocortisone topical ointment 1%, 2.5 %	2	MO
mometasone topical cream	2	MO
mometasone topical ointment	2	MO
mometasone topical solution	2	MO
prednicarbate topical ointment	4	
triamcinolone acetonide topical cream	2	MO
triamcinolone acetonide topical lotion	2	MO
triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %	2	MO
triderm topical cream	2	
TOPICAL SCABICIDES / PEDICULICIDES		
crotan topical lotion	2	
malathion topical lotion	4	MO
permethrin topical cream	3	MO; QL (60 per 30 days)
DIAGNOSTICS / MISCELLANEOUS AGENTS		
ANTIDOTES		
acetylcysteine intravenous solution	3	
IRRIGATING SOLUTIONS		
lactated ringers irrigation solution	4	

药物名称	药物层级	要求/限制
neomycin-polymyxin b gu irrigation solution	2	
ringer's irrigation solution	4	
MISCELLANEOUS AGENTS		
acamprostate oral tablet, delayed release (dr/ec)	4	MO
acetic acid irrigation solution	2	MO
anagrelide oral capsule	3	MO
caffeine citrate intravenous solution	2	
caffeine citrate oral solution	2	MO
carglumic acid oral tablet, dispersible	5	PA; NEDS
cevimeline oral capsule	4	MO
CHEMET ORAL CAPSULE	3	PA
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D PA
d10 %-0.45 % sodium chloride intravenous parenteral solution	4	
d2.5 %-0.45 % sodium chloride intravenous parenteral solution	4	

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	4	MO	<i>dextrose 5 % in water (d5w) intravenous piggyback</i>	4	MO
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	MO	<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	4	MO
<i>deferasirox oral granules in packet</i>	5	PA; MO; NEDS	<i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i>	4	
<i>deferasirox oral tablet 180 mg, 360 mg</i>	5	PA; MO; NEDS	<i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i>	4	
<i>deferasirox oral tablet 90 mg</i>	4	PA; MO	<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	4	
<i>deferasirox oral tablet, dispersible 125 mg</i>	4	PA; MO	<i>dextrose 50 % in water (d50w) intravenous syringe</i>	4	
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i>	5	PA; MO; NEDS	<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	4	
<i>deferiprone oral tablet</i>	5	PA; MO; NEDS	<i>disulfiram oral tablet 250 mg</i>	2	MO
<i>deferoxamine injection recon soln</i>	2	B/D PA; MO	<i>disulfiram oral tablet 500 mg</i>	2	
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	4		<i>droxidopa oral capsule</i>	5	PA; MO; NEDS
<i>dextrose 10 % in water (d10w) intravenous parenteral solution</i>	4		<i>ENDARI ORAL POWDER IN PACKET</i>	5	PA; MO; NEDS
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	4		<i>INCRELEX SUBCUTANEOUS SOLUTION</i>	5	MO; LA; NEDS
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	4	MO	<i>levocarnitine (with sugar) oral solution</i>	4	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>levocarnitine oral solution 100 mg/ml</i>	4	MO
<i>levocarnitine oral tablet</i>	4	MO
<i>LOKELMA ORAL POWDER IN PACKET</i>	3	MO
<i>midodrine oral tablet</i>	3	MO
<i>nitisinone oral capsule</i>	5	PA; MO; NEDS
<i>pilocarpine hcl oral tablet</i>	4	MO
<i>PROLASTIN-C INTRAVENOUS RECON SOLN</i>	5	PA; LA; NEDS
<i>PROLASTIN-C INTRAVENOUS SOLUTION</i>	5	PA; LA; NEDS
<i>REVCovi INTRAMUSCULAR SOLUTION</i>	5	PA; LA; NEDS
<i>riluzole oral tablet</i>	3	PA; MO
<i>risedronate oral tablet 30 mg</i>	3	QL (30 per 30 days)
<i>sevelamer carbonate oral tablet</i>	4	MO; QL (270 per 30 days)
<i>sodium benzoate-sodium phenylacet intravenous solution</i>	5	NEDS
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	4	MO
<i>sodium chloride 0.9 % intravenous piggyback</i>	4	MO
<i>sodium chloride irrigation solution</i>	4	MO

药物名称	药物层级	要求/限制
<i>sodium phenylbutyrate oral powder</i>	5	PA; MO; NEDS
<i>sodium phenylbutyrate oral tablet</i>	5	PA; NEDS
<i>sodium polystyrene sulfonate oral powder</i>	3	MO
<i>sps (with sorbitol) oral suspension</i>	3	MO
<i>sps (with sorbitol) rectal enema</i>	3	
<i>trientine oral capsule 250 mg</i>	5	PA; MO; NEDS
<i>VELPHORO ORAL TABLET,CHEWAB LE</i>	5	MO; QL (180 per 30 days); NEDS
<i>VELTASSA ORAL POWDER IN PACKET</i>	3	MO
<i>water for irrigation, sterile irrigation solution</i>	4	MO
<i>XIAFLEX INJECTION RECON SOLN</i>	5	PA; NEDS
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i>	2	PA; MO
SMOKING DETERRENTS		
<i>bupropion hcl (smoking deterrent) oral tablet extended release 12 hr</i>	2	
<i>NICOTROL INHALATION CARTRIDGE</i>	4	

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
NICOTROL NS NASAL SPRAY, NON-AEROSOL	4	MO
varenicline oral tablet	4	MO
varenicline oral tablets, dose pack	4	MO

EAR, NOSE / THROAT MEDICATIONS

MISCELLANEOUS AGENTS

azelastine nasal aerosol, spray	3	MO; QL (60 per 30 days)
azelastine nasal spray, non-aerosol	3	QL (60 per 30 days)
chlorhexidine gluconate mucous membrane mouthwash	1	MO; GC
denta 5000 plus dental cream	2	MO
dentagel dental gel	2	MO
fluoride (sodium) dental cream	2	
fluoride (sodium) dental gel	2	
fluoride (sodium) dental paste	2	MO
ipratropium bromide nasal spray, non-aerosol	2	MO; QL (30 per 30 days)
kourzeq dental paste	2	
oralone dental paste	2	
periogard mucous membrane mouthwash	1	MO; GC
PREVIDENT 5000 BOOSTER PLUS DENTAL PASTE	4	MO

药物名称	药物层级	要求/限制
PREVIDENT 5000 DRY MOUTH DENTAL PASTE	4	MO
<i>sf 5000 plus dental cream</i>	2	MO
<i>sf dental gel</i>	2	MO
<i>sodium fluoride 5000 dry mouth dental paste</i>	2	MO
<i>sodium fluoride 5000 plus dental cream</i>	2	
<i>sodium fluoride-pot nitrate dental paste</i>	2	MO
<i>triamcinolone acetonide dental paste</i>	2	MO

MISCELLANEOUS OTIC PREPARATIONS

acetic acid otic (ear) solution	2	MO
ciprofloxacin hcl otic (ear) dropperette	4	MO
<i>flac otic oil otic (ear) drops</i>	4	
<i>fluocinolone acetonide oil otic (ear) drops</i>	4	MO
<i>hydrocortisone-acetic acid otic (ear) drops</i>	3	MO
<i>ofloxacin otic (ear) drops</i>	3	MO

OTIC STEROID / ANTIBIOTIC

ciprofloxacin-dexamethasone otic (ear) drops, suspension	3	MO; QL (7.5 per 7 days)
--	---	-------------------------

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>neomycin-polymyxin-hc otic (ear) drops,suspension</i>	3	MO
<i>neomycin-polymyxin-hc otic (ear) solution</i>	3	MO
ENDOCRINE/DIABETES		
ADRENAL HORMONES		
<i>cortisone oral tablet</i>	2	
<i>dexamethasone intensol oral drops</i>	2	MO
<i>dexamethasone oral elixir</i>	2	MO
<i>dexamethasone oral solution</i>	2	MO
<i>dexamethasone oral tablet</i>	2	MO
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	2	MO
<i>dexamethasone sodium phosphate injection solution</i>	2	MO
<i>dexamethasone sodium phosphate injection syringe</i>	2	MO
<i>fludrocortisone oral tablet</i>	2	MO
<i>hydrocortisone oral tablet</i>	2	MO
<i>methylprednisolone acetate injection suspension</i>	2	MO
<i>methylprednisolone oral tablet</i>	2	B/D PA; MO

药物名称	药物层级	要求/限制
<i>methylprednisolone oral tablets,dose pack</i>	2	MO
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	MO
<i>methylprednisolone sodium succ intravenous recon soln</i>	2	MO
<i>prednisolone oral solution</i>		
<i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	MO
<i>prednisolone sodium phosphate oral solution 15 mg/5 ml (5 ml)</i>	2	
<i>prednisolone intensol oral concentrate</i>	4	MO
<i>prednisone oral solution</i>	2	MO
<i>prednisone oral tablet</i>	1	MO; GC
<i>prednisone oral tablets,dose pack</i>	1	MO; GC
<i>triamcinolone acetonide injection suspension 40 mg/ml</i>	2	MO
ANTITHYROID AGENTS		
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	MO; GC
<i>propylthiouracil oral tablet</i>	2	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
DIABETES THERAPY		
acarbose oral tablet 100 mg	2	MO; QL (90 per 30 days)
acarbose oral tablet 25 mg	2	MO; QL (360 per 30 days)
acarbose oral tablet 50 mg	2	MO; QL (180 per 30 days)
alcohol pads topical pads, medicated	3	MO
BAQSIMI NASAL SPRAY, NON-AEROSOL	3	MO
BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR	3	PA; MO; QL (4 per 28 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML	3	PA; MO; QL (2.4 per 30 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML	3	PA; MO; QL (1.2 per 30 days)
diazoxide oral suspension	4	MO
DROPSAFE ALCOHOL PREP PADS TOPICAL PADS, MEDICATED	3	
FARXIGA ORAL TABLET 10 MG	3	MO; QL (30 per 30 days)
FARXIGA ORAL TABLET 5 MG	3	MO; QL (60 per 30 days)
glimepiride oral tablet 1 mg	6	MO; GC; QL (240 per 30 days)

药物名称	药物层级	要求/限制
glimepiride oral tablet 2 mg	6	MO; GC; QL (120 per 30 days)
glimepiride oral tablet 4 mg	6	MO; GC; QL (60 per 30 days)
glipizide oral tablet 10 mg	6	MO; GC; QL (120 per 30 days)
glipizide oral tablet 5 mg	6	MO; GC; QL (240 per 30 days)
glipizide oral tablet extended release 24hr 10 mg	6	MO; GC; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg	6	MO; GC; QL (240 per 30 days)
glipizide oral tablet extended release 24hr 5 mg	6	MO; GC; QL (120 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg	6	MO; GC; QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg	6	MO; GC; QL (120 per 30 days)
GLYXAMBI ORAL TABLET	3	MO; QL (30 per 30 days)
GVOKE HYPOOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML	3	
GVOKE HYPOOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 1 MG/0.2 ML	3	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-Injector	3	MO
GVOKE PFS 1- PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	MO
GVOKE PFS 2- PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	MO
GVOKE SUBCUTANEOUS SOLUTION	3	MO
HUMALOG JUNIOR KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT	3	MO
HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN	3	MO
HUMALOG MIX 50-50 INSULIN U- 100 SUBCUTANEOUS SUSPENSION	3	
HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN	3	MO
HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN	3	MO

药物名称	药物层级	要求/限制
HUMALOG MIX 75-25(U- 100)INSULN SUBCUTANEOUS SUSPENSION	3	MO
HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE	3	MO
HUMALOG U-100 INSULIN SUBCUTANEOUS SOLUTION	3	MO
HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION	3	MO
HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN	3	MO
HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN	3	MO
HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION	3	MO
HUMULIN R REGULAR U-100 INSULN INJECTION SOLUTION	3	MO
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION	3	MO
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN	3	MO

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
INPEFA ORAL TABLET 200 MG	3	PA; MO; QL (60 per 30 days)
INPEFA ORAL TABLET 400 MG	3	PA; MO; QL (30 per 30 days)
INSULIN GLARGINE SUBCUTANEOUS INSULIN PEN	3	
INSULIN GLARGINE SUBCUTANEOUS SOLUTION	3	
INSULIN LISPRO SUBCUTANEOUS SOLUTION	3	MO
JANUMET ORAL TABLET	3	MO; QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	MO; QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	MO; QL (60 per 30 days)
JANUVIA ORAL TABLET	3	MO; QL (30 per 30 days)
JARDIANCE ORAL TABLET	3	MO; QL (30 per 30 days)
JENTADUETO ORAL TABLET	3	MO; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	MO; QL (60 per 30 days)

药物名称	药物层级	要求/限制
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	MO; QL (30 per 30 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN	3	MO
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION	3	MO
LYUMJEV KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN	3	MO
LYUMJEV KWIKPEN U-200 INSULIN SUBCUTANEOUS INSULIN PEN	3	MO
LYUMJEV U-100 INSULIN SUBCUTANEOUS SOLUTION	3	MO
<i>metformin oral tablet 1,000 mg</i>	6	MO; GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	6	MO; GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	6	MO; GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	MO; GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	MO; GC; QL (60 per 30 days)

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
MOUNJARO SUBCUTANEOUS PEN INJECTOR	3	PA; MO; QL (2 per 28 days)	SEGLUROMET ORAL TABLET 2.5-1,000 MG, 7.5- 1,000 MG, 7.5-500 MG	3	MO; QL (60 per 30 days)
<i>nateglinide oral tablet 120 mg</i>	2	MO; QL (90 per 30 days)	SEGLUROMET ORAL TABLET 2.5-500 MG	3	MO; QL (120 per 30 days)
<i>nateglinide oral tablet 60 mg</i>	2	MO; QL (180 per 30 days)	SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN	3	MO; QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; MO; QL (3 per 28 days)	STEGLATRO ORAL TABLET	3	MO; QL (30 per 30 days)
<i>pioglitazone oral tablet</i>	6	MO; GC; QL (30 per 30 days)	SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (10.8 per 30 days); NEDS
QTERN ORAL TABLET	3	MO; QL (30 per 30 days)	SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (6 per 30 days); NEDS
<i>repaglinide oral tablet 0.5 mg</i>	2	MO; QL (960 per 30 days)	SYNJARDY ORAL TABLET	3	MO; QL (60 per 30 days)
<i>repaglinide oral tablet 1 mg</i>	2	MO; QL (480 per 30 days)	SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	MO; QL (30 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	MO; QL (240 per 30 days)	SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	MO; QL (60 per 30 days)
RYBELSUS ORAL TABLET	3	PA; MO; QL (30 per 30 days)	TOUJEO MAX U- 300 SOLOSTAR SUBCUTANEOUS INSULIN PEN	3	MO
<i>saxagliptin oral tablet</i>	3	MO; QL (30 per 30 days)	TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN	3	MO
<i>saxagliptin- metformin oral tablet, er multiphase 24 hr 2.5-1,000 mg</i>	3	MO; QL (60 per 30 days)	TRADJENTA ORAL TABLET	3	MO; QL (30 per 30 days)
<i>saxagliptin- metformin oral tablet, er multiphase 24 hr 5-1,000 mg, 5- 500 mg</i>	3	MO; QL (30 per 30 days)			

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	MO; QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5- 1,000 MG, 5-2.5- 1,000 MG	3	MO; QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR	3	PA; MO; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	MO; QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5- 500 MG	3	MO; QL (60 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR	3	MO
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE	3	MO
MISCELLANEOUS HORMONES		
ALDURAZYME INTRAVENOUS SOLUTION	5	PA; MO; NEDS
<i>cabergoline oral tablet</i>	3	MO
<i>calcitonin (salmon) injection solution</i>	5	MO; NEDS

药物名称	药物层级	要求/限制
<i>calcitonin (salmon) nasal spray, non- aerosol</i>	3	MO
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule</i>	2	MO
<i>calcitriol oral solution</i>	4	
<i>cinacalcet oral tablet</i>	4	PA; MO
<i>clomid oral tablet</i>	2	PA; MO
<i>clomiphene citrate oral tablet</i>	2	PA
CRYSVITA SUBCUTANEOUS SOLUTION	5	PA; MO; LA; NEDS
<i>danazol oral capsule</i>	4	MO
<i>desmopressin injection solution</i>	2	MO
<i>desmopressin nasal spray with pump</i>	4	MO
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	4	
<i>desmopressin oral tablet</i>	3	MO
<i>doxercalciferol intravenous solution</i>	2	
<i>doxercalciferol oral capsule</i>	4	MO
ELAPRASE INTRAVENOUS SOLUTION	5	PA; MO; NEDS
FABRAZYME INTRAVENOUS RECON SOLN	5	PA; MO; NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
KANUMA INTRAVENOUS SOLUTION	5	PA; MO; NEDS	<i>testosterone</i> <i>cypionate</i> <i>intramuscular oil</i> <i>100 mg/ml, 200 mg/ml</i>	3	PA; MO
KORLYM ORAL TABLET	5	PA; NEDS	<i>testosterone</i> <i>cypionate</i> <i>intramuscular oil</i> <i>200 mg/ml (1 ml)</i>	3	PA
LUMIZYME INTRAVENOUS RECON SOLN	5	PA; MO; NEDS	<i>testosterone</i> <i>enanthate</i> <i>intramuscular oil</i>	3	PA; MO
MEPSEVII INTRAVENOUS SOLUTION	5	PA; MO; NEDS	<i>testosterone</i> <i>transdermal gel</i>	3	PA; MO; QL (300 per 30 days)
<i>mifepristone oral tablet 300 mg</i>	5	PA; NEDS	<i>testosterone</i> <i>transdermal gel in metered-dose pump</i> <i>10 mg/0.5 gram /actuation</i>	4	PA; MO; QL (120 per 30 days)
MYALEPT SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; NEDS	<i>testosterone</i> <i>transdermal gel in metered-dose pump</i> <i>12.5 mg/ 1.25 gram (1 %)</i>	3	PA; MO; QL (300 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION	5	PA; MO; LA; NEDS	<i>testosterone</i> <i>transdermal gel in metered-dose pump</i> <i>20.25 mg/1.25 gram (1.62 %)</i>	4	PA; MO; QL (150 per 30 days)
NATPARA SUBCUTANEOUS CARTRIDGE	5	PA; LA; NEDS	<i>testosterone</i> <i>transdermal gel in metered-dose pump</i> <i>50 mg/5 gram</i>	3	PA; MO; QL (300 per 30 days)
<i>pamidronate intravenous solution</i>	2	MO	<i>testosterone</i> <i>transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	4	PA; MO; QL (37.5 per 30 days)
<i>paricalcitol intravenous solution</i>	2		<i>testosterone</i> <i>transdermal gel in packet 1.62 % (20.25 mg/1.25 gram)</i>	3	PA; MO; QL (300 per 30 days)
<i>paricalcitol oral capsule</i>	4	MO			
<i>sapropterin oral powder in packet</i>	5	PA; MO; NEDS			
<i>sapropterin oral tablet, soluble</i>	5	PA; MO; NEDS			
SOMAVERT SUBCUTANEOUS RECON SOLN	5	PA; MO; NEDS			
STRENSIQ SUBCUTANEOUS SOLUTION	5	PA; LA; NEDS			

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>testosterone transdermal gel in packet 1.62 % (40.5 mg/2.5 gram)</i>	4	PA; MO; QL (150 per 30 days)
<i>testosterone transdermal solution in metered pump w/app</i>	4	PA; MO; QL (180 per 30 days)
<i>tolvaptan oral tablet</i>	5	PA; MO; NEDS
VIMIZIM INTRAVENOUS SOLUTION	5	PA; MO; LA; NEDS
<i>zoledronic acid intravenous solution</i>	2	B/D PA; MO
<i>zoledronic acid-mannitol-water intravenous piggyback 4 mg/100 ml</i>	2	B/D PA; MO
THYROID HORMONES		
<i>euthyrox oral tablet</i>	1	MO; GC
<i>levo-t oral tablet</i>	1	GC
<i>levothyroxine intravenous recon soln</i>	2	
<i>levothyroxine oral tablet</i>	1	MO; GC
<i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	MO; GC
<i>liothyronine intravenous solution</i>	2	MO
<i>liothyronine oral tablet</i>	2	MO
<i>unithroid oral tablet</i>	1	MO; GC

GASTROENTEROLOGY

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
ANTIDIARRHEALS / ANTISPASMODICS		
<i>atropine injection solution 0.4 mg/ml</i>	2	
<i>atropine injection syringe 0.1 mg/ml</i>	2	
<i>atropine intravenous solution 0.4 mg/ml</i>	2	
<i>atropine intravenous syringe 0.25 mg/5 ml (0.05 mg/ml)</i>	2	
<i>dicyclomine intramuscular solution</i>	2	MO
<i>dicyclomine oral capsule</i>	2	MO
<i>dicyclomine oral solution</i>	4	MO
<i>dicyclomine oral tablet</i>	2	MO
<i>diphenoxylate-atropine oral liquid</i>	4	MO
<i>diphenoxylate-atropine oral tablet</i>	3	MO
<i>glycopyrrolate (pf) in water intravenous syringe 0.4 mg/2 ml (0.2 mg/ml)</i>	2	MO
<i>glycopyrrolate injection solution</i>	2	MO
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	3	MO
<i>glycopyrrolate oral tablet 1.5 mg</i>	3	
<i>loperamide oral capsule</i>	2	MO
<i>opium tincture oral tincture</i>	2	MO

药物名称	药物层级	要求/限制
MISCELLANEOUS GASTROINTESTINAL AGENTS		
<i>alosetron oral tablet 0.5 mg</i>	4	PA; MO
<i>alosetron oral tablet 1 mg</i>	5	PA; MO; NEDS
<i>aprepitant oral capsule</i>	4	B/D PA; MO
<i>aprepitant oral capsule,dose pack</i>	4	B/D PA; MO
<i>balsalazide oral capsule</i>	3	MO
<i>betaine oral powder</i>	5	MO; NEDS
<i>budesonide oral capsule,delayed,extended.release</i>	4	MO
<i>budesonide oral tablet,delayed and ext.release</i>	5	MO; NEDS
<i>CHENODAL ORAL TABLET</i>	5	PA; LA; NEDS
<i>CHOLBAM ORAL CAPSULE 250 MG</i>	5	PA; NEDS
<i>CHOLBAM ORAL CAPSULE 50 MG</i>	5	PA; QL (120 per 30 days); NEDS
<i>CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT</i>	5	PA; MO; QL (2 per 28 days); NEDS
<i>CIMZIA STARTER KIT SUBCUTANEOUS SYRINGE KIT</i>	5	PA; MO; QL (3 per 180 days); NEDS
<i>CIMZIA SUBCUTANEOUS SYRINGE KIT</i>	5	PA; MO; QL (2 per 28 days); NEDS
<i>CINVANTI INTRAVENOUS EMULSION</i>	3	MO

药物名称	药物层级	要求/限制
<i>compro rectal suppository</i>	4	MO
<i>constulose oral solution</i>	2	MO
<i>CORTIFOAM RECTAL FOAM</i>	3	MO
<i>CREON ORAL CAPSULE,DELAY ED RELEASE(DR/EC)</i>	3	MO
<i>cromolyn oral concentrate</i>	4	MO
<i>dimenhydrinate injection solution</i>	2	MO
<i>dronabinol oral capsule 10 mg</i>	4	B/D PA; MO
<i>dronabinol oral capsule 2.5 mg, 5 mg</i>	4	B/D PA
<i>droperidol injection solution</i>	2	MO
<i>EMEND ORAL SUSPENSION FOR RECONSTITUTION</i>	4	B/D PA
<i>ENTYVIO INTRAVENOUS RECON SOLN</i>	5	PA; MO; QL (2 per 28 days); NEDS
<i>enulose oral solution</i>	2	MO
<i>fosaprepitant intravenous recon soln</i>	2	MO
<i>GATTEX 30-VIAL SUBCUTANEOUS KIT</i>	5	PA; MO; NEDS
<i>GATTEX ONE-VIAL SUBCUTANEOUS KIT</i>	5	PA; MO; NEDS
<i>gavilyte-c oral recon soln</i>	2	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
gavilyte-g oral recon soln	2	MO
generlac oral solution	2	
granisetron (pf) intravenous solution 1 mg/ml (1 ml)	2	MO
granisetron hcl intravenous solution 1 mg/ml	2	MO
granisetron hcl intravenous solution 1 mg/ml (1 ml)	2	
granisetron hcl oral tablet	3	B/D PA; MO
hydrocortisone rectal enema	4	MO
hydrocortisone topical cream with perineal applicator	2	MO
lactulose oral solution 10 gram/15 ml	2	MO
lactulose oral solution 10 gram/15 ml (15 ml), 20 gram/30 ml	2	
LINZESS ORAL CAPSULE	3	MO; QL (30 per 30 days)
lubiprostone oral capsule	4	MO; QL (60 per 30 days)
meclizine oral tablet 12.5 mg, 25 mg	2	MO
mesalamine oral capsule (with del rel tablets)	4	MO
mesalamine oral capsule, extended release	5	NEDS

药物名称	药物层级	要求/限制
mesalamine oral capsule,extended release 24hr	4	MO
mesalamine oral tablet,delayed release (dr/ec)	4	MO
mesalamine rectal enema	4	MO
mesalamine rectal suppository	4	MO
mesalamine with cleansing wipe rectal enema kit	4	MO
metoclopramide hcl injection solution	2	MO
metoclopramide hcl oral solution	2	MO
metoclopramide hcl oral tablet	1	MO; GC
MOVANTIK ORAL TABLET	3	MO; QL (30 per 30 days)
OCALIVA ORAL TABLET	5	PA; MO; LA; QL (30 per 30 days); NEDS
ondansetron hcl (pf) injection solution	2	MO
ondansetron hcl (pf) injection syringe	2	
ondansetron hcl intravenous solution	2	MO
ondansetron hcl oral solution	4	B/D PA; MO
ondansetron hcl oral tablet 4 mg, 8 mg	2	B/D PA; MO
ondansetron oral tablet,disintegrating	2	B/D PA; MO
palonosetron intravenous solution 0.25 mg/5 ml	2	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
palonosetron intravenous syringe	2		RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	MO; QL (12 per 30 days); NEDS
peg 3350- electrolytes oral recon soln	2		REMICADE INTRAVENOUS RECON SOLN	5	PA; MO; QL (20 per 28 days); NEDS
peg3350-sod sul- nacl-kcl-ash-c oral powder in packet	4	MO	SANCUSO TRANSDERMAL PATCH WEEKLY	5	MO; NEDS
peg-electrolyte oral recon soln	2	MO	scopolamine base transdermal patch 3 day	4	MO
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG	4	MO	SKYRIZI INTRAVENOUS SOLUTION	5	PA; MO; QL (30 per 180 days); NEDS
prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)	2	MO	SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML)	5	PA; MO; QL (1.2 per 56 days); NEDS
prochlorperazine maleate oral tablet	2	MO	SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML)	5	PA; MO; QL (2.4 per 56 days); NEDS
prochlorperazine rectal suppository	4	MO	sodium,potassium,m ag sulfates oral recon soln 17.5- 3.13-1.6 gram	4	MO
procto-med hc topical cream with perineal applicator	2	MO	sodium,potassium,m ag sulfates oral recon soln 17.5- 3.13-1.6 gram 2 pack (480ml)	4	
proctosol hc topical cream with perineal applicator	2	MO	SUCRAID ORAL SOLUTION	5	PA; NEDS
proctozone-hc topical cream with perineal applicator	2		sulfasalazine oral tablet	2	MO
RECTIV RECTAL OINTMENT	3	MO			
RELISTOR SUBCUTANEOUS SOLUTION	5	MO; QL (18 per 30 days); NEDS			
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	MO; QL (18 per 30 days); NEDS			

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
sulfasalazine oral tablet,delayed release (dr/ec)	2	MO	<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i>	3	MO; QL (30 per 30 days)
TRULANCE ORAL TABLET	3	MO; QL (30 per 30 days)	<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i>	3	MO; QL (60 per 30 days)
<i>ursodiol oral capsule 300 mg</i>	3	MO	<i>esomeprazole sodium intravenous recon soln 40 mg</i>	2	MO
<i>ursodiol oral tablet</i>	3	MO	<i>famotidine (pf) intravenous solution</i>	2	MO
VARUBI ORAL TABLET	3	B/D PA	<i>famotidine (pf)-nacl (iso-os) intravenous piggyback</i>	2	MO
VIBERZI ORAL TABLET	5	MO; QL (60 per 30 days); NEDS	<i>famotidine intravenous solution</i>	2	MO
VIOKACE ORAL TABLET	3	MO	<i>famotidine oral tablet 20 mg, 40 mg</i>	1	MO; GC
ZENPEP ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	MO	<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i>	2	MO; QL (30 per 30 days)
ZENPEP ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 60,000-189,600- 252,600 UNIT	5	MO; NEDS	<i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i>	2	MO; QL (60 per 30 days)
ULCER THERAPY			<i>misoprostol oral tablet</i>	3	MO
<i>cimetidine oral tablet</i>	2	MO	<i>nizatidine oral capsule</i>	3	MO
			<i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg</i>	1	MO; GC; QL (30 per 30 days)
			<i>omeprazole oral capsule,delayed release(dr/ec) 40 mg</i>	1	MO; GC; QL (60 per 30 days)
			<i>pantoprazole intravenous recon soln</i>	2	MO

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
pantoprazole oral tablet, delayed release (dr/ec) 20 mg	1	MO; GC; QL (30 per 30 days)
pantoprazole oral tablet, delayed release (dr/ec) 40 mg	1	MO; GC; QL (60 per 30 days)
sucralfate oral suspension	4	MO
sucralfate oral tablet	2	MO

IMMUNOLOGY, VACCINES / BIOTECHNOLOGY		
BIOTECHNOLOGY DRUGS		
ACTIMMUNE SUBCUTANEOUS SOLUTION	5	B/D PA; MO; NEDS
ARCALYST SUBCUTANEOUS RECON SOLN	5	PA; NEDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT	5	PA; MO; QL (1 per 28 days); NEDS
AVONEX INTRAMUSCULAR SYRINGE KIT	5	PA; MO; QL (1 per 28 days); NEDS
BESREMI SUBCUTANEOUS SYRINGE	5	PA; LA; NEDS
BETASERON SUBCUTANEOUS KIT	5	PA; MO; QL (14 per 28 days); NEDS
ILARIS (PF) SUBCUTANEOUS SOLUTION	5	PA; MO; LA; QL (2 per 28 days); NEDS
LEUKINE INJECTION RECON SOLN	5	PA; MO; NEDS

药物名称	药物层级	要求/限制
MOZOBIL SUBCUTANEOUS SOLUTION	5	B/D PA; MO; NEDS
NIVESTYM INJECTION SOLUTION	5	PA; MO; NEDS
NIVESTYM SUBCUTANEOUS SYRINGE	5	PA; MO; NEDS
NYVEPRIA SUBCUTANEOUS SYRINGE	5	PA; MO; NEDS
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML)	5	PA; MO; NEDS
OMNITROPE SUBCUTANEOUS CARTRIDGE 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NEDS
OMNITROPE SUBCUTANEOUS RECON SOLN	5	PA; MO; NEDS
PEGASYS SUBCUTANEOUS SOLUTION	5	MO; QL (4 per 28 days); NEDS
PEGASYS SUBCUTANEOUS SYRINGE	5	MO; QL (2 per 28 days); NEDS
PLEGRIDY INTRAMUSCULAR SYRINGE	5	PA; MO; QL (1 per 28 days); NEDS
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; MO; QL (1 per 28 days); NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; QL (1 per 180 days); NEDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; MO; QL (1 per 28 days); NEDS
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; QL (1 per 180 days); NEDS
<i>plerixafor subcutaneous solution</i>	5	B/D PA; MO; NEDS
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML	5	PA; MO; NEDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; MO; NEDS

药物名称	药物层级	要求/限制
ZARXIO INJECTION SYRINGE	5	PA; MO; NEDS
ZIEXTENZO SUBCUTANEOUS SYRINGE	5	PA; MO; NEDS
VACCINES / MISCELLANEOUS IMMUNOLOGICALS		
ABRYSVO INTRAMUSCULA R RECON SOLN	6	GC; V
ACTHIB (PF) INTRAMUSCULA R RECON SOLN	3	
ADACEL(TDAP ADOLESN/ADULT (PF) INTRAMUSCULA R SUSPENSION	6	GC; V
ADACEL(TDAP ADOLESN/ADULT (PF) INTRAMUSCULA R SYRINGE	6	GC; V
AREXVY (PF) INTRAMUSCULA R SUSPENSION FOR RECONSTITUTIO N	6	GC; V
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTIO N	6	GC; V
BEXZERO INTRAMUSCULA R SYRINGE	6	GC; V
BOOSTRIX TDAP INTRAMUSCULA R SUSPENSION	6	GC; V

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE	6	GC; V
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION	3	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION	6	B/D PA; GC; V
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE	6	B/D PA; GC; V
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE	6	B/D PA; GC; V
<i>fomepizole intravenous solution</i>	2	
GAMASTAN INTRAMUSCULAR SOLUTION	3	MO
GAMASTAN S/D INTRAMUSCULAR SOLUTION	3	
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION	6	GC; V
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE	6	GC; V
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	6	GC; V

药物名称	药物层级	要求/限制
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE	6	B/D PA; GC; V
HIBERIX (PF) INTRAMUSCULAR RECON SOLN	3	
HIZENTRA SUBCUTANEOUS SOLUTION	5	B/D PA; MO; NEDS
HIZENTRA SUBCUTANEOUS SYRINGE	5	B/D PA; MO; NEDS
HYPERHEP B INTRAMUSCULAR SOLUTION	3	
HYPERHEP B NEONATAL INTRAMUSCULAR SYRINGE	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN	6	GC; V
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE	3	
IPOL INJECTION SUSPENSION	6	GC; V
IXIARO (PF) INTRAMUSCULAR SYRINGE	6	GC; V
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION	6	B/D PA; GC; V

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
KINRIX (PF) INTRAMUSCULAR SYRINGE	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION	6	GC; V
MENQUADFI (PF) INTRAMUSCULAR SOLUTION	6	GC; V
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT	6	GC; V
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR SOLUTION	1	GC; V
M-M-R II (PF) SUBCUTANEOUS RECON SOLN	6	GC; V
PEDIARIX (PF) INTRAMUSCULAR SYRINGE	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION	3	
PENBRAYA (PF) INTRAMUSCULAR KIT	6	GC; V
PENTACEL (PF) INTRAMUSCULAR KIT 15LF-48MCG-62DU -10 MCG/0.5ML	3	
PREHEVBRIOD (PF) INTRAMUSCULAR SUSPENSION	6	B/D PA; GC; V
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	6	GC; V

药物名称	药物层级	要求/限制
PRIVIGEN INTRAVENOUS SOLUTION	5	PA; MO; NEDS
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	6	GC; V
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION	6	B/D PA; GC; V
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE	6	B/D PA; GC; V
ROTARIX ORAL SUSPENSION	3	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION	3	
ROTATEQ VACCINE ORAL SOLUTION	3	

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	6	GC; V; QL (2 per 720 days)
TDVAX INTRAMUSCULAR SUSPENSION	6	GC; V
TENIVAC (PF) INTRAMUSCULAR SUSPENSION	6	GC; V
TENIVAC (PF) INTRAMUSCULAR SYRINGE	6	GC; V
TETANUS,DIPHTHERIA TOXOPED(PF) INTRAMUSCULAR SUSPENSION	3	
TICE BCG INTRA VESICAL SUSPENSION FOR RECONSTITUTION	3	B/D PA
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	V
TRUMENBA INTRAMUSCULAR SYRINGE	6	GC; V
TWINRIX (PF) INTRAMUSCULAR SYRINGE	6	GC; V
TYPHIM VI INTRAMUSCULAR SOLUTION	6	GC; V

药物名称	药物层级	要求/限制
TYPHIM VI INTRAMUSCULAR SYRINGE	6	GC; V
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	6	GC; V
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	6	GC; V
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	6	GC; V
VARIZIG INTRAMUSCULAR SOLUTION	3	
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	6	GC; V
MISCELLANEOUS SUPPLIES		
MISCELLANEOUS SUPPLIES		

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
BD INSULIN SYRINGE SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1/2 ML 31 GAUGE X 15/64"	3	MO
BD PEN NEEDLE	3	MO
BD PEN NEEDLE	3	
CEQUR SIMPLICITY INSERTER	3	MO
GAUZE PADS 2 X 2	3	MO
INSULIN SYRINGE- NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE	3	MO
INSULIN SYRINGES (NON-PREFERRED BRANDS) SYRINGE 1 ML 29 GAUGE X 1/2"	3	MO
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE	3	MO; QL (1 per 720 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	MO

药物名称	药物层级	要求/限制
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	MO
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 720 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	MO
PEN NEEDLES (NON-PREFERRED BRANDS) NEEDLE 29 GAUGE X 1/2"	3	MO
V-GO 20 DEVICE	3	MO
V-GO 30 DEVICE	3	MO
V-GO 40 DEVICE	3	MO
MUSCULOSKELETAL / RHEUMATOLOGY		
GOUT THERAPY		
<i>allopurinol oral tablet 100 mg, 300 mg</i>	1	MO; GC
<i>allopurinol sodium intravenous recon soln</i>	2	
<i>aloprim intravenous recon soln</i>	2	
<i>colchicine oral tablet</i>	2	MO
<i>febuxostat oral tablet</i>	3	MO
<i>probenecid oral tablet</i>	3	MO

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
probenecid-colchicine oral tablet	3	MO
OSTEOPOROSIS THERAPY		
alendronate oral solution	2	MO; QL (300 per 28 days)
alendronate oral tablet 10 mg	1	MO; GC; QL (30 per 30 days)
alendronate oral tablet 35 mg, 70 mg	1	MO; GC; QL (4 per 28 days)
FOSAMAX PLUS D ORAL TABLET	4	ST; MO; QL (4 per 28 days)
ibandronate intravenous solution	2	PA
ibandronate intravenous syringe	2	PA; MO
ibandronate oral tablet	2	MO; QL (1 per 30 days)
PROLIA SUBCUTANEOUS SYRINGE	4	PA; MO; QL (1 per 180 days)
raloxifene oral tablet	2	MO
risedronate oral tablet 150 mg	3	MO; QL (1 per 30 days)
risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)	3	MO; QL (4 per 28 days)
risedronate oral tablet 5 mg	3	MO; QL (30 per 30 days)
risedronate oral tablet, delayed release (dr/ec)	4	MO; QL (4 per 28 days)
TERIPARATIDE SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML)	5	PA; QL (2.48 per 28 days); NEDS

药物名称	药物层级	要求/限制
OTHER RHEUMATOLOGICALS		
ACTEMRA	5	PA; MO; QL (3.6 per 28 days); NEDS
ACTPEN SUBCUTANEOUS PEN INJECTOR		
ACTEMRA INTRAVENOUS SOLUTION	5	PA; MO; QL (160 per 28 days); NEDS
ACTEMRA SUBCUTANEOUS SYRINGE	5	PA; MO; QL (3.6 per 28 days); NEDS
ADALIMUMAB-ADAZ SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (1.6 per 28 days); NEDS
ADALIMUMAB-ADAZ SUBCUTANEOUS SYRINGE	5	PA; MO; QL (1.6 per 28 days); NEDS
ADALIMUMAB-ADBM SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (4 per 28 days); NEDS
ADALIMUMAB-ADBM SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	5	PA; MO; QL (2 per 28 days); NEDS
ADALIMUMAB-ADBM SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (4 per 28 days); NEDS
ADALIMUMAB-ADBM(CF) PEN CROHNS SUBCUTANEOUS PEN INJECTOR KIT	5	PA; QL (6 per 180 days); NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
ADALIMUMAB-ADBM(CF) PEN PS-UV SUBCUTANEOUS PEN INJECTOR KIT	5	PA; QL (4 per 180 days); NEDS
BENLYSTA INTRAVENOUS RECON SOLN	5	PA; MO; NEDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; NEDS
BENLYSTA SUBCUTANEOUS SYRINGE	5	PA; MO; NEDS
CYLTEZO(CF) PEN CROHN'S-UC-HS SUBCUTANEOUS PEN INJECTOR KIT	5	PA; QL (6 per 180 days); NEDS
CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT	5	PA; QL (4 per 180 days); NEDS
CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (4 per 28 days); NEDS
CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	5	PA; MO; QL (2 per 28 days); NEDS
CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (4 per 28 days); NEDS

药物名称	药物层级	要求/限制
ENBREL MINI SUBCUTANEOUS CARTRIDGE	5	PA; MO; QL (8 per 28 days); NEDS
ENBREL SUBCUTANEOUS SOLUTION	5	PA; MO; QL (8 per 28 days); NEDS
ENBREL SUBCUTANEOUS SYRINGE	5	PA; MO; QL (8 per 28 days); NEDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (8 per 28 days); NEDS
HUMIRA (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (4 per 28 days); NEDS
HUMIRA PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (4 per 28 days); NEDS
HUMIRA PEN CROHNS-UC-HS START (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT	5	PA; QL (6 per 180 days); NEDS
HUMIRA PEN PSOR-UVEITS-ADOL HS (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT	5	PA; QL (4 per 180 days); NEDS

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
HUMIRA(CF) (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML	5	PA; MO; QL (2 per 28 days); NEDS
HUMIRA(CF) (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	5	PA; MO; QL (4 per 28 days); NEDS
HUMIRA(CF) PEDI CROHNS STARTER (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML	5	PA; QL (3 per 180 days); NEDS
HUMIRA(CF) PEDI CROHNS STARTER (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; QL (2 per 180 days); NEDS
HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; MO; QL (4 per 28 days); NEDS

药物名称	药物层级	要求/限制
HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; MO; QL (2 per 28 days); NEDS
HUMIRA(CF) PEN CROHNS-UC-HS (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (3 per 180 days); NEDS
HUMIRA(CF) PEN PEDIATRIC UC (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (4 per 180 days); NEDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (3 per 180 days); NEDS
HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS PEN INJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; MO; QL (1.6 per 28 days); NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 10 MG/0.1 ML	5	PA; MO; QL (0.2 per 28 days); NEDS
HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 20 MG/0.2 ML	5	PA; MO; QL (0.4 per 28 days); NEDS
HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; MO; QL (1.6 per 28 days); NEDS
HYRIMOZ PEN CROHN'S-UC STARTER SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (2.4 per 180 days); NEDS
HYRIMOZ PEN PSORIASIS STARTER SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (1.6 per 180 days); NEDS
HYRIMOZ(CF) PEDI CROHN STARTER SUBCUTANEOUS SYRINGE 80 MG/0.8 ML	5	PA; MO; QL (2.4 per 180 days); NEDS
HYRIMOZ(CF) PEDI CROHN STARTER SUBCUTANEOUS SYRINGE 80 MG/0.8 ML- 40 MG/0.4 ML	5	PA; MO; QL (1.2 per 180 days); NEDS

药物名称	药物层级	要求/限制
<i>leflunomide oral tablet</i>	2	MO; QL (30 per 30 days)
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN	5	PA; MO; QL (12 per 28 days); NEDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; QL (4 per 28 days); NEDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML	5	PA; MO; QL (4 per 28 days); NEDS
ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML	5	PA; MO; QL (1.6 per 28 days); NEDS
ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML	5	PA; MO; QL (2.8 per 28 days); NEDS
OTEZLA ORAL TABLET	5	PA; MO; QL (60 per 30 days); NEDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (4)-30 MG (47)	5	PA; MO; QL (55 per 180 days); NEDS
<i>penicillamine oral tablet</i>	5	PA; MO; NEDS
RIDAURA ORAL CAPSULE	5	MO; NEDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG	5	PA; MO; QL (30 per 30 days); NEDS

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG	5	PA; MO; QL (84 per 180 days); NEDS
SAVELLA ORAL TABLET	3	MO; QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK	3	MO; QL (55 per 180 days)
XELJANZ ORAL SOLUTION	5	PA; MO; QL (300 per 30 days); NEDS
XELJANZ ORAL TABLET	5	PA; MO; QL (60 per 30 days); NEDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR	5	PA; MO; QL (30 per 30 days); NEDS

OBSTETRICS / GYNECOLOGY		
ESTROGENS / PROGESTINS		
<i>amabelz oral tablet</i>	3	PA
<i>camila oral tablet</i>	2	MO
<i>deblitane oral tablet</i>	2	MO
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE	4	MO
<i>dotti transdermal patch semiweekly</i>	3	PA; MO; QL (8 per 28 days)
DUAVEE ORAL TABLET	3	MO
<i>errin oral tablet</i>	2	MO
<i>estradiol oral tablet</i>	4	PA; MO
<i>estradiol transdermal patch semiweekly</i>	3	PA; MO; QL (8 per 28 days)

药物名称	药物层级	要求/限制
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	3	PA; QL (4 per 28 days)
<i>estradiol transdermal patch weekly 0.0375 mg/24 hr</i>	3	PA; MO; QL (4 per 28 days)
<i>estradiol vaginal cream</i>	4	MO
<i>estradiol vaginal tablet</i>	4	MO
<i>estradiol valerate intramuscular oil</i>	4	MO
<i>estradiol-norethindrone acet oral tablet</i>	3	PA; MO
<i>fyavolv oral tablet</i>	4	PA; MO
<i>heather oral tablet</i>	2	MO
<i>hydroxyprogesterone caproate intramuscular oil</i>	5	NEDS
IMVEXXY MAINTENANCE PACK VAGINAL INSERT	3	MO
IMVEXXY STARTER PACK VAGINAL INSERT, DOSE PACK	3	MO
<i>incassia oral tablet</i>	2	MO
<i>jencycla oral tablet</i>	2	MO
<i>jinteli oral tablet</i>	4	PA; MO
<i>lyleq oral tablet</i>	2	MO
<i>lyllana transdermal patch semiweekly</i>	3	PA; MO; QL (8 per 28 days)

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>lyza oral tablet</i>	2	
<i>medroxyprogesterone intramuscular suspension</i>	2	MO
<i>medroxyprogesterone intramuscular syringe</i>	2	MO
<i>medroxyprogesterone oral tablet</i>	2	MO
MENEST ORAL TABLET	3	PA; MO
<i>mimvey oral tablet</i>	3	PA; MO
<i>nora-be oral tablet</i>	2	MO
<i>norethindrone (contraceptive) oral tablet</i>	2	
<i>norethindrone acetate oral tablet</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	4	PA; MO
PREMARIN ORAL TABLET	3	MO
PREMARIN VAGINAL CREAM	3	MO
PREMPHASE ORAL TABLET	3	MO
PREMPRO ORAL TABLET	3	MO
<i>progesterone intramuscular oil</i>	2	MO
<i>progesterone micronized oral capsule</i>	2	MO
<i>sharobel oral tablet</i>	2	MO
<i>yuvafem vaginal tablet</i>	4	MO
MISCELLANEOUS OB/GYN		

药物名称	药物层级	要求/限制
<i>clindamycin phosphate vaginal cream</i>	3	MO
<i>eluryng vaginal ring</i>	4	MO
<i>etonogestrel-ethinyl estradiol vaginal ring</i>	4	
<i>metronidazole vaginal gel</i>	3	MO
<i>mifepristone oral tablet 200 mg</i>	2	LA
MYFEMBREE ORAL TABLET	5	PA; MO; NEDS
NEXPLANON SUBDERMAL IMPLANT	4	
<i>terconazole vaginal cream</i>	3	MO
<i>terconazole vaginal suppository</i>	3	MO
<i>tranexamic acid oral tablet</i>	3	MO
<i>vandazole vaginal gel</i>	3	MO
<i>xulane transdermal patch weekly</i>	4	MO
<i>zafemy transdermal patch weekly</i>	4	MO
ORAL CONTRACEPTIVES / RELATED AGENTS		
<i>altavera (28) oral tablet</i>	2	MO
<i>alyacen 1/35 (28) oral tablet</i>	2	MO
<i>alyacen 7/7/7 (28) oral tablet</i>	2	MO
<i>amethyst (28) oral tablet</i>	2	MO
<i>apri oral tablet</i>	2	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>aranelle (28) oral tablet</i>	2	MO
<i>aubra eq oral tablet</i>	2	MO
<i>aviane oral tablet</i>	2	MO
<i>azurette (28) oral tablet</i>	2	MO
<i>camrese oral tablets,dose pack,3 month</i>	2	MO
<i>cryselle (28) oral tablet</i>	2	MO
<i>cyred eq oral tablet</i>	2	MO
<i>dasetta 1/35 (28) oral tablet</i>	2	MO
<i>dasetta 7/7/7 (28) oral tablet</i>	2	MO
<i>daysee oral tablets,dose pack,3 month</i>	2	MO
<i>desog-e.estriadiol/e.estriadiol oral tablet</i>	2	
<i>desogestrel-ethinyl estradiol oral tablet</i>	2	
<i>drospirenone-e.estriadiol-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i>	4	MO
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	2	MO
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	2	
<i>elinest oral tablet</i>	2	MO
<i>enpresse oral tablet</i>	2	MO
<i>enskyce oral tablet</i>	2	MO
<i>estarrylla oral tablet</i>	2	MO

药物名称	药物层级	要求/限制
<i>ethynodiol diac-eth estradiol oral tablet</i>	2	
<i>falmina (28) oral tablet</i>	2	MO
<i>introvale oral tablets,dose pack,3 month</i>	2	
<i>isibloom oral tablet</i>	2	MO
<i>jasmiel (28) oral tablet</i>	2	MO
<i>jolessa oral tablets,dose pack,3 month</i>	2	MO
<i>juleber oral tablet</i>	2	MO
<i>kalliga oral tablet</i>	2	
<i>kariva (28) oral tablet</i>	2	MO
<i>kelnor 1/35 (28) oral tablet</i>	2	MO
<i>kelnor 1-50 (28) oral tablet</i>	2	MO
<i>kurvelo (28) oral tablet</i>	2	MO
<i>l norgest/e.estriadiol-e.estriadiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>l norgest/e.estriadiol-e.estriadiol oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	2	MO
<i>larin 1.5/30 (21) oral tablet</i>	2	MO
<i>larin 1/20 (21) oral tablet</i>	2	MO

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>larin 24 fe oral tablet</i>	2	MO
<i>larin fe 1.5/30 (28) oral tablet</i>	2	MO
<i>larin fe 1/20 (28) oral tablet</i>	2	MO
<i>lessina oral tablet</i>	2	MO
<i>levonest (28) oral tablet</i>	2	MO
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	2	MO
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg, 90-20 mcg (28)</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month</i>	2	MO
<i>levonorg-eth estrad triphasic oral tablet</i>	2	
<i>levora-28 oral tablet</i>	2	MO
<i>loryna (28) oral tablet</i>	2	MO
<i>low-ogestrel (28) oral tablet</i>	2	MO
<i>lo-zumandimine (28) oral tablet</i>	2	MO
<i>lutera (28) oral tablet</i>	2	MO
<i>marlissa (28) oral tablet</i>	2	MO
<i>microgestin 1.5/30 (21) oral tablet</i>	2	MO
<i>microgestin 1/20 (21) oral tablet</i>	2	MO

药物名称	药物层级	要求/限制
<i>microgestin fe 1.5/30 (28) oral tablet</i>	2	MO
<i>microgestin fe 1/20 (28) oral tablet</i>	2	MO
<i>milu oral tablet</i>	2	MO
<i>mono-linyah oral tablet</i>	2	MO
<i>nikki (28) oral tablet</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>	2	MO
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.25-35 mg-mcg</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	MO
<i>nortrel 0.5/35 (28) oral tablet</i>	2	MO
<i>nortrel 1/35 (21) oral tablet</i>	2	MO
<i>nortrel 1/35 (28) oral tablet</i>	2	MO
<i>nortrel 7/7/7 (28) oral tablet</i>	2	MO
<i>philith oral tablet</i>	2	MO
<i>pimtrea (28) oral tablet</i>	2	MO
<i>portia 28 oral tablet</i>	2	MO
<i>reclipsen (28) oral tablet</i>	2	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>setlakin oral tablets,dose pack,3 month</i>	2	MO
<i>sprintec (28) oral tablet</i>	2	MO
<i>sronyx oral tablet</i>	2	MO
<i>syeda oral tablet</i>	2	MO
<i>tarina 24 fe oral tablet</i>	2	MO
<i>tarina fe 1-20 eq (28) oral tablet</i>	2	MO
<i>tilia fe oral tablet</i>	2	MO
<i>tri-estarrylla oral tablet</i>	2	MO
<i>tri-legest fe oral tablet</i>	2	MO
<i>tri-linyah oral tablet</i>	2	MO
<i>tri-lo-estarrylla oral tablet</i>	2	MO
<i>tri-lo-marzia oral tablet</i>	2	MO
<i>tri-lo-sprintec oral tablet</i>	2	
<i>tri-sprintec (28) oral tablet</i>	2	MO
<i>trivora (28) oral tablet</i>	2	MO
<i>turqoz (28) oral tablet</i>	2	MO
<i>velivet triphasic regimen (28) oral tablet</i>	2	MO
<i>vestura (28) oral tablet</i>	2	MO
<i>vienva oral tablet</i>	2	MO
<i>viorele (28) oral tablet</i>	2	MO
<i>wera (28) oral tablet</i>	2	MO

药物名称	药物层级	要求/限制
<i>zovia 1-35 (28) oral tablet</i>	2	MO
<i>zumandimine (28) oral tablet</i>	2	MO
OXYTOCICS		
<i>methylergonovine oral tablet</i>	4	PA
OPHTHALMOLOGY		
ANTIBIOTICS		
<i>AZASITE OPHTHALMIC (EYE) DROPS</i>	3	MO
<i>bacitracin ophthalmic (eye) ointment</i>	3	MO
<i>bacitracin-polymyxin b ophthalmic (eye) ointment</i>	2	MO
<i>BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION</i>	3	MO
<i>ciprofloxacin hcl ophthalmic (eye) drops</i>	2	MO
<i>erythromycin ophthalmic (eye) ointment</i>	2	MO; QL (3.5 per 14 days)
<i>gatifloxacin ophthalmic (eye) drops</i>	4	MO
<i>gentamicin ophthalmic (eye) drops</i>	2	MO; QL (70 per 30 days)
<i>levofloxacin ophthalmic (eye) drops</i>	3	

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。

此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>moxifloxacin ophthalmic (eye) drops</i>	3	MO
<i>moxifloxacin ophthalmic (eye) drops, viscous</i>	3	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION	4	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment</i>	3	MO
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops</i>	3	MO
<i>neo-polycin ophthalmic (eye) ointment</i>	3	
<i>ofloxacin ophthalmic (eye) drops</i>	2	MO
<i>polycin ophthalmic (eye) ointment</i>	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops</i>	2	MO
<i>tobramycin ophthalmic (eye) drops</i>	2	MO; QL (10 per 14 days)
ANTIVIRALS		
<i>trifluridine ophthalmic (eye) drops</i>	3	MO

药物名称	药物层级	要求/限制
<i>ZIRGAN OPHTHALMIC (EYE) GEL</i>	4	MO
BETA-BLOCKERS		
<i>betaxolol ophthalmic (eye) drops</i>	3	MO
<i>carteolol ophthalmic (eye) drops</i>	2	MO
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	MO
<i>timolol maleate ophthalmic (eye) drops</i>	1	MO; GC
<i>timolol maleate ophthalmic (eye) gel forming solution</i>	4	MO
MISCELLANEOUS OPHTHALMOLOGICS		
<i>atropine ophthalmic (eye) drops 1 %</i>	3	MO
<i>azelastine ophthalmic (eye) drops</i>	2	MO
<i>balanced salt intraocular solution</i>	2	
<i>bepotastine besilate ophthalmic (eye) drops</i>	3	MO
<i>bss intraocular solution</i>	2	
<i>CIMERLI INTRAVITREAL SOLUTION</i>	5	PA; MO; NEDS
<i>cromolyn ophthalmic (eye) drops</i>	2	MO
<i>cyclosporine ophthalmic (eye) dropperette</i>	3	MO; QL (60 per 30 days)

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
CYSTARAN OPHTHALMIC (EYE) DROPS	5	PA; NEDS
<i>epinastine</i> <i>ophthalmic (eye)</i> <i>drops</i>	3	MO
EYLEA INTRAVITREAL SOLUTION	5	PA; MO; NEDS
EYLEA INTRAVITREAL SYRINGE	5	PA; MO; NEDS
<i>olopatadine</i> <i>ophthalmic (eye)</i> <i>drops</i>	3	MO
OXERVATE OPHTHALMIC (EYE) DROPS	5	PA; MO; NEDS
PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS	4	
<i>pilocarpine hcl</i> <i>ophthalmic (eye)</i> <i>drops 1 %, 2 %, 4 %</i>	3	MO
<i>sulfacetamide</i> <i>sodium ophthalmic</i> <i>(eye) drops</i>	2	MO
<i>sulfacetamide</i> <i>sodium ophthalmic</i> <i>(eye) ointment</i>	2	
<i>sulfacetamide-</i> <i>prednisolone</i> <i>ophthalmic (eye)</i> <i>drops</i>	2	
XDEMVY OPHTHALMIC (EYE) DROPS	5	PA; QL (10 per 42 days); NEDS

药物名称	药物层级	要求/限制
XIIDRA OPHTHALMIC (EYE) DROPPERETTE	3	MO; QL (60 per 30 days)
NON-STEROIDAL ANTI-INFLAMMATORY AGENTS		
<i>bromfenac</i> <i>ophthalmic (eye)</i> <i>drops</i>	3	MO
BROMSITE OPHTHALMIC (EYE) DROPS	3	MO
<i>diclofenac sodium</i> <i>ophthalmic (eye)</i> <i>drops</i>	2	MO
<i>flurbiprofen sodium</i> <i>ophthalmic (eye)</i> <i>drops</i>	2	MO
<i>ketorolac</i> <i>ophthalmic (eye)</i> <i>drops</i>	2	MO
PROLENSA OPHTHALMIC (EYE) DROPS	3	MO
ORAL DRUGS FOR GLAUCOMA		
<i>acetazolamide oral</i> <i>capsule, extended</i> <i>release</i>	3	MO
<i>acetazolamide oral</i> <i>tablet</i>	3	MO
<i>acetazolamide</i> <i>sodium injection</i> <i>recon soln</i>	2	MO
<i>methazolamide oral</i> <i>tablet</i>	4	MO
OTHER GLAUCOMA DRUGS		
<i>brimonidine-timolol</i> <i>ophthalmic (eye)</i> <i>drops</i>	3	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
dorzolamide ophthalmic (eye) drops	2	MO	neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension	2	MO
dorzolamide-timolol ophthalmic (eye) drops	2	MO	neomycin-polymyxin b-dexameth ophthalmic (eye) ointment	2	MO
latanoprost ophthalmic (eye) drops	1	MO; GC	neomycin- polymyxin-hc ophthalmic (eye) drops,suspension	3	MO
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	MO	neo-polycin hc ophthalmic (eye) ointment	3	
miostat intraocular solution	2		TOBRADEX OPHTHALMIC (EYE) OINTMENT	3	MO; QL (3.5 per 14 days)
RHOPRESSA OPHTHALMIC (EYE) DROPS	3	MO	tobramycin- dexamethasone ophthalmic (eye) drops,suspension	3	MO; QL (10 per 14 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS	3	MO	STEROIDS		
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSI ON	3	MO	ALREX OPHTHALMIC (EYE) DROPS,SUSPENSI ON	3	MO
tafluprost (pf) ophthalmic (eye) dropperette	3	MO	dexamethasone sodium phosphate ophthalmic (eye) drops	2	MO
travoprost ophthalmic (eye) drops	3	MO	fluorometholone ophthalmic (eye) drops,suspension	3	MO
STEROID-ANTIBIOTIC COMBINATIONS			INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSI ON	3	MO
neomycin- bacitracin-poly-hc ophthalmic (eye) ointment	3	MO			

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>loteprednol etabonate ophthalmic (eye) drops, gel</i>	3	MO
<i>loteprednol etabonate ophthalmic (eye) drops, suspension</i>	3	MO
OZURDEX INTRAVITREAL IMPLANT	5	MO; NEDS
<i>prednisolone acetate ophthalmic (eye) drops, suspension</i>	2	MO
<i>prednisolone sodium phosphate ophthalmic (eye) drops</i>	2	MO
SYMPATHOMIMETICS		
<i>apraclonidine ophthalmic (eye) drops</i>	3	MO
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i>	3	MO
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	MO
RESPIRATORY AND ALLERGY		
ANTIHISTAMINE / ANTIALLERGENIC AGENTS		
<i>adrenalin injection solution 1 mg/ml</i>	2	
<i>adrenalin injection solution 1 mg/ml (1 ml)</i>	2	MO
<i>cetirizine oral solution 1 mg/ml</i>	2	MO

药物名称	药物层级	要求/限制
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	MO
<i>diphenhydramine hcl injection syringe</i>	2	MO
<i>diphenhydramine hcl oral elixir</i>	2	PA
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml (manufactured by mylan specialty)</i>	3	MO; QL (2 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i>	2	
<i>hydroxyzine hcl oral tablet</i>	2	PA; MO
<i>levocetirizine oral solution</i>	4	MO
<i>levocetirizine oral tablet</i>	2	MO; QL (30 per 30 days)
<i>promethazine injection solution</i>	4	MO
<i>promethazine oral syrup</i>	4	PA; MO
<i>promethazine oral tablet</i>	4	PA; MO
PULMONARY AGENTS		
<i>acetylcysteine solution</i>	3	B/D PA; MO
ADEMPAS ORAL TABLET	5	PA; MO; LA; NEDS
ADVAIR HFA AEROSOL INHALER	3	MO; QL (12 per 30 days)

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (generic proair hfa)	2	MO; QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation package size 6.7 gm (generic proventil hfa)	2	QL (13.4 per 30 days)
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml	2	B/D PA; MO
albuterol sulfate inhalation solution for nebulization 5 mg/ml	2	B/D PA
albuterol sulfate oral syrup	2	MO
albuterol sulfate oral tablet	4	MO
ALVESCO INHALATION HFA AEROSOL INHALER 160 MCG/ACTUATION	3	MO; QL (12.2 per 30 days)
ALVESCO INHALATION HFA AEROSOL INHALER 80 MCG/ACTUATION	3	MO; QL (6.1 per 30 days)
alyq oral tablet	5	PA; QL (60 per 30 days); NEDS
ambrisentan oral tablet	5	PA; MO; LA; NEDS

药物名称	药物层级	要求/限制
arformoterol inhalation solution for nebulization	4	B/D PA; MO; QL (120 per 30 days)
ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION , 50 MCG/ACTUATION	3	QL (13 per 30 days)
ASMANEX HFA INHALATION HFA AEROSOL INHALER 200 MCG/ACTUATION	3	MO; QL (13 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30)	3	QL (1 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (120)	3	MO; QL (2 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (14)	3	QL (2 per 28 days)

您可以通[过链接到此文件的开头找到有关此表中符号和缩写含义的信息。](#)
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60)	3	MO; QL (1 per 30 days)	<i>budesonide-</i> <i>formoterol</i> <i>inhalation hfa</i> <i>aerosol inhaler</i>	3	QL (10.2 per 30 days)
ATROVENT HFA AEROSOL INHALER	4	MO; QL (25.8 per 30 days)	CINRYZE INTRAVENOUS RECON SOLN	5	PA; MO; NEDS
BEVESPI AEROSPHERE INHALATION HFA AEROSOL INHALER	3	MO; QL (10.7 per 30 days)	COMBIVENT RESPIMAT INHALATION MIST	3	MO; QL (8 per 30 days)
<i>bosentan oral tablet</i>	5	PA; MO; LA; NEDS	<i>cromolyn inhalation</i> <i>solution for</i> <i>nebulization</i>	4	B/D PA; MO
BREO ELLIPTA INHALATION BLISTER WITH DEVICE	3	MO; QL (60 per 30 days)	DULERA INHALATION HFA AEROSOL INHALER	3	MO; QL (13 per 30 days)
<i>breyna inhalation</i> <i>hfa aerosol inhaler</i>	3	MO; QL (10.3 per 30 days)	ELIXOPHYLLIN ORAL ELIXIR	4	
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER	3	MO; QL (10.7 per 30 days)	FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; QL (1 per 28 days); NEDS
<i>budesonide</i> <i>inhalation</i> <i>suspension for</i> <i>nebulization 0.25</i> <i>mg/2 ml, 0.5 mg/2 ml</i>	4	B/D PA; MO; QL (120 per 30 days)	FASENRA SUBCUTANEOUS SYRINGE	5	PA; MO; QL (1 per 28 days); NEDS
<i>budesonide</i> <i>inhalation</i> <i>suspension for</i> <i>nebulization 1 mg/2</i> <i>ml</i>	4	B/D PA; MO; QL (60 per 30 days)	<i>flunisolide nasal</i> <i>spray,non-aerosol</i>	3	MO; QL (50 per 30 days)
			<i>fluticasone</i> <i>propionate nasal</i> <i>spray,suspension</i>	2	MO; QL (16 per 30 days)
			<i>fluticasone propion-</i> <i>salmeterol</i> <i>inhalation blister</i> <i>with device</i>	3	MO; QL (60 per 30 days)
			<i>formoterol fumarate</i> <i>inhalation solution</i> <i>for nebulization</i>	4	B/D PA; MO; QL (120 per 30 days)
			<i>icatibant</i> <i>subcutaneous</i> <i>syringe</i>	5	PA; MO; NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>ipratropium bromide inhalation solution</i>	2	B/D PA; MO
<i>ipratropium-albuterol inhalation solution for nebulization</i>	2	B/D PA; MO
KALYDECO ORAL GRANULES IN PACKET	5	PA; MO; QL (56 per 28 days); NEDS
KALYDECO ORAL TABLET	5	PA; MO; QL (56 per 28 days); NEDS
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml</i>	4	B/D PA; MO
<i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/0.5 ml</i>	4	B/D PA
<i>mometasone nasal spray,non-aerosol</i>	2	MO; QL (34 per 30 days)
<i>montelukast oral granules in packet</i>	4	MO
<i>montelukast oral tablet</i>	1	MO; GC
<i>montelukast oral tablet,chewable</i>	2	MO
NUCALA SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; LA; QL (3 per 28 days); NEDS
NUCALA SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; QL (3 per 28 days); NEDS
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; MO; LA; QL (3 per 28 days); NEDS

药物名称	药物层级	要求/限制
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; MO; LA; QL (0.4 per 28 days); NEDS
OFEV ORAL CAPSULE	5	PA; MO; QL (60 per 30 days); NEDS
OPSUMIT ORAL TABLET	5	PA; MO; LA; NEDS
ORKAMBI ORAL GRANULES IN PACKET	5	PA; MO; QL (56 per 28 days); NEDS
ORKAMBI ORAL TABLET	5	PA; MO; QL (112 per 28 days); NEDS
<i>pirfenidone oral capsule</i>	5	PA; MO; QL (270 per 30 days); NEDS
<i>pirfenidone oral tablet 267 mg</i>	5	PA; MO; QL (270 per 30 days); NEDS
<i>pirfenidone oral tablet 801 mg</i>	5	PA; MO; QL (90 per 30 days); NEDS
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION	3	MO; QL (2 per 30 days)
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	MO; QL (1 per 30 days)
PULMOZYME INHALATION SOLUTION	5	B/D PA; MO; NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION	3	MO; QL (10.6 per 30 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 80 MCG/ACTUATION	3	MO; QL (21.2 per 30 days)
roflumilast oral tablet	4	PA; MO; QL (30 per 30 days)
sajazir subcutaneous syringe	5	PA; MO; NEDS
sildenafil (pulmonary arterial hypertension) intravenous solution 10 mg/12.5 ml	5	PA; NEDS
sildenafil (pulmonary arterial hypertension) oral tablet 20 mg	3	PA; MO; QL (90 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST	3	MO; QL (4 per 30 days)
STIOLTO RESPIMAT INHALATION MIST	3	MO; QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST	3	MO; QL (4 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL	5	PA; MO; QL (56 per 28 days); NEDS

药物名称	药物层级	要求/限制
tadalafil (pulm. hypertension) oral tablet	5	PA; QL (60 per 30 days); NEDS
terbutaline oral tablet	4	MO
terbutaline subcutaneous solution	2	MO
THEO-24 ORAL CAPSULE,EXTENDED RELEASE 24HR	3	MO
theophylline oral elixir	4	MO
theophylline oral solution	4	
theophylline oral tablet extended release 12 hr 100 mg, 200 mg	2	
theophylline oral tablet extended release 12 hr 300 mg, 450 mg	2	MO
theophylline oral tablet extended release 24 hr	2	MO
tiotropium bromide inhalation capsule, w/inhalation device	3	QL (90 per 90 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE	3	MO; QL (60 per 30 days)
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL	5	PA; MO; QL (56 per 28 days); NEDS

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
TRIKAFTA ORAL TABLETS, SEQUENTIAL	5	PA; MO; QL (84 per 28 days); NEDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION	5	B/D PA; MO; NEDS
TYVASO INSTITUTIONAL START KIT INHALATION SOLUTION FOR NEBULIZATION	5	B/D PA; NEDS
TYVASO REFILL KIT INHALATION SOLUTION FOR NEBULIZATION	5	B/D PA; MO; NEDS
TYVASO STARTER KIT INHALATION SOLUTION FOR NEBULIZATION	5	B/D PA; MO; NEDS
wixela inhub inhalation blister with device	3	QL (60 per 30 days)
XOLAIR SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; QL (8 per 28 days); NEDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; MO; LA; QL (8 per 28 days); NEDS
XOLAIR SUBCUTANEOUS SYRINGE 300 MG/2 ML	5	PA; LA; QL (8 per 28 days); NEDS
XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; MO; LA; QL (1 per 28 days); NEDS
zafirlukast oral tablet	4	MO

药物名称	药物层级	要求/限制
UROLOGICALS		
ANTICHOLINERGICS / ANTISPASMODICS		
fesoterodine oral tablet extended release 24 hr	3	MO
flavoxate oral tablet	2	MO
MYRBETRIQ ORAL SUSPENSION,EXT ENDED REL RECON	3	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR	3	MO
oxybutynin chloride oral syrup	2	MO
oxybutynin chloride oral tablet 5 mg	2	MO
oxybutynin chloride oral tablet extended release 24hr	2	MO
solifenacain oral tablet	2	MO
tolterodine oral capsule,extended release 24hr	3	MO
tolterodine oral tablet	3	MO
trospium oral tablet	2	MO
BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY		
alfuzosin oral tablet extended release 24 hr	2	MO
dutasteride oral capsule	2	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr</i>	4	MO
<i>finasteride oral tablet 5 mg</i>	1	MO; GC
<i>silodosin oral capsule</i>	4	MO
<i>tamsulosin oral capsule</i>	1	MO; GC
MISCELLANEOUS UROLOGICALS		
<i>bethanechol chloride oral tablet</i>	2	MO
<i>CYSTAGON ORAL CAPSULE</i>	4	PA; LA
<i>ELMIRON ORAL CAPSULE</i>	3	MO
<i>glycine urologic irrigation solution</i>	2	
<i>glycine urologic irrigation solution</i>	2	
<i>K-PHOS NO 2 ORAL TABLET</i>	3	MO
<i>K-PHOS ORIGINAL ORAL TABLET,SOLUBLE</i>	3	MO
<i>potassium citrate oral tablet extended release</i>	2	MO
<i>RENACIDIN IRRIGATION SOLUTION</i>	3	MO
<i>sildenafil oral tablet</i>	6	MO; GC; EX; QL (6 per 30 days)
VITAMINS, HEMATINICS / ELECTROLYTES		
BLOOD DERIVATIVES		

药物名称	药物层级	要求/限制
<i>albumin, human 25 % intravenous parenteral solution</i>	4	
<i>alburx (human) 25 % intravenous parenteral solution</i>	4	
<i>alburx (human) 5 % intravenous parenteral solution</i>	4	
<i>albutein 25 % intravenous parenteral solution</i>	4	
<i>albutein 5 % intravenous parenteral solution</i>	4	
<i>plasbumin 25 % intravenous parenteral solution</i>	4	
<i>plasbumin 5 % intravenous parenteral solution</i>	4	
ELECTROLYTES		
<i>calcium acetate(phosphat bind) oral capsule</i>	3	MO; QL (360 per 30 days)
<i>calcium acetate(phosphat bind) oral tablet</i>	3	MO; QL (360 per 30 days)
<i>calcium chloride intravenous solution</i>	2	
<i>calcium chloride intravenous syringe</i>	2	
<i>calcium gluconate intravenous solution</i>	2	
<i>effer-k oral tablet, effervescent 25 meq</i>	2	MO
<i>klor-con 10 oral tablet extended release</i>	2	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
klor-con 8 oral tablet extended release	2	MO	potassium chlorid-d5-0.45%nacl intravenous parenteral solution	4	
klor-con m10 oral tablet,er particles/crystals	2	MO	potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l	4	
klor-con m15 oral tablet,er particles/crystals	2	MO	potassium chloride in 5 % dex intravenous parenteral solution 10 meq/l, 20 meq/l	4	
klor-con m20 oral tablet,er particles/crystals	2	MO	potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l	4	
klor-con oral packet 20 oral packet	4	MO	lactated ringers intravenous parenteral solution	4	
klor-con/ef oral tablet, effervescent	2	MO	magnesium chloride injection solution	4	
lactated ringers intravenous parenteral solution	4	MO	MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML	3	
magnesium sulfate in water intravenous parenteral solution	4		magnesium sulfate in water intravenous piggyback	4	
magnesium sulfate in water intravenous piggyback	4		magnesium sulfate injection solution	4	MO
magnesium sulfate injection syringe	4		potassium acetate intravenous solution	4	MO
potassium acetate intravenous solution	4		potassium chloride oral capsule, extended release	2	MO
			potassium chloride oral liquid	4	MO
			potassium chloride oral packet	4	MO
			potassium chloride oral tablet extended release 10 meq, 8 meq	2	MO
			potassium chloride oral tablet extended release 20 meq	2	

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制	药物名称	药物层级	要求/限制
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	2	MO	<i>sodium chloride 5 % hypertonic intravenous parenteral solution</i>	4	MO
<i>potassium chloride oral tablet,er particles/crystals 15 meq, 20 meq</i>	2		<i>sodium chloride intravenous parenteral solution</i>	4	
<i>potassium chloride- 0.45 % nacl intravenous parenteral solution</i>	4		<i>sodium phosphate intravenous solution</i>	4	MO
<i>potassium chloride- d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>	4		MISCELLANEOUS NUTRITION PRODUCTS		
<i>potassium chloride- d5-0.9%nacl intravenous parenteral solution</i>	4		<i>CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION</i>	4	B/D PA
<i>potassium phosphate m-/d-basic intravenous solution 3 mmol/ml</i>	4		<i>CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION</i>	4	B/D PA
<i>ringer's intravenous parenteral solution</i>	4		<i>CLINIMIX 5%- D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION</i>	4	B/D PA
<i>sodium acetate intravenous solution</i>	4		<i>CLINIMIX 6%- D5W (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION</i>	4	B/D PA
<i>sodium bicarbonate intravenous syringe</i>	4		<i>CLINIMIX 8%- D10W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION</i>	4	B/D PA
<i>sodium chloride 0.45 % intravenous parenteral solution</i>	4	MO			
<i>sodium chloride 3 % hypertonic intravenous parenteral solution</i>	4				

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

药物名称	药物层级	要求/限制
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION	4	B/D PA
<i>electrolyte-148 intravenous parenteral solution</i>	3	
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	4	
<i>electrolyte-a intravenous parenteral solution</i>	3	
<i>intralipid intravenous emulsion 20 %</i>	4	B/D PA
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	

药物名称	药物层级	要求/限制
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	3	
<i>plasmanate intravenous parenteral solution</i>	4	
PLENAMINE INTRAVENOUS PARENTERAL SOLUTION	4	B/D PA
<i>premasol 10 % intravenous parenteral solution</i>	4	B/D PA
<i>travasol 10 % intravenous parenteral solution</i>	4	B/D PA
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D PA
VITAMINS / HEMATINICS		
<i>fluoride (sodium) oral tablet</i>	2	MO
<i>prenatal vitamin oral tablet</i>	2	MO
<i>wescap-pn dha oral capsule</i>	2	MO

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

Index

A

- abacavir* 2
abacavir-lamivudine 2
ABELCET 2
ABILIFY ASIMTUFII 40
ABILIFY MAINTENA 40
abiraterone 14
ABRAXANE 14
ABRYSVO 79
acamprosate 62
acarbose 67
accutane 59
acebutolol 48
acetaminophen-codeine 36
acetazolamide 94
acetazolamide sodium 94
acetic acid 62, 65
acetylcysteine 62, 96
acitretin 57
ACTEMRA 84
ACTEMRA ACTPEN 84
ACTHIB (PF) 79
ACTIMMUNE 78
acyclovir 2, 3, 60
acyclovir sodium 3
ADACEL(TDAP)
 ADOLESN/ADULT(PF) 79
ADALIMUMAB-ADAZ 84
ADALIMUMAB-ADBM 84
ADALIMUMAB-ADBM(CF)
 PEN CROHNS 84
ADALIMUMAB-ADBM(CF)
 PEN PS-UV 85
ADBRY 57
ADCETRIS 14
adefovir 3
ADEMPAS 96
adenosine 47
adrenalin 96
ADSTILADRIN 14
ADVAIR HFA 96
AIMOVIG AUTOINJECTOR
..... 34
AKEEGA 14
ala-cort 60

- albendazole* 8
albumin, human 25 % 102
alburx (human) 25 % 102
alburx (human) 5 % 102
albutein 25 % 102
albutein 5 % 102
albuterol sulfate 97
alclometasone 60
alcohol pads 67
ALDURAZYME 71
ALECENSA 14
alendronate 84
alfuzosin 101
ALIQOPA 14
aliskiren 48
allopurinol 83
allopurinol sodium 83
aloprim 83
alosetron 74
ALREX 95
altavera (28) 89
ALUNBRIG 14, 15
ALVESCO 97
alyacen 1/35 (28) 89
alyacen 7/7/7 (28) 89
alyq 97
amabelz 88
amantadine hcl 3
ambrisentan 97
amethyst (28) 89
amikacin 8
amiloride 48
amiloride-hydrochlorothiazide
..... 48
aminocaproic acid 52
amiodarone 47, 48
amitriptyline 40
amlodipine 48
amlodipine-atorvastatin 54
amlodipine-benazepril 48
amlodipine-olmesartan 48
amlodipine-valsartan 48
amlodipine-valsartan-hcthiazid
..... 48
ammonium lactate 57
amnesteem 59
amoxapine 40
amoxicillin 11
amoxicillin-pot clavulanate 11
amphotericin b 2
ampicillin 11
ampicillin sodium 11
ampicillin-sulbactam 11
anagrelide 62
anastrozole 15
APOKYN 33
apomorphine 33
apraclonidine 96
aprepitant 74
APRETUDE 3
apri 89
APTIOM 29
APТИVUS 3
aranelle (28) 90
ARCALYST 78
AREXVY (PF) 79
arformoterol 97
ARIKAYCE 8
aripiprazole 40
ARISTADA 40, 41
ARISTADA INITIO 40
armodafinil 41
arsenic trioxide 15
asenapine maleate 41
ASMANEX HFA 97
ASMANEX TWISTHALER
..... 97, 98
ASPARLAS 15
aspirin-dipyridamole 52
atazanavir 3
atenolol 48
atenolol-chlorthalidone 48
atomoxetine 41
atorvastatin 54
atovaquone 8
atovaquone-proguanil 8
atropine 73, 93
ATROVENT HFA 98
aubra eq 90
AUGMENTIN 11

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

AUGTYRO	15
AUVELITY	41
aviane	90
AVONEX	78
AYVAKIT	15
azacitidine	15
AZASITE	92
azathioprine.....	15
azathioprine sodium	15
azelaic acid.....	59
azelastine	65, 93
azithromycin	7, 8
aztreonam	8
azurette (28)	90
B	
bacitracin	8, 92
bacitracin-polymyxin b.....	92
baclofen	36
balanced salt	93
balsalazide.....	74
BALVERSA.....	15
BAQSIMI.....	67
BARACLUDÉ	3
BAVENCIO	15
BCG VACCINE, LIVE (PF)	79
BD INSULIN SYRINGE	83
BD PEN NEEDLE	83
BELBUCA	36
BELEODAQ	15
benazepril	48
benazepril-hydrochlorothiazide	48
bendamustine.....	15
BENDEKA.....	15
BENLYSTA	85
benztropine	33
bepotastine besilate	93
BESIVANCE	92
BESPONSA	15
BESREMI.....	78
betaine	74
betamethasone dipropionate	60
betamethasone valerate ..	60, 61
betamethasone, augmented ..	61
BETASERON	78
betaxolol	48, 93
bethanechol chloride	102
BEVESPI AEROSPHERE	98
<i>bexarotene</i>	15
BEXSERO.....	79
<i>bicalutamide</i>	15
BICILLIN C-R	12
BICILLIN L-A	12
BIKTARVY	3
<i>bisoprolol fumarate</i>	48
<i>bisoprolol-hydrochlorothiazide</i>	48
<i>bleomycin.....</i>	15
BLINCYTO	15
BOOSTRIX TDAP.....	79, 80
<i>bortezomib</i>	15
BORTEZOMIB	15
<i>bosentan.....</i>	98
BOSULIF	15
BRAFTOVI	15
BREO ELLIPTA	98
<i>breyna</i>	98
BREZTRI AEROSPHERE	98
BRILINTA	52
<i>brimonidine</i>	96
<i>brimonidine-timolol</i>	94
BRIUMVI.....	34
BRIVIACT	29
<i>bromfenac</i>	94
<i>bromocriptine</i>	33
BROMSITE	94
BRUKINSA.....	15
<i>bss</i>	93
<i>budesonide</i>	74, 98
<i>budesonide-formoterol</i>	98
<i>bumetanide</i>	48, 49
<i>buprenorphine hcl</i>	36
<i>buprenorphine transdermal</i>	36
<i>buspirone</i>	41
<i>busulfan</i>	15
<i>butorphanol</i>	38
BYDUREON BCISE	67
BYETTA	67
C	
CABENUVA.....	3
<i>cabergoline</i>	71
CABLIVI	52
CABOMETYX	16
<i>caffeine citrate</i>	62
<i>calcipotriene</i>	57
<i>calcitonin (salmon)</i>	71
<i>calcitriol</i>	57, 71
<i>calcium acetate(phosphat bind)</i>	102
<i>calcium chloride</i>	102
<i>calcium gluconate</i>	102
CALQUENCE	16
CALQUENCE (ACALABRUTINIB MAL)	16
<i>camila</i>	88
<i>camrese</i>	90
<i>candesartan</i>	49
<i>candesartan-hydrochlorothiazid</i>	49
CAPLYTA	41
CAPRELSA	16
<i>captopril</i>	49
<i>captopril-hydrochlorothiazide</i>	49
<i>carbamazepine</i>	29
<i>carbidopa</i>	33
<i>carbidopa-levodopa</i>	33
<i>carbidopa-levodopa-entacapone</i>	33
<i>carboplatin</i>	16
<i>carglumic acid</i>	62
<i>carmustine</i>	16
<i>carteolol</i>	93
<i>cartia xt</i>	49
<i>carvedilol</i>	49
<i>caspofungin</i>	2
CAYSTON	8
<i>cefaclor</i>	6
<i>cefadroxil</i>	6
<i>cefazolin</i>	6
<i>cefazolin in dextrose (iso-os) ..</i>	6
<i>cefdinir</i>	6
<i>cefepime</i>	7
<i>cefepime in dextrose,iso-osm ..</i>	6
<i>cefixime</i>	7
<i>cefoxitin</i>	7
<i>cefoxitin in dextrose, iso-osm ..</i>	7
<i>cefpodoxime</i>	7

您可以通
此药物清
的开头找
到有关此表
此药物清
最后更新
有关此表
单中符号
含义的信息。
单的最后更
日期为03/19/2024

<i>cefprozil</i>	7	<i>cisplatin</i>	16	COMPLERA	3
<i>ceftazidime</i>	7	<i>citalopram</i>	41	<i>compro</i>	74
<i>ceftriaxone</i>	7	<i>cladribine</i>	16	<i>constulose</i>	74
<i>ceftriaxone in dextrose,iso-os.</i>	7	<i>claravis</i>	59	COPIKTRA	16
<i>cefuroxime axetil</i>	7	<i>clarithromycin</i>	8	CORLANOR	55
<i>cefuroxime sodium</i>	7	<i>clindamycin hcl</i>	8	CORTIFOAM	74
<i>celecoxib</i>	38	<i>clindamycin in 5 % dextrose</i>	8	<i>cortisone</i>	66
<i>cephalexin</i>	7	<i>clindamycin phosphate</i>	8, 59, 89	COSMEGEN	16
CEPROTIN (BLUE BAR)	52	CLINIMIX 5%/D15W		COTELLIC	16
CEPROTIN (GREEN BAR)	52	SULFITE FREE	104	CREON	74
CEQUR SIMPLICITY		CLINIMIX 4.25%/D10W		CRESEMBIA	2
INSERTER	83	SULF FREE	104	<i>cromolyn</i>	74, 93, 98
<i>cetirizine</i>	96	CLINIMIX 4.25%/D5W		<i>crotan</i>	62
<i>cevimeline</i>	62	SULFIT FREE	62	<i>cryselle (28)</i>	90
CHEMET	62	CLINIMIX 5%-		CRYSVITA	71
CHENODAL	74	D20W(SULFITE-FREE)	104	<i>cyclobenzaprine</i>	36
<i>chloramphenicol sod succinate</i>	8	CLINIMIX 6%-D5W		<i>cyclophosphamide</i>	16
<i>chlorhexidine gluconate</i>	65	(SULFITE-FREE)	104	CYCLOPHOSPHAMIDE	16
<i>chlorprocaine (pf)</i>	57	CLINIMIX 8%-		<i>cyclosporine</i>	16, 93
<i>chloroquine phosphate</i>	8	D10W(SULFITE-FREE)	104	<i>cyclosporine modified</i>	16
<i>chlorothiazide sodium</i>	49	CLINIMIX 8%-		CYLTEZO(CF)	85
<i>chlorpromazine</i>	41	D14W(SULFITE-FREE)	105	CYLTEZO(CF) PEN	85
<i>chlorthalidone</i>	49	<i>clobazam</i>	29	CYLTEZO(CF) PEN	
CHOLBAM	74	<i>clobetasol</i>	61	CROHN'S-UC-HS	85
<i>cholestyramine (with sugar)</i>	54	<i>clobetasol-emollient</i>	61	CYLTEZO(CF) PEN	
<i>cholestyramine light</i>	54	<i>clodan</i>	61	PSORIASIS-UV	85
CIBINQO	57	<i>clofarabine</i>	16	CYRAMZA	16
<i>cycladan</i>	59	<i>clomid</i>	71	<i>cyred eq</i>	90
<i>ciclopirox</i>	60	<i>clomiphene citrate</i>	71	CYSTAGON	102
<i>cidofovir</i>	3	<i>clomipramine</i>	41	CYSTARAN	94
<i>cilostazol</i>	52	<i>clonazepam</i>	29, 30	<i>cytarabine</i>	17
CIMDUO	3	<i>clonidine (pf)</i>	38, 49	<i>cytarabine (pf)</i>	17
CIMERLI	93	<i>clonidine hcl</i>	41, 49	D	
<i>cimetidine</i>	77	<i>clonidine transdermal patch</i>	49	d10 %-0.45 % sodium chloride	62
CIMZIA	74	<i>clopидогрел</i>	52	d2.5 %-0.45 % sodium chloride	62
CIMZIA POWDER FOR RECONST	74	<i>clorazepate dipotassium</i>	41	d5 % and 0.9 % sodium chloride	63
CIMZIA STARTER KIT	74	<i>clotrimazole</i>	2, 60	d5 %-0.45 % sodium chloride	63
<i>cinacalcet</i>	71	<i>clotrimazole-betamethasone</i>	60	<i>dabigatran etexilate</i>	52
CINRYZE	98	<i>clozapine</i>	41	<i>dacarbazine</i>	17
CINVANTI	74	COARTEM	9	<i>dactinomycin</i>	17
<i>ciprofloxacin</i>	12	<i>colchicine</i>	83	<i>dalfampridine</i>	34
<i>ciprofloxacin hcl</i>	12, 65, 92	<i>colesevelam</i>	54	<i>danazol</i>	71
<i>ciprofloxacin in 5 % dextrose</i>	12	<i>colestipol</i>	54	<i>dantrolene</i>	36
<i>ciprofloxacin-dexamethasone</i>	65	<i>colistin (colistimethate na)</i>	9	DANYELZA	17
		COLUMVI	16		
		COMBIVENT RESPIMAT	.98		
		COMETRIQ	16		

您可以通
此药物清
的开头找
到有关此表
此药物清
最后更新
日期为03/19/2024

<i>dapsone</i>9	<i>dextrose 5 %-lactated ringers</i>63	<i>dotti</i>88
DAPTACEL (DTAP PEDIATRIC) (PF).....80	<i>dextrose 5%-0.2 % sod chloride</i>63	DOVATO3
<i>daptomycin</i>9	<i>dextrose 5%-0.3 % sod.chloride</i>63	doxazosin49
DAPTOMYCIN9	<i>dextrose 50 % in water (d50w)</i>63	doxepin42
<i>darunavir</i>3	<i>dextrose 70 % in water (d70w)</i>63	doxercalciferol71
DARZALEX17	<i>DIACOMIT</i>30	doxorubicin17
<i>dasetta 1/35 (28)</i>90	<i>diazepam</i>30, 41, 42	doxorubicin, peg-liposomal ..17
<i>dasetta 7/7/7 (28)</i>90	<i>diazepam intensol</i>42	doxy-10013
<i>daunorubicin</i>17	<i>diazoxide</i>67	doxycycline hyclate13
DAURISMO17	<i>diclofenac potassium</i>39	doxycycline monohydrate13
<i>daysee</i>90	<i>diclofenac sodium</i>39, 57, 94	DRIZALMA SPRINKLE42
<i>deblitane</i>88	<i>diclofenac-misoprostol</i>39	dronabinol74
<i>decitabine</i>17	<i>dicloxacillin</i>12	droperidol74
<i>deferasirox</i>63	<i>dicyclomine</i>73	DROPSAFE ALCOHOL
<i>deferiprone</i>63	<i>DIFICID</i>8	PREP PADS67
<i>deferoxamine</i>63	<i>diflunisal</i>39	<i>drospirenone-e.estradiol-lm.fa</i>
DELSTRIGO3	<i>digoxin</i>55, 5690
<i>demeclocycline</i>13	<i>dihydroergotamine</i>34	<i>drospirenone-ethinyl estradiol</i>
DENGVAXIA (PF).....80	<i>DILANTIN 30 MG</i>3090
<i>denta 5000 plus</i>65	<i>diltiazem hcl</i>49	DROXIA17
<i>dentagel</i>65	<i>dilt-xr</i>49	<i>droxidopa</i>63
DEPO-SUBQ PROVERA 10488	<i>dimenhydrinate</i>74	DUAVEE88
<i>dermacinrx lidocan</i>57	<i>dimethyl fumarate</i>35	DULERA98
DESCOVY3	<i>diphenhydramine hcl</i>96	<i>duloxetine</i>42
<i>desipramine</i>41	<i>diphenoxylate-atropine</i>73	DUPIXENT PEN58
<i>desmopressin</i>71	<i>dipyridamole</i>52	DUPIXENT SYRINGE58
<i>desog-e.estradiol/e.estradiol</i> 90	<i>disulfiram</i>63	<i>dutasteride</i>101
<i>desogestrel-ethinyl estradiol</i> 90	<i>divalproex</i>30	<i>dutasteride-tamsulosin</i>102
<i>desonide</i>61	<i>dobutamine</i>56	E
<i>desvenlafaxine succinate</i>41	<i>dobutamine in d5w</i>56	<i>e.e.s. 400</i>8
<i>dexamethasone</i>66	<i>docetaxel</i>17	<i>ec-naproxen</i>39
<i>dexamethasone intensol</i>66	<i>dofetilide</i>48	<i>econazole</i>60
<i>dexamethasone sodium phos (pf)</i>66	<i>donepezil</i>35	EDARBI49
<i>dexamethasone sodium</i> <i>phosphate</i>66, 95	<i>dopamine</i>56	EDARBYCLOR49
<i>dexrazoxane hcl</i>14	<i>dopamine in 5 % dextrose</i>56	EDURANT3
<i>dextroamphetamine-</i> <i>amphetamine</i>41	DOPTELET (10 TAB PACK)	<i>efavirenz</i>3
<i>dextrose 10 % and 0.2 % nacl</i>63	DOPTELET (15 TAB PACK)	<i>efavirenz-emtricitabin-tenofovir3</i>3
<i>dextrose 10 % in water (d10w)</i>63	DOPTELET (30 TAB PACK)	<i>efavirenz-lamivu-tenofov disop</i>3
<i>dextrose 25 % in water (d25w)</i>63	<i>dorzolamide</i>95	<i>effer-k</i>102
<i>dextrose 5 % in water (d5w)</i> 63	<i>dorzolamide-timolol</i>95	ELAPRASE71

您可以通此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

ELIGARD (6 MONTH)	17
elinet	90
ELIQUIS	53
ELIQUIS DVT-PE TREAT 30D START	53
ELITEK	14
ELIXOPHYLLIN	98
ELMIRON	102
ELREXFIO	18
eluryng	89
ELZONRIS	18
EMCYT	18
EMEND	74
EMGALITY PEN	34
EMGALITY SYRINGE	34
EMPLICITI	18
EMSAM	42
emtricitabine	3
emtricitabine-tenofovir (tdf)	3
EMTRIVA	3
EMVERM	9
enalapril maleate	49
enalaprilat	49
enalapril-hydrochlorothiazide	49
ENBREL	85
ENBREL MINI	85
ENBREL SURECLICK	85
ENDARI	63
endocet	36
ENGERIX-B (PF)	80
ENGERIX-B PEDIATRIC (PF)	80
enoxaparin	53
empresse	90
enskyce	90
entacapone	33
entecavir	3
ENTRESTO	56
ENTYVIO	74
enulose	74
ENVARSUS XR	18
EPCLUSA	3
EPIDIOLEX	30
epinastine	94
epinephrine	96
epirubicin	18
epitol	30
EPKINLY	18
eplerenone	49
EPRONTIA	30
ERBITUX	18
ergotamine-caffeine	34
ERIVEDGE	18
ERLEADA	18
erlotinib	18
errin	88
ertapenem	9
ERWINASE	18
ery pads	59
ery-tab	8
erythrocin (as stearate)	8
erythromycin	8, 92
erythromycin ethylsuccinate	8
erythromycin with ethanol	59
escitalopram oxalate	42
esmolol	49
esomeprazole magnesium	77
esomeprazole sodium	77
estarrylla	90
estradiol	88
estradiol valerate	88
estradiol-norethindrone acet	88
eszopiclone	42
ethacrynate sodium	50
ethambutol	9
ethosuximide	30
ethynodiol diac-eth estradiol	90
etodolac	39
etonogestrel-ethynodiol	89
ETOPOPHOS	18
etoposide	18
etravirine	3
euthyrox	73
everolimus (antineoplastic)	18
everolimus (immunosuppressive)	18
EVOTAZ	4
exemestane	18
EXKIVITY	18
EYLEA	94
ezetimibe	54
ezetimibe-simvastatin	54
F	
FABRAZYME	71
falmina (28)	90
famciclovir	4
famotidine	77
famotidine (pf)	77
famotidine (pf)-nacl (iso-osm)	77
FANAPT	42
FARXIGA	67
FASENRA	98
FASENRA PEN	98
febuxostat	83
felbamate	30
felodipine	50
fenofibrate	55
fenofibrate micronized	55
fenofibrate nanocrystallized	55
fenofibric acid	55
fenofibric acid (choline)	55
fentanyl	37
fentanyl citrate	37
fentanyl citrate (pf)	36, 37
fesoterodine	101
FETZIMA	42
finasteride	102
fingolimod	35
FINTEPLA	30
FIRDAPSE	35
FIRMAGON KIT W DILUENT SYRINGE	18, 19
flac otic oil	65
flavoxate	101
flecainide	48
flouxuridine	19
fluconazole	2
fluconazole in nacl (iso-osm)	2
flucytosine	2
fludarabine	19
fludrocortisone	66
flumazenil	42
flunisolide	98
fluocinolone	61
fluocinolone acetonide oil	65
fluocinolone and shower cap	61
fluocinonide	61
fluocinonide-emollient	61
fluoride (sodium)	65, 105
fluorometholone	95
fluorouracil	19, 58
fluoxetine	42

您可以通此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

<i>fluoxetine (pmdd)</i>	42
<i>fluphenazine decanoate</i>	43
<i>fluphenazine hcl</i>	43
<i>flurbiprofen</i>	39
<i>flurbiprofen sodium</i>	94
<i>fluticasone propionate</i>	98
<i>fluticasone propion-salmeterol</i>	98
<i>fluvastatin</i>	55
<i>fluvoxamine</i>	43
FOLOTYN	19
<i>fomepizole</i>	80
<i>fondaparinux</i>	53
<i>formoterol fumarate</i>	98
FOSAMAX PLUS D	84
<i>fosamprenavir</i>	4
<i>fosaprepitant</i>	74
<i>fosinopril</i>	50
<i>fosinopril-hydrochlorothiazide</i>	50
<i>fosphenytoin</i>	30
FOTIVDA	19
FRUZAQLA	19
<i>fulvestrant</i>	19
<i>furosemide</i>	50
FUZEON	4
FYARRO	19
<i>fyavolv</i>	88
FYCOMPRA	30
G	
<i>gabapentin</i>	30
<i>galantamine</i>	35
GAMASTAN	80
GAMASTAN S/D	80
<i>ganciclovir sodium</i>	4
GARDASIL 9 (PF)	80
<i>gatifloxacin</i>	92
GATTEX 30-VIAL	74
GATTEX ONE-VIAL	74
GAUZE PAD	83
<i>gavilyte-c</i>	74
<i>gavilyte-g</i>	75
GAVRETO	19
GAZYVA	19
<i>gefitinib</i>	19
<i>gemcitabine</i>	19
GEMCITABINE	19
<i>gemfibrozil</i>	55
<i>generlac</i>	75
<i>genograf</i>	19
<i>gentamicin</i>	9, 59, 92
<i>gentamicin in nacl (iso-osm)</i>	9
<i>gentamicin sulfate (ped) (pf)</i>	9
GENVOYA	4
GIOTRIF	19
<i>glatiramer</i>	35
<i>glatopa</i>	35
GLEOSTINE	19
<i>glimepiride</i>	67
<i>glipizide</i>	67
<i>glipizide-metformin</i>	67
<i>glycine urologic</i>	102
<i>glycine urologic solution</i>	102
<i>glycopyrrolate</i>	73
<i>glycopyrrolate (pf) in water</i>	73
<i>glydo</i>	58
GLYXAMBI	67
GRALISE	30, 31
<i>gransetron (pf)</i>	75
<i>gransetron hcl</i>	75
<i>griseofulvin microsize</i>	2
<i>griseofulvin ultramicrosize</i>	2
GVOKE	68
GVOKE HYPOPEN 1-PACK	67
GVOKE HYPOPEN 2-PACK	68
GVOKE PFS 1-PACK SYRINGE	68
GVOKE PFS 2-PACK SYRINGE	68
H	
HALAVEN	19
<i>halobetasol propionate</i>	61
<i>haloperidol</i>	43
<i>haloperidol decanoate</i>	43
<i>haloperidol lactate</i>	43
HARVONI	4
HAVRIX (PF)	80
<i>heather</i>	88
<i>heparin (porcine)</i>	53
<i>heparin (porcine) in 5 % dex</i>	53
<i>heparin (porcine) in nacl (pf)</i>	53
<i>heparin(porcine) in 0.45% nacl</i>	53
HEPARIN(PORCINE) IN 0.45% NACL	53
<i>heparin, porcine (pf)</i>	53, 54
HEPARIN, PORCINE (PF)	54
HEPLISAV-B (PF)	80
HIBERIX (PF)	80
HIZENTRA	80
HUMALOG JUNIOR KWIKPEN U-100	68
HUMALOG KWIKPEN INSULIN	68
HUMALOG MIX 50-50 INSULIN U-100	68
HUMALOG MIX 50-50 KWIKPEN	68
HUMALOG MIX 75-25 KWIKPEN	68
HUMALOG MIX 75-25(U-100)INSULN	68
HUMALOG U-100 INSULIN	68
HUMIRA (ONLY NDCS STARTING WITH 00074)	85
HUMIRA PEN (ONLY NDCS STARTING WITH 00074)	85
HUMIRA PEN CROHNS-UC-HS START (ONLY NDCS STARTING WITH 00074)	85
HUMIRA PEN PSOR-UVEITS-ADOL HS (ONLY NDCS STARTING WITH 00074)	85
HUMIRA(CF) (ONLY NDCS STARTING WITH 00074)	86
HUMIRA(CF) PEDI CROHNS STARTER (ONLY NDCS STARTING WITH 00074)	86
HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074)	86
HUMIRA(CF) PEN CROHNS-UC-HS (ONLY	

您可以通过转至此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

NDCS STARTING WITH 00074).....	86
HUMIRA(CF) PEN PEDIATRIC UC (ONLY NDCS STARTING WITH 00074).....	86
HUMIRA(CF) PEN PSOR-UV-ADOL HS (ONLY NDCS STARTING WITH 00074).....	86
HUMULIN 70/30 U-100 INSULIN	68
HUMULIN 70/30 U-100 KWIKPEN	68
HUMULIN N NPH INSULIN KWIKPEN	68
HUMULIN N NPH U-100 INSULIN	68
HUMULIN R REGULAR U-100 INSULN	68
HUMULIN R U-500 (CONC) INSULIN	68
HUMULIN R U-500 (CONC) KWIKPEN	68
hydralazine	50
hydrochlorothiazide	50
hydrocodone-acetaminophen	37
hydrocodone-ibuprofen	37
hydrocortisone....	61, 62, 66, 75
hydrocortisone-acetic acid...	65
hydromorphone	37
hydromorphone (pf).....	37
hydroxychloroquine	9
hydroxyprogesterone caproate	88
hydroxyurea.....	19
hydroxyzine hcl.....	96
HYPERHEP B.....	80
HYPERHEP B NEONATAL	80
HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314).....	86, 87
HYRIMOZ PEN CROHN'S-UC STARTER.....	87
HYRIMOZ PEN PSORIASIS STARTER	87

HYRIMOZ(CF) PEDI CROHN STARTER	87
I	
<i>ibandronate</i>	84
IBRANCE	20
<i>ibu</i>	39
<i>ibuprofen</i>	39
<i>ibutilide fumarate</i>	48
<i>icatibant.....</i>	98
ICLUSIG	20
<i>icosapent ethyl.....</i>	55
<i>idarubicin</i>	20
IDHIFA	20
<i>ifosfamide</i>	20
ILARIS (PF).....	78
<i>imatinib.....</i>	20
IMBRUICA	20
IMFINZI.....	20
<i>imipenem-cilastatin</i>	9
<i>imipramine hcl.....</i>	43
<i>imipramine pamoate.....</i>	43
<i>imiquimod.....</i>	58
IMJUDO	20
IMOVAX RABIES VACCINE (PF).....	80
IMVEXXY MAINTENANCE PACK	88
IMVEXXY STARTER PACK	88
<i>incassia</i>	88
INCRELEX	63
<i>indapamide</i>	50
INFANRIX (DTAP) (PF)....	80
INGREZZA	35
INGREZZA INITIATION PACK	35
INLYTA	20
INPEFA	69
INQOVI.....	20
INREBIC	20
INSULIN GLARGINE.....	69
INSULIN LISPRO	69
INSULIN SYRINGE- NEEDLE U-100	83
INSULIN SYRINGES (NON-PREFERRED BRANDS).83	
INTELENCE	4
<i>intralipid.....</i>	105

<i>introvale.....</i>	90
INVEGA HAFYERA	43
INVEGA SUSTENNA	43
INVEGA TRINZA	43, 44
INVELTYS.....	95
IPOL	80
<i>ipratropium bromide</i>	65, 99
<i>ipratropium-albuterol.....</i>	99
<i>irbesartan</i>	50
<i>irbesartan-hydrochlorothiazide</i>	50
<i>irinotecan.....</i>	20
ISENTRESS	4
ISENTRESS HD	4
<i>isibloom</i>	90
ISOLYTE S PH 7.4	105
ISOLYTE-P IN 5 % DEXTROSE	105
ISOLYTE-S	105
<i>isoniazid.....</i>	9
<i>isosorbide dinitrate.....</i>	56
<i>isosorbide mononitrate</i>	56
<i>isosorbide-hydralazine</i>	50
<i>isotretinoin.....</i>	59
<i>isradipine</i>	50
ISTODAX.....	20
<i>itraconazole</i>	2
<i>ivermectin</i>	9, 59
IWILFIN	20
IXEMPRA	21
IXIARO (PF).....	80
J	
JAKAFI	21
jantoven	54
JANUMET	69
JANUMET XR.....	69
JANUVIA	69
JARDIANCE	69
<i>jasmiel (28).....</i>	90
JAYPIRCA	21
JEMPERLI	21
<i>jencycla</i>	88
JENTADUETO	69
JENTADUETO XR.....	69
JEVTANA	21
<i>jinteli</i>	88
<i>jolessa</i>	90
<i>juleber.....</i>	90

您可以通
此药物清
的开头找
有关此表
此药物清
最后更新
日期为03/19/2024

JULUCA	4
JUXTAPID	55
JYNNEOS (PF)	80
K	
KADCYLA	21
<i>kalliga</i>	90
KALYDECO	99
KANUMA	72
<i>kariva</i> (28)	90
<i>kelnor 1/35</i> (28)	90
<i>kelnor 1-50</i> (28)	90
<i>kemoplat</i>	21
KEPIVANCE	14
KERENDIA	50
KESIMPTA PEN	35
<i>ketoconazole</i>	2, 60
<i>ketorolac</i>	94
KEYTRUDA	21
KHAPZORY	14
KIMMTRAK	21
KINRIX (PF)	81
KISQALI	21
KISQALI FEMARA CO-PACK	21
<i>klayesta</i>	60
<i>klor-con 10</i>	102
<i>klor-con 8</i>	103
<i>klor-con m10</i>	103
<i>klor-con m15</i>	103
<i>klor-con m20</i>	103
<i>klor-con oral packet 20</i>	103
<i>klor-con/ef</i>	103
KORLYM	72
KOSELUGO	21
<i>kourzeq</i>	65
K-PHOS NO 2	102
K-PHOS ORIGINAL	102
KRAZATI	21
<i>kurvelo</i> (28)	90
KYPROLIS	21
L	
<i>l norgest/e.estradiol-e.estrad</i>	90
<i>labetalol</i>	50
<i>lacosamide</i>	31
<i>lactated ringers</i>	62, 103
<i>lactulose</i>	75
LAGEVRIO (EUA)	4
<i>lamivudine</i>	4
<i>lamivudine-zidovudine</i>	4
<i>lamotrigine</i>	31
<i>lansoprazole</i>	77
LANTUS SOLOSTAR U-100 INSULIN	69
<i>lapatinib</i>	21
<i>larin 1.5/30</i> (21)	90
<i>larin 1/20</i> (21)	90
<i>larin 24 fe</i>	91
<i>larin fe 1.5/30</i> (28)	91
<i>larin fe 1/20</i> (28)	91
<i>latanoprost</i>	95
<i>leflunomide</i>	87
<i>lenalidomide</i>	21
LENVIMA	21, 22
<i>lessina</i>	91
<i>letrozole</i>	22
<i>leucovorin calcium</i>	14
LEUKERAN	22
LEUKINE	78
<i>leuprolide</i>	22
<i>levalbuterol hcl</i>	99
<i>levetiracetam</i>	31
<i>levetiracetam in nacl (iso-os)</i>	31
<i>levobunolol</i>	93
<i>levocarnitine</i>	64
<i>levocarnitine (with sugar)</i>	63
<i>levocetirizine</i>	96
<i>levofloxacin</i>	13, 92
<i>levofloxacin in d5w</i>	13
<i>levoleucovorin calcium</i>	14
<i>levonest</i> (28)	91
<i>levonorgestrel-ethinyl estrad</i>	91
<i>levonorg-eth estrad triphasic</i>	91
<i>levora-28</i>	91
<i>levo-t</i>	73
<i>levothyroxine</i>	73
<i>levoxyl</i>	73
LEXIVA	4
LIBTAYO	22
<i>lidocaine</i>	58
<i>lidocaine (pf)</i>	48, 58
<i>lidocaine hcl</i>	58
<i>lidocaine in 5 % dextrose (pf)</i>	48
<i>lidocaine viscous</i>	58
<i>lidocaine-epinephrine</i>	58
<i>lidocaine-epinephrine (pf)</i>	58
<i>lidocaine-prilocaine</i>	58
<i>lidocan iii</i>	58
<i>lincomycin</i>	9
<i>linezolid</i>	9
<i>linezolid in dextrose 5%</i>	9
<i>linezolid-0.9% sodium chloride</i>	9
LINZESS	75
LIORESAL	36
<i>liothyronine</i>	73
<i>lisinopril</i>	50
<i>lisinopril-hydrochlorothiazide</i>	50
<i>lithium carbonate</i>	44
<i>lithium citrate</i>	44
LOKELMA	64
LONSURF	22
<i>loperamide</i>	73
<i>lopinavir-ritonavir</i>	4
LOQTORZI	22
<i>lorazepam</i>	44
<i>lorazepam intensol</i>	44
LORBRENA	22
<i>loryna</i> (28)	91
<i>losartan</i>	50
<i>losartan-hydrochlorothiazide</i>	50
<i>loteprednol etabonate</i>	96
<i>lovastatin</i>	55
<i>low-ogestrel</i> (28)	91
<i>loxapine succinate</i>	44
<i>lo-zumandimine</i> (28)	91
<i>lubiprostone</i>	75
LUMAKRAS	22
LUMIGAN	95
LUMIZYME	72
LUNSUMIO	22
LUPRON DEPOT	22
<i>lurasidone</i>	44
<i>lutera</i> (28)	91
<i>lyleq</i>	88
<i>lyllana</i>	88
LYNPARZA	22
LYSODREN	22
LYTGOBI	22

您可以通过转至此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

LYUMJEV KWIKPEN U-100	
INSULIN	69
LYUMJEV KWIKPEN U-200	
INSULIN	69
LYUMJEV U-100 INSULIN	
.....	69
lyza	89
M	
magnesium chloride	103
magnesium sulfate	103
MAGNESIUM SULFATE IN	
D5W	103
magnesium sulfate in water	103
malathion	62
mannitol 20 %	50
mannitol 25 %	50
maraviroc	4
MARGENZA	22
marlissa (28)	91
MARPLAN	44
MATULANE	22
matzim la	50
meclizine	75
medroxyprogesterone	89
mefloquine	9
megestrol	22
MEKINIST	22
MEKTOVI	22
meloxicam	39
melphalan	22
melphalan hcl	22
memantine	35
MENACTRA (PF)	81
MENEST	89
MENQUADFI (PF)	81
MENVEO A-C-Y-W-135-DIP (PF)	81
MEPSEVII	72
mercaptopurine	23
meropenem	9
mesalamine	75
mesalamine with cleansing wipe	75
mesna	14
MESNEX	14
metformin	69
methadone	37
methadone intensol	37

methadose	37
methazolamide	94
methenamine hippurate	13
methenamine mandelate	13
methimazole	66
methotrexate sodium	23
methotrexate sodium (pf)	23
methoxsalen	58
methsuximide	31
methylergonovine	92
methylphenidate hcl	44
methylprednisolone	66
methylprednisolone acetate	66
methylprednisolone sodium succ	66
metoclopramide hcl	75
metolazone	50
metoprolol succinate	50
metoprolol ta-hydrochlorothiaz	50
metoprolol tartrate	50
metro i.v.	9
metronidazole	10, 59, 89
metronidazole in nacl (iso-os)	9
metyrosine	50
mexiletine	48
micafungin	2
microgestin 1.5/30 (21)	91
microgestin 1/20 (21)	91
microgestin fe 1.5/30 (28)	91
microgestin fe 1/20 (28)	91
midodrine	64
mifepristone	72, 89
mil	91
milrinone	56
milrinone in 5 % dextrose	56
mimvey	89
minocycline	13
minoxidil	50
miostat	95
mirtazapine	44
misoprostol	77
mitomycin	23
mitoxantrone	23
M-M-R II (PF)	81
modafinil	44
moexipril	50
molindone	44
mometasone	62, 99
monodoxine nl	13
MONJUVI	23
mono-linyah	91
montelukast	99
morphine	38
morphine (pf)	37, 38
morphine concentrate	38
MOUNJARO	70
MOVANTIK	75
moxifloxacin	13, 93
moxifloxacin-sod.chloride(iso)	13
MOZOBIL	78
mupirocin	59
MYALEPT	72
mycophenolate mofetil	23
mycophenolate mofetil (hcl)	23
mycophenolate sodium	23
MYFEMBREE	89
MYLOTARG	23
MYRBETRIQ	101
N	
nabumetone	39
nadolol	51
nafcillin	12
nafcillin in dextrose iso-osm	12
naftifine	60
NAGLAZYME	72
nalbuphine	39
naloxone	39
naltrexone	39
NAMZARIC	35
naproxen	39
naproxen sodium	39
naratriptan	34
NATACYN	93
nateglinide	70
NATPARA	72
NAYZILAM	31
nebivolol	51
nefazodone	44
nelarabine	23
neomycin	10
neomycin-bacitracin-poly-hc	95
neomycin-bacitracin-polymyxin	93
neomycin-polymyxin b gu	62

您可以通达此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

<i>neomycin-polymyxin b-dexameth</i>	95	<i>nortrel 7/7/7 (28)</i>	91	ONUREG	24
<i>neomycin-polymyxin-gramicidin</i>	93	<i>nortriptyline</i>	44	OPDIVO	24
<i>neomycin-polymyxin-hc..</i>	66, 95	NORVIR	4	OPDUALAG	24
<i>neo-polycin</i>	93	NUBEQA	23	<i>opium tincture</i>	73
<i>neo-polycin hc</i>	95	NUCALA	99	OPSUMIT	99
NERLYNX	23	NUEDEXTA	35	<i>oralone</i>	65
NEUPRO	33	NULOJIX	23	ORENCIA	87
<i>nevirapine</i>	4	NUPLAZID	44, 45	ORENCIA (WITH MALTOSE)	87
NEXLETOL	55	NURTEC ODT	34	ORENCIA CLICKJECT	87
NEXLIZET	55	<i>nyamyc</i>	60	ORGOVYX	24
NEXPLANON	89	<i>nystatin</i>	2, 60	ORKAMBI	99
<i>niacin</i>	55	<i>nystatin-triamcinolone</i>	60	ORSERDU	24
<i>nicardipine</i>	51	<i>nystop</i>	60	<i>oseltamivir</i>	4, 5
NICOTROL	64	NYVEPRIA	78	<i>osmitrol 20 %</i>	51
NICOTROL NS	65	O		OTEZLA	87
<i>nifedipine</i>	51	OCALIVA	75	OTEZLA STARTER	87
<i>nikki (28)</i>	91	<i>octreotide acetate</i>	23	<i>oxacillin</i>	12
<i>nilutamide</i>	23	ODEFSEY	4	<i>oxacillin in dextrose(iso-osm)</i>	12
<i>nimodipine</i>	51	ODOMZO	23	<i>oxaliplatin</i>	24
NINLARO	23	OFEV	99	<i>oxaprozin</i>	39
<i>nisoldipine</i>	51	<i>ofloxacin</i>	65, 93	<i>oxcarbazepine</i>	31
<i>nitazoxanide</i>	10	OJJAARA	24	OXERVATE	94
<i>nitisinone</i>	64	<i>olanzapine</i>	45	<i>oxybutynin chloride</i>	101
<i>nitro-bid</i>	56	<i>olanzapine-fluoxetine</i>	45	<i>oxycodone</i>	38
<i>nitrofurantoin macrocrystal</i>	14	<i>olmesartan</i>	51	<i>oxycodone-acetaminophen</i>	38
<i>nitrofurantoin monohyd/m-cryst</i>	14	<i>olmesartan-amlopidin-hctiazid</i>	51	OXYCONTIN	38
<i>nitroglycerin</i>	56, 57	<i>olmesartan-hydrochlorothiazide</i>	51	OZEMPIC	70
<i>nitroglycerin in 5 % dextrose</i>	56	<i>olopatadine</i>	94	OZURDEX	96
NIVESTYM	78	<i>omega-3 acid ethyl esters</i>	55	P	
<i>nizatidine</i>	77	<i>omeprazole</i>	77	pacerone	48
<i>nora-be</i>	89	OMNIPOD 5 G6 INTRO KIT (GEN 5)	83	paclitaxel	24
<i>norepinephrine bitartrate</i>	56	OMNIPOD 5 G6 PODS (GEN 5)	83	PADCEV	24
<i>norethindrone (contraceptive)</i>	89	OMNIPOD CLASSIC PODS (GEN 3)	83	paliperidone	45
<i>norethindrone acetate</i>	89	OMNIPOD DASH INTRO KIT (GEN 4)	83	palonosetron	75, 76
<i>norethindrone ac-eth estradiol</i>	89, 91	OMNIPOD DASH PODS (GEN 4)	83	pamidronate	72
<i>norethindrone-e.estradiol-iron</i>	91	OMNITROPE	78	PANRETIN	58
<i>norgestimate-ethynodiol estradiol</i>	91	ONCASPAR	24	pantoprazole	77, 78
<i>nortrel 0.5/35 (28)</i>	91	ondansetron	75	paraplatin	24
<i>nortrel 1/35 (21)</i>	91	<i>ondansetron hcl</i>	75	paricalcitol	72
<i>nortrel 1/35 (28)</i>	91	<i>ondansetron hcl (pf)</i>	75	paromomycin	10
		ONIVYDE	24	paroxetine hcl	45

您可以通过转到此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

<i>peg3350-sod sul-nacl-kcl-asp-c</i>	102
.....	76
PEGASYS	102
<i>peg-electrolyte</i>	102
PEMAZYRE	102
<i>pemetrexed disodium</i>	102
PEN NEEDLES (NON-PREFERRED BRANDS)	102
PENBRAYA (PF)	102
<i>penciclovir</i>	102
<i>penicillamine</i>	102
PENICILLIN G POT IN DEXTROSE	102
<i>penicillin g potassium</i>	102
<i>penicillin g sodium</i>	102
<i>penicillin v potassium</i>	102
PENTACEL (PF)	102
<i>pentamidine</i>	102
PENTASA	102
<i>pentoxifylline</i>	102
<i>perindopril erbumine</i>	102
<i>periogard</i>	102
PERJETA	102
<i>permethrin</i>	102
<i>perphenazine</i>	102
PERSERIS	102
<i>pfizerpen-g</i>	102
<i>phenelzine</i>	102
<i>phenobarbital</i>	102
<i>phenobarbital sodium</i>	102
<i>phentolamine</i>	102
<i>phenytoin</i>	102
<i>phenytoin sodium</i>	102
<i>phenytoin sodium extended</i>	102
<i>philith</i>	102
PHOSPHOLINE IODIDE	102
PIFELTRO	102
<i>pilocarpine hcl</i>	102
<i>pimecrolimus</i>	102
<i>pimozide</i>	102
<i>pimtrea (28)</i>	102
<i>pindolol</i>	102
<i>pioglitazone</i>	102
<i>piperacillin-tazobactam</i>	102
PIQRAY	102
<i>pirfenidone</i>	102
<i>piroxicam</i>	102
<i>pitavastatin calcium</i>	102
<i>plasbumin 25 %</i>	102
<i>plasbumin 5 %</i>	102
PLASMA-LYTE A	102
<i>plasmanate</i>	102
PLEGRIDY	102
PLENAMINE	102
<i>plerixafor</i>	102
<i>podofilox</i>	102
POLIVY	102
<i>polocaine</i>	102
<i>polocaine-mpf</i>	102
<i>polycin</i>	102
<i>polymyxin b sulf-trimethoprim</i>	102
POMALYST	102
<i>portia 28</i>	102
PORTRAZZA	102
<i>posaconazole</i>	102
<i>potassium acetate</i>	102
<i>potassium chlorid-d5-0.45%nacl</i>	102
<i>potassium chloride</i>	102
<i>potassium chloride in 0.9%nacl</i>	102
<i>potassium chloride in 5 % dex</i>	102
<i>potassium chloride in lr-d5</i>	102
<i>potassium chloride in water</i>	102
<i>potassium chloride-0.45 % nacl</i>	102
<i>potassium chloride-d5-0.2%nacl</i>	102
<i>potassium chloride-d5-0.9%nacl</i>	102
<i>potassium citrate</i>	102
<i>potassium phosphate m-/d-basic</i>	102
POTELIGEO	102
<i>pramipexole</i>	102
<i>prasugrel</i>	102
<i>pravastatin</i>	102
<i>praziquantel</i>	102
<i>prazosin</i>	102
<i>prednicarbate</i>	102
<i>prednisolone</i>	102
<i>prednisolone acetate</i>	102
<i>prednisolone sodium phosphate</i>	102
<i>prednisone</i>	102
<i>prednisone intensol</i>	102
<i>pregabalin</i>	102
PREHEVBARIO (PF)	102
PREMARIN	102
<i>premasol 10 %</i>	102
PREMPHASE	102
PREMPRO	102
<i>prenatal vitamin oral tablet</i>	102
<i>prevalite</i>	102
PREVIDENT 5000 BOOSTER PLUS	102
PREVIDENT 5000 DRY MOUTH	102
PREVYMIS	102
PREZCOBIX	102
PREZISTA	102
PRIFTIN	102
PRIMAQUINE	102
<i>primidone</i>	102
PRIMIDONE	102
PRIORIX (PF)	102
PRIVIGEN	102
<i>probenecid</i>	102
<i>probenecid-colchicine</i>	102
<i>procainamide</i>	102
<i>prochlorperazine</i>	102
<i>prochlorperazine edisylate</i>	102
<i>prochlorperazine maleate oral</i>	102
PROCRIT	102
<i>procto-med hc</i>	102
<i>proctosol hc</i>	102
<i>proctozone-hc</i>	102
<i>progesterone</i>	102
<i>progesterone micronized</i>	102
PROGRAF	102
PROLASTIN-C	102
PROLENSA	102
PROLIA	102
PROMACTA	102
<i>promethazine</i>	102
<i>propafenone</i>	102
<i>propranolol</i>	102
<i>propylthiouracil</i>	102
PROQUAD (PF)	102
<i>protamine</i>	102
<i>protriptyline</i>	102

您可以通达此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

PULMICORT FLEXHALER	99
PULMOZYME.....	99
PURIXAN	25
<i>pyrazinamide</i>	10
<i>pyridostigmine bromide</i>	36
<i>pyrimethamine</i>	10
Q	
QINLOCK	25
QTERN.....	70
QUADRACEL (PF)	81
<i>quetiapine</i>	45
<i>quinapril</i>	51
<i>quinapril-hydrochlorothiazide</i>	51
<i>quinidine sulfate</i>	48
<i>quinine sulfate</i>	10
QULIPTA.....	34
QVAR REDIHALER	100
R	
RABAVERT (PF)	81
RADICAVA ORS	35
RADICAVA ORS STARTER KIT SUSP.....	35
<i>raloxifene</i>	84
<i>ramelteon</i>	45
<i>ramipril</i>	51
<i>ranolazine</i>	56
<i>rasagiline</i>	33
<i>reclipsen (28)</i>	91
RECOMBIVAX HB (PF)	81
RECTIV	76
REGRANEX	59
RELENZA DISKHALER	5
RELISTOR.....	76
REMICADE	76
RENACIDIN	102
<i>repaglinide</i>	70
REPATHA	55
REPATHA PUSHTRONEX	55
REPATHA SURECLICK	55
RETACRIT	79
RETEVMO.....	25
RETROVIR	5
REVCORI	64
<i>revonto</i>	36
REXULTI.....	45
REYATAZ	5
REZLIDHIA.....	25
REZUROCK	25
RHOPRESSA	95
<i>ribavirin</i>	5
RIDAURA.....	87
<i>rifabutin</i>	10
<i>rifampin</i>	10
<i>riluzole</i>	64
<i>rimantadine</i>	5
<i>ringer's</i>	62, 104
RINVOQ	87, 88
<i>risedronate</i>	64, 84
RISPERDAL CONSTA	45
<i>risperidone</i>	46
<i>risperidone microspheres</i>	45, 46
<i>ritonavir</i>	5
<i>rivastigmine</i>	35
<i>rivastigmine tartrate</i>	35
<i>rizatriptan</i>	34
ROCKLATAN	95
<i>roflumilast</i>	100
<i>romidepsin</i>	25
<i>ropinirole</i>	34
<i>rosuvastatin</i>	55
ROTARIX	81
ROTATEQ VACCINE	81
<i>roweepra</i>	32
ROZLYTREK	25
RUBRACA	25
<i>rufinamide</i>	32
RUKOBIA.....	5
RUXIENCE	25
RYBELSUS.....	70
RYBREVANT	25
RYDAPT	25
RYLAZE	25
S	
<i>sajazir</i>	100
<i>salsalate</i>	39
SANCUSO	76
SANDIMMUNE	25
SANDOSTATIN LAR DEPOT	25
SANTYL	59
<i>sapropterin</i>	72
SARCLISA.....	25
SAVELLA.....	88
<i>saxagliptin</i>	70
<i>saxagliptin-metformin</i>	70
SCEMBLIX	25
<i>scopolamine base</i>	76
SECUADO	46
SEGLUROMET	70
<i>selegiline hcl</i>	34
<i>selenium sulfide</i>	57
SELZENTRY	5
<i>sertraline</i>	46
<i>setlakin</i>	92
<i>sevelamer carbonate</i>	64
<i>sf 65</i>	
<i>sf 5000 plus</i>	65
<i>sharobel</i>	89
SHINGRIX (PF)	82
SIGNIFOR	25
<i>sildenafil</i>	102
<i>sildenafil (pulmonary arterial hypertension)</i>	100
<i>silodosin</i>	102
<i>silver sulfadiazine</i>	59
SIMBRINZA	95
SIMULECT	25
<i>simvastatin</i>	55
<i>sirolimus</i>	25
SIRTURO	10
SKYRIZI	57, 76
<i>sodium acetate</i>	104
<i>sodium benzoate-sod phenylacet</i>	64
<i>sodium bicarbonate</i>	104
<i>sodium chloride</i>	64, 104
<i>sodium chloride 0.45 %</i>	104
<i>sodium chloride 0.9 %</i>	64
<i>sodium chloride 3 % hypertonic</i>	104
<i>sodium chloride 5 % hypertonic</i>	104
<i>sodium fluoride 5000 dry mouth</i>	65
<i>sodium fluoride 5000 plus</i>	65
<i>sodium fluoride-pot nitrate</i>	65
<i>sodium nitroprusside</i>	56
SODIUM OXYBATE	46
<i>sodium phenylbutyrate</i>	64
<i>sodium phosphate</i>	104
<i>sodium polystyrene sulfonate</i>	64

您可以通
此药物清
的开头找
到有关此表
此药物清
最后更新日期
为03/19/2024

sodium,potassium,mag sulfates	76	syeda	92	TEPMETKO	26
solifenacin	101	SYMDEKO	100	terazosin	51
SOLIQUA 100/33	70	SYMLINPEN 120	70	terbinafine hcl	2
SOLTAMOX.....	25	SYMLINPEN 60	70	terbutaline.....	100
SOMATULINE DEPOT	26	SYMPAZAN	32	terconazole	89
SOMAVERT	72	SYMTUZA.....	5	teriflunomide.....	36
sorafenib.....	26	SYNAGIS.....	5	TERIPARATIDE	84
sorine	48	SYNJARDY	70	testosterone	72, 73
sotalol	48	SYNJARDY XR.....	70	testosterone cypionate	72
sotalol af.....	48	T		testosterone enanthate	72
SPRIVA RESPIMAT	100	TABLOID	26	TETANUS,DIPHTHERIA	
spironolactone	51	TABRECTA	26	TOX PED(PF)	82
spironolacton-		tacrolimus.....	26, 59	tetrabenazine	36
hydrochlorothiaz	51	tadalafil (pulmonary arterial		tetracycline	13
SPRAVATO.....	46	hypertension) oral tablet 20		THALOMID	26
sprintec (28)	92	mg	100	THEO-24	100
SPRITAM.....	32	TAFINLAR	26	theophylline	100
SPRYCEL	26	tafluprost (pf).....	95	thioridazine	46
sps (with sorbitol).....	64	TAGRISSO	26	thiotepa	26
sronyx	92	TALTZ AUTOINJECTOR ..	57	thiothixene	46
ssd.....	59	TALTZ AUTOINJECTOR (2		tiadylt er.....	51
STEGLATRO.....	70	PACK)	57	tiagabine	32
STELARA	57	TALTZ AUTOINJECTOR (3		TIBSOVO	26
STIOLTO RESPIMAT	100	PACK)	57	TICE BCG	82
STIVARGA.....	26	TALTZ SYRINGE	57	TICOVAC	82
STRENSIQ.....	72	TALVEY	26	tigecycline	10
STREPTOMYCIN	10	TALZENNA	26	tilia fe	92
STRIBILD	5	tamoxifen	26	timolol maleate	51, 93
STRIVERDI RESPIMAT	100	tamsulosin.....	102	tinidazole	10
subvenite	32	tarina 24 fe	92	tiotropium bromide	100
subvenite starter (blue) kit ..	32	tarina fe 1-20 eq (28).....	92	TIVDAK	26
subvenite starter (green) kit .	32	TASIGNA	26	TIVICAY	5
subvenite starter (orange) kit32		tazarotene	59	TIVICAY PD.....	5
SUCRAID	76	tazicef.....	7	tizanidine	36
sucralfate	78	taztia xt	51	TOBI PODHALER	10
sulfacetamide sodium	94	TAZVERIK	26	TOBRADEX	95
sulfacetamide sodium (acne)	59	TDVAX	82	tobramycin	10, 93
sulfacetamide-prednisolone .	94	TECENTRIQ.....	26	tobramycin in 0.225 % nacl..	10
sulfadiazine.....	13	TECVAYLI.....	26	tobramycin sulfate	10
sulfamethoxazole-trimethoprim		TEFLARO	7	tobramycin-dexamethasone ..	95
.....	13	telmisartan.....	51	tolterodine.....	101
sulfasalazine	76, 77	telmisartan-amlodipine	51	tolvaptan	73
sulindac	39	telmisartan-hydrochlorothiazid		topiramate.....	32
sumatriptan.....	34	51	topotecan	27
sumatriptan succinate	34	TEMODAR	26	toremifene	27
sunitinib malate	26	temsirolimus	26	torsemide	51
SUNLENCA.....	5	TENIVAC (PF)	82	TOUJEO MAX U-300	
		tenofovir disoproxil fumarate .	5	SOLOSTAR	70

您可以通
此药物清
的开头找
到有关此表
此表中符
缩写含义
单的最后
日期为03/19/2024

TOUJEO SOLOSTAR U-300	
INSULIN	70
TRADJENTA	70
<i>tramadol</i>	39
<i>tramadol-acetaminophen</i>	39
<i>trandolapril</i>	51
<i>trandolapril-verapamil</i>	52
<i>tranexamic acid</i>	89
<i>tranylcypromine</i>	46
<i>travasol 10 %</i>	105
<i>travoprost</i>	95
TRAZIMERA	27
<i>trazodone</i>	46
TRECATOR	10
TRELEGY ELLIPTA	100
TRELSTAR	27
<i>treprostinil sodium</i>	52
<i>tretinoin (antineoplastic)</i>	27
<i>tretinoin topical</i>	59
<i>triamcinolone acetonide</i>	62, 65, 66
<i>triamterene-hydrochlorothiazid</i>	52
<i>triderm</i>	62
<i>trientine</i>	64
<i>tri-estarrylla</i>	92
<i>trifluoperazine</i>	46
<i>trifluridine</i>	93
TRIJARDY XR	71
TRIKAFTA	100, 101
<i>tri-legest fe</i>	92
<i>tri-linyah</i>	92
<i>tri-lo-estarrylla</i>	92
<i>tri-lo-marzia</i>	92
<i>tri-lo-sprintec</i>	92
<i>trimethoprim</i>	14
<i>trimipramine</i>	46
TRINTELLIX	46
<i>tri-sprintec (28)</i>	92
TRIUMEQ	5
<i>TRIUMEQ PD</i>	5
<i>trivora (28)</i>	92
TRIZIVIR	6
TRODELVY	27
TROGARZO	6
TROPHAMINE 10 %	105
trospium	101
TRULANCE	77
TRULICITY	71
TRUMENBA	82
TRUQAP	27
TUKYSA	27
TURALIO	27
turqoz (28)	92
TWINRIX (PF)	82
TYPHIM VI	82
TYVASO	101
TYVASO INSTITUTIONAL START KIT	101
TYVASO REFILL KIT	101
TYVASO STARTER KIT	101
U	
UBRELVY	34
unithroid	73
UNITUXIN	27
UPTRAVI	52
ursodiol	77
UZEDY	46, 47
V	
valacyclovir	6
VALCHLOR	59
valganciclovir	6
valproate sodium	32
valproic acid	32
<i>valproic acid (as sodium salt)</i>	32
valrubicin	27
valsartan	52
<i>valsartan-hydrochlorothiazide</i>	52
VALTOCO	32
vancomycin	10, 11
VANCOMYCIN	10
<i>VANCOMYCIN IN 0.9 % SODIUM CHL</i>	10
vandazole	89
VANFLYTA	27
VAQTA (PF)	82
varenicline	65
VARIVAX (PF)	82
VARIZIG	82
VARUBI	77
VECAMYL	56
VECTIBIX	27
VEKLURY	6
veletri	52
<i>velvet triphasic regimen (28)</i>	92
VELPHORO	64
VELTASSA	64
VEMLIDY	6
VENCLEXTA	27
<i>VENCLEXTA STARTING PACK</i>	27
venlafaxine	47
verapamil	52
VERQUVO	56
VERSACLOZ	47
VERZENIO	27
vestura (28)	92
V-GO 20	83
V-GO 30	83
V-GO 40	83
VIBATIV	11
VIBERZI	77
vienna	92
vigabatrin	32
vigadron	33
vigpoder	33
vilazodone	47
VIMIZIM	73
vinblastine	27
vincristine	27
vinorelbine	27
VIOKACE	77
viorele (28)	92
VIRACEPT	6
VIREAD	6
VISTOGARD	14
VITRAKVI	27
VIVITROL	39
VIZIMPRO	28
VONJO	28
voriconazole	2
VOSEVI	6
VOTRIENT	28
VRAYLAR	47
VUMERTY	36
VYNDAMAX	56
VYXEOS	28
W	
warfarin	54
water for irrigation, sterile	64
WELIREG	28

您可以通达此文件的开头找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

<i>wera</i> (28)	92
<i>wescap-pn dha</i>	105
<i>wixela inhub</i>	101
X	
XALKORI.....	28
XARELTO	54
XARELTO DVT-PE TREAT 30D START	54
XATMEP	28
XCOPRI	33
XCOPRI MAINTENANCE PACK	33
XCOPRI TITRATION PACK	33
XDEMVY	94
XELJANZ	88
XELJANZ XR.....	88
XERMELO.....	28
XGEVA	14
XIAFLEX.....	64
XIFAXAN.....	11
XIGDUO XR.....	71
XiIDRA.....	94
XOFLUZA	6
XOLAIR.....	101
XOSPATA	28
XPOVIO.....	28
XTANDI.....	28
<i>xulane</i>	89
Y	
YEROVY	28
YF-VAX (PF).....	82
YONDELIS	28
<i>yuvafem</i>	89
Z	
<i>zafemy</i>	89
<i>zafirlukast</i>	101
<i>zaleplon</i>	47
ZALTRAP	28
ZANOSAR	28
ZARXIO	79
ZEGALOGUE AUTOINJECTOR	71
ZEGALOGUE SYRINGE ..	71
ZEJULA	28, 29
ZELBORAF	29
<i>zenatane</i>	59
ZENPEP	77
ZEPOSIA.....	36
ZEPOSIA STARTER KIT (28- DAY)	36
ZEPOSIA STARTER PACK (7-DAY)	36
ZEPZELCA	29
<i>zidovudine</i>	6
ZIEXTENZO	79
<i>ziprasidone hcl</i>	47
<i>ziprasidone mesylate</i>	47
ZIRABEV	29
ZIRGAN	93
ZOLADEX	29
<i>zoledronic acid</i>	73
<i>zoledronic acid-mannitol-water</i>	64, 73
ZOLINZA	29
<i>zolmitriptan</i>	34
<i>zolpidem</i>	47
ZONISADE	33
<i>zonisamide</i>	33
<i>zovia 1-35</i> (28).....	92
ZTALMY	33
ZUBSOLV	40
<i>zumandimine</i> (28).....	92
ZURZUVAE	47
ZYDELIG	29
ZYKADIA	29
ZYNLONTA	29
ZYNYZ	29
ZYPREXA RELPREVV	47

您可以通[过链接到此文件的开头](#)找到有关此表中符号和缩写含义的信息。
此药物清单的最后更新日期为03/19/2024

2024 年 D 章《世衛組織標準處方集》（綜合）

此處方集更新於 2024 年 04 月 1 日。如需瞭解更多最新資訊或有其他問題，請聯系 Brand New Day 會員服務部，電話：(877) 621-8798。（TTY 用戶請撥打全天候服務熱線 (800) 899-2114），或造訪 www.bndhmo.com。